



# HP Color LaserJet Enterprise Flow MFP M577c (B5L54A)

## Overview



Conserve energy and boost productivity with an MFP that delivers multi-level device security.[10]

Ideal for enterprises and medium businesses that need a secure, highly productive, energy-efficient color MFP.

### High-speed performance meets energy efficiency

Don't wait for documents. Print your first page in as few as 9 seconds from energy-efficient sleep mode.[2]

### More. Pages, Performance, and Protection.

Make an impression with leading color quality from HP. Get unparalleled printing for your office needs.

### Unparalleled fleet security and management

Embedded features detect security threats and heal your MFP, protecting it from boot up to shutdown.[10]

### Stay connected with secure mobile printing options

Use optional, 128-bit encrypted wireless direct printing from mobile devices—no network needed.[6]

## Features



Fast wake-up and print<sup>[15]</sup>



Fast two-sided printing



Low energy use



Keep fleet security covered<sup>[16]</sup>



Original HP Toner cartridges with JetIntelligence<sup>[17]</sup>



Load up to 2300 sheets of paper

---

*[2] Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print and copy speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see <http://www.hp.com/go/Ljclaims>*

*[6] Touch-to-print capability requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see <http://www.hp.com/go/businessmobileprinting>*

*[10] Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at <http://www.hp.com/go/printsecurity>*

*[15] Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.*

*[16] Some solutions require download or additional purchase. Learn more at <http://www.hp.com/go/printingsolutions>.*

*[17] Based on ISO/IEC 19752 cartridge yields for HP 55X High Yield Black Original LaserJet Toner cartridges compared with HP 87X High Yield Black Original LaserJet Toner cartridges. Learn more at <http://www.hp.com/go/learnaboutsupplies>*

## Specifications

<b>Print Resolution Technologies</b>	HP ImageREt 3600, Pantone Calibrated
<b>Print quality black (best)</b>	HP ImageREt 3600
<b>Print quality color (best)</b>	HP ImageREt 3600
<b>Print speed black (ISO, A4)</b>	Up to 38 ppm
<b>Print speed black (ISO, letter)</b>	Up to 40 ppm
<b>Print Speed Color (ISO)</b>	Up to 38 ppm
<b>Print speed color (ISO)</b>	Up to 40 ppm
<b>Print speed</b>	Print speed up to 38 ppm (black) and 38 ppm (color)
<b>Functions</b>	Print, copy, scan, fax
<b>Duplex printing</b>	Automatic (standard)
<b>Duty cycle (monthly, A4)</b>	Up to 80,000 pages
<b>Duty cycle (monthly, letter)</b>	Up to 80,000 pages <sup>[9]</sup>
<b>Printer smart software features</b>	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB, HP Easy Color
<b>Copier smart software features</b>	Auto scale; Reduce/enlarge from scanner glass (25 to 400 percent); Collate; Auto color detection; Two-sided copying; Image adjustments (darkness, background cleanup, sharpness); Job build
<b>Scanner advanced features</b>	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone
<b>Fax smart software features</b>	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule
<b>Energy savings feature technology</b>	HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy
<b>Replacement cartridges</b>	HP 508A Black LaserJet Toner Cartridge (~6000 ISO yield) CF360A; HP 508X Black LaserJet Toner Cartridge (~12,500 ISO yield) CF360X; HP 508A Cyan LaserJet Toner Cartridge (~5000 ISO yield) CF361A; HP 508X Cyan LaserJet Toner Cartridge (~9500 ISO yield) CF361X; HP 508A Yellow LaserJet Toner Cartridge (~5000 ISO yield) CF362A; HP 508X Yellow LaserJet Toner Cartridge (~9500 ISO yield) CF362X; HP 508A Magenta LaserJet Toner Cartridge (~5000 ISO yield) CF363A; HP 508X Magenta LaserJet Toner Cartridge (~9500 ISO yield) CF363X <sup>[6]</sup>
<b>Supplies feature</b>	HP JetIntelligence Cartridge
<b>Connectivity, standard</b>	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit/Fast Ethernet 10/100/1000Base-TX network; Hardware Integration Pocket; Fax
<b>Connectivity, optional</b>	HP Jetdirect 3000w NFC/Wireless Accessory J8030A, HP Jetdirect 2900nw Print Server J8031A
<b>Modem</b>	33.6 kbps

<b>Network capabilities</b>	Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard)
<b>Wireless capability</b>	Optional, enabled with purchase of hardware accessory.
<b>Mobile printing capability</b>	HP ePrint; Apple AirPrint™; Mopria™-certified; Google Cloud Print 2.0
<b>Network protocols, supported</b>	IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; Other: NetWare NDS, Bindery, NDPS, ePrint; Google Cloud Print 2.0
<b>Software included</b>	For Windows OS; HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Send Fax, HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; For Mac OS; Welcome Screen, (Directs users to HP.com or OS App Source for LaserJet Software)
<b>Compatible Operating Systems</b>	Windows OS compatible with In-Box Driver; Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); Windows OS compatible with Universal Print Driver (From HP.com); Windows XP SP3 32- & 64-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32- & 64-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); Mac OS (HP Print Drivers available from HP.com and Apple Store); OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Mobile OS (In-OS drivers); iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; SUSE Linux (12.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x); Other OS; UNIX <sup>[13]</sup>
<b>Sustainable impact specifications</b>	Mercury free
<b>Energy star certified</b>	Yes
<b>Ecolabels</b>	ENERGY STAR® qualified; EPEAT® Silver, CECP
<b>Copy speed (black, normal quality, A4)</b>	Up to 38 cpm
<b>Copy speed (color, normal quality, A4)</b>	Up to 38 cpm
<b>Copy speed black (normal, letter)</b>	Up to 40 cpm
<b>Copy speed color (normal, letter)</b>	Up to 40 cpm
<b>Copy speed black duplex (A4)</b>	Up to 38 cpm
<b>Copy speed black duplex (Letter)</b>	Up to 40 cpm
<b>Digital sending standard features</b>	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to LAN Fax; Send to Internet Fax; OCR; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR

<b>Digital sending optional features</b>	Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book
<b>Fax Resolution Black (best)</b>	Up to 300 x 300 dpi (400 x 400 dpi for received faxes only)
<b>Faxing</b>	Yes
<b>Scan speed (normal, A4)</b>	Up to 45 ppm/64 ipm (b&w), up to 45 ppm/58 ipm (color)
<b>Scan speed (normal, letter)</b>	Up to 48 ppm/68 ipm (b&w), up to 48 ppm/60 ipm (color)
<b>Scan file format</b>	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)
<b>Scan input modes</b>	Front panel applications: Copy, E-mail, Fax, Save to Network Folder, Save to USB, Save to Device Memory, Save to SharePoint, Open Extensibility Platform (OXF) applications
<b>Scan technology</b>	Contact Image Sensor (CIS)
<b>Scanner type</b>	Flatbed, ADF (two-sided, single-pass)
<b>Display area (imperial)</b>	6.37 x 4.78 in
<b>Display area (metric)</b>	16.2 x 12.1 cm
<b>Display</b>	8" color touchscreen
<b>Minimum dimensions (W x D x H)</b>	482 x 504 x 583 mm
<b>Minimum dimensions (W x D x H)</b>	18.98 x 19.84 x 22.95 in
<b>Weight</b>	38.6 kg
<b>Weight</b>	85 lb
<b>Power consumption</b>	592 watts (Printing), 47.3 watts (Ready), 3.48 watts (Sleep), 0.08 watts (Auto-Off/Manual On), 0.49 watts (Auto-Off/Auto-On/Wake on LAN) <sup>[4]</sup>
<b>Power supply type</b>	Internal (Built-in) power supply
<b>What's in the box</b>	Printer; Four preinstalled HP LaserJet toner cartridges (Black: ~6000 pages, Color: ~5000 pages); Toner collection unit; In-box documentation; Software CD; Power Cord; fax cable <sup>[1]</sup>
<b>Manufacturer Warranty</b>	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to <a href="http://www.hp.com/support">http://www.hp.com/support</a> to learn about HP award winning service and support options in your region.

## Additional specifications

<b>ADF Capacity</b>	100
<b>Accessories</b>	HP Accessibility Assistant 2MU47A, HP 2GB 144-Pin DDR3 TAA Version DIMM 2NR09A, HP Removable Hard Drive Enclosure 2NR12A, HP Accessibility Kit 2TD64A, HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, HP TAA Version Secure Hard Disk Drive 5EL03A, HP LaserJet Keyboard Overlay Kit for Simplified Chinese & Traditional Chinese A7W12A, HP Internal USB Ports B5L28A, HP Foreign Interface Harness B5L31A, HP Color LaserJet 550-sheet Media Tray B5L34A, HP Color LaserJet Printer Cabinet B5L51A, HP 200 ADF Roller Replacement Kit B5L52A, HP LaserJet MFP Analog Fax Accessory 600 B5L53A, HP SmartCard NIPRNet Solution for US Government CC543B, HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM E5K48A, HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM E5K49A, HP Trusted Platform Module Accessory F5S62A, HP SmartCard SIPRNet Solution for US Government F8B30A, HP Staple Cartridge Pack Q7432A, HP Jetdirect 3000w NFC/Wireless Accessory J8030A, HP Jetdirect 2900nw Print Server J8031A, HP Staple Cartridge Pack Q7432A, HP 200 ADF Roller Replacement Kit W5U23A
<b>Acoustic power emissions (active copy)</b>	6.9 B(A) (copying at 38 ppm with ADF running)
<b>Acoustic power emissions (active scan)</b>	6.7 B(A) (scan mono simplex at 47 ppm)
<b>Acoustic power emissions (active, printing)</b>	6.5 B(A) (printing at 38 ppm)
<b>Acoustic power emissions (ready)</b>	4.7 B(A)
<b>Acoustic pressure emissions bystander (active copy)</b>	54 dB(A) (copying at 38 ppm with ADF running)
<b>Acoustic pressure emissions bystander (active scan)</b>	52 dB(A) (scan mono simplex at 47 ppm)
<b>Acoustic pressure emissions bystander (active, printing)</b>	51 dB(A) (printing at 38 ppm)
<b>Acoustic pressure emissions bystander (ready)</b>	32 dB(A)
<b>Additional information about HP</b>	<a href="http://www.hp.com">http://www.hp.com</a>
<b>Additional information about HP in the countries</b>	<a href="http://hp.com">hp.com</a>
<b>Auto fax reduction supported</b>	Yes
<b>Automatic document feeder capacity</b>	Standard, 100 sheets
<b>Automatic paper sensor</b>	Yes
<b>Best technical electricity consumption (TEC)</b>	1.52 kWh/Week <sup>[19]</sup>
<b>Bit depth</b>	24-bit
<b>Bottom margin (A4)</b>	2 mm absolute/5 mm assured image

<b>Business filter</b>	cMPS
<b>Cable included</b>	No, please purchase USB cable separately
<b>Capacity</b>	320 GB
<b>Cartons per layer</b>	2
<b>Color or black</b>	Color
<b>Color scanning</b>	Yes
<b>Compatible Network Operating Systems</b>	Windows OS compatible with In-Box Driver; Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32-/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services); Windows OS compatible with Universal Print Driver (UPD) or Product-Specific drivers from HP.com; Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services); Citrix (on Windows Server 2003/2003R2), Citrix MetaFrame Presentation Server, 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3), Citrix (on Windows Server 2008/2008R2, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3), Citrix XenApp 6.0/6.5/7.5, Citrix XenDesktop 5.6/7.0/7.5, Citrix (on Windows Server 2012/2012R2, Citrix XenApp 7.5, Citrix XenDesktop 7.0/7.5); Novell Servers; www.novell.com/iprint), Novell iPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, NetWare 6.5/SP8, Novell Clients (www.novell.com/iprint); Windows 8 (32-bit / 64-bit) recommend v5.86+, 8.1 recommend v5.94+, Windows 7 (32-bit / 64-bit) recommend v5.82+, Windows Vista (32-bit / 64-bit) recommend v5.82+, Windows XP / SP3 (32-bit only) recommend v5.82+ ?
<b>Component type</b>	Printer
<b>Control panel</b>	8.0-in (20.3 cm) color touchscreen; adjustable angle display with gesturing; illuminated Home button (for quick return to the Home menu) and integrated keyboard
<b>Copier scaling (ADF)</b>	25 to 200%
<b>Copier settings</b>	Two-sided copying; Scalability; Image adjustments (darkness, contrast, background cleanup, sharpness); N-up; N or Z-ordering; Content orientation; Collation; Booklet; Job build; Edge-to-edge; Job storage; ID Copy; Book Copy; A-to-B Copy (different media sizes)
<b>Copies, maximum</b>	Up to 9999 copies
<b>Copy reduce / enlarge settings</b>	25 to 400%
<b>Copy resolution (black graphics)</b>	Up to 600 x 600 dpi
<b>Copy resolution (black text)</b>	Up to 600 x 600 dpi
<b>Copy resolution (color text and graphics)</b>	Up to 600 x 600 dpi
<b>Copy speed color duplex (A4)</b>	Up to 38 cpm
<b>Copy speed color duplex (Letter)</b>	Up to 40 cpm

<b>Count of layers in pallet</b>	3
<b>Country of origin</b>	Made in China; Mexico (B5L54A#201, B5L54A#AAZ, B5L54A#BGJ)
<b>Datasheet photo 1</b>	Publication photos/M577z.jpg
<b>Datasheet photo 4</b>	Publication photos/M577walkaround.jpg
<b>Datasheet publication number</b>	4AA6-1663ENUC
<b>Distinctive ring detection supported</b>	No
<b>Downloadable software</b>	From 123.HP.com; HP Easy Start (Guided Software Install for Windows OS and Mac); From HP.com for Windows OS and Mac; Full-solution software and drivers (Same solution as "Software Included"); HP PCL 6 print driver only (No installer for "Add Printer" installs), HP PCL 6 print driver with installer, Product Documentation and Support; From HP.com for Mac OS; Full-solution software and drivers; For Mobile OS; (See "HP Mobile Printing" <a href="http://www8.hp.com/us/en/ads/mobility/overview.html">http://www8.hp.com/us/en/ads/mobility/overview.html</a> ); From In-OS app stores; HP recommended printer drivers and software; HP.com for printer administrators, Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator), HP Universal Print Drivers (PCL 6, PCL 5 & PS for Windows), HP ePrint Software (ePrint Mobile Driver for Windows), Linux/Unix Print Drivers, SAP (PCL 5 and PS Print Drivers), HP Web JetAdmin Software, HP Proxy Agent Software, HP Imaging and Printing Security Center, HP JetAdvantage Security Manager
<b>Driver updates</b>	Current HP printer drivers and software can be obtained from the HP Customer Care Website: In the US, go to <a href="http://www.hp.com/Support/colorIjM577">http://www.hp.com/Support/colorIjM577</a> ; Outside the US: 1. Go to <a href="http://www.hp.com/support">http://www.hp.com/support</a> . Select the country/region; 2. Select Drivers & Downloads; 3. Enter a product name/number; 4. Under Drivers and software/Driver language, select the language to receive a download in the language desired; 5. Select the operating system version; 6. Then select DOWNLOAD for the software desired.
<b>Duplex ADF scanning</b>	Yes
<b>Electromagnetic compatibility</b>	CISPR 22:2008 (International) - Class A, EN 55022: 2010 (EU) - Class A, EN 61000-3-2: 2006 +A1: 2009 +A2: 2009, EN 61000-3-3: 2008, EN 55024: 2010, EMC Directive 2004/108/EC, FCC CFR 47 Part 15 Class A / ICES-003, Issue 5 Class A, Other EMC approvals as required by individual countries
<b>Engine life</b>	300000
<b>Enhanced scanning resolution</b>	Up to 600 dpi
<b>Envelope Feeder</b>	No
<b>FCC Class A emissions</b>	FCC Class A emissions - for use in commercial environments, not residential environments
<b>Fax Auto Redial</b>	Yes
<b>Fax Broadcast Locations</b>	210
<b>Fax PC Interface Supported</b>	Yes
<b>Fax Polling</b>	Yes (poll to receive only)
<b>Fax Remote Retrieval</b>	No
<b>Fax Speed Dials, Maximum Number</b>	Up to 1000 numbers (each with 210 destinations)



<b>Fax Transmission Speed</b>	33.6 kbps
<b>Fax delayed sending</b>	No
<b>Fax forwarding</b>	Yes
<b>Fax phone TAM interface supported</b>	No
<b>Fax resolution black</b>	204 x 196 dpi
<b>Fax telephone mode supported</b>	No
<b>Fax transmission speed (letter)</b>	3 sec per page <sup>[18]</sup>
<b>File Format Supported</b>	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)
<b>Finished output handling</b>	Sheetfed
<b>First copy out black (A4)</b>	As fast as 5.7 sec
<b>First copy out black (A4, sleep)</b>	As fast as 10.3 sec
<b>First copy out black (letter)</b>	As fast as 5.5 sec
<b>First copy out black (letter, sleep)</b>	As fast as 9.7 sec
<b>First copy out color (A4)</b>	As fast as 9.2 sec
<b>First copy out color (A4, sleep)</b>	As fast as 12.6 sec
<b>First copy out color (letter)</b>	As fast as 8.7 sec
<b>First copy out color (letter, sleep)</b>	As fast as 12.7 sec
<b>First page out black (A4, ready)</b>	As fast as 5.9 sec
<b>First page out black (A4, sleep)</b>	As fast as 9.1 sec
<b>First page out black (letter, ready)</b>	As fast as 5.7 sec
<b>First page out black (letter, sleep)</b>	As fast as 8.7 sec
<b>First page out color (A4, ready)</b>	As fast as 6.9 sec
<b>First page out color (A4, sleep)</b>	As fast as 9.0 sec
<b>First page out color (letter, ready)</b>	As fast as 6.8 sec
<b>First page out color (letter, sleep)</b>	As fast as 8.9 sec
<b>Fonts and typefaces</b>	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <a href="http://www.hp.com/go/laserjetfonts">http://www.hp.com/go/laserjetfonts</a>
<b>HP ePrint capability</b>	Yes
<b>Input capacity</b>	Up to 650 sheets

<b>Internal Storage</b>	Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk); U.S. Government: Standard, FIPS 140-2 validated hard disk, minimum 500 GB
<b>Junk fax barrier</b>	Yes
<b>Left margin (A4)</b>	2 mm absolute/5 mm assured image
<b>Levels of grayscale</b>	256
<b>Mac compatible</b>	Yes
<b>Maximum Input Capacity (envelopes)</b>	Up to 10 envelopes
<b>Maximum Memory</b>	3.75 GB
<b>Maximum dimensions (W x D x H)</b>	699 x 504 x 583 mm
<b>Maximum dimensions (W x D x H)</b>	27.5 x 19.84 x 22.95 in
<b>Maximum input capacity (sheets)</b>	Up to 2300 sheets
<b>Maximum metric depth</b>	504
<b>Maximum metric height</b>	583
<b>Maximum metric width</b>	699
<b>Maximum output capacity (sheets)</b>	Up to 250 sheets
<b>Maximum print area</b>	215.9 x 355.6 mm
<b>Media size (ADF)</b>	Letter; legal; oficio; executive; statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard (JIS); 4 x 6 in; 5 x 7 in; 5 x 8 in
<b>Media size, tray 1</b>	A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; envelopes (B5, C5 ISO, C6, DL ISO); 76 x 127 to 216 x 356 mm
<b>Media size, tray 2</b>	A4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 102 x 148 to 216 x 297 mm
<b>Media size, tray 3</b>	A4; RA4; A5; B5 (JIS); 16K; 102 x 148 to 216 x 356 mm
<b>Media sizes supported</b>	Tray 1: letter, legal, oficio, executive, statement, 4 x 6, 3 x 5, 5 x 7, 5 x 8, postcard (JIS), double postcard (JIS), 8.5 x 13, envelope (commercial No. 9, No. 10, Monarch); Custom: 3 x 5 to 8.5 x 14 in; Tray 2: letter, executive, statement, 4 x 6, 5 x 7, 5 x 8, double postcard (JIS); Custom: 4.0 x 5.85 to 8.5 x 11.69 in; Optional Trays 3+: letter, legal, oficio, executive, 8.5 x 13; Custom: 4.0 x 5.85 to 8.5 x 14 in
<b>Media sizes supported</b>	Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optional Trays 3+: A4, RA4, A5, B5 (JIS), 16K; Custom: 102 x 148 to 216 x 356 mm
<b>Media sizes supported, key</b>	10 x 15 cm; A4; Envelopes
<b>Media sizes supported, key</b>	4 x 6 in; Letter; Legal; Envelopes
<b>Media sizes, custom</b>	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 297 mm; Optional Trays 3+: 102 x 148 to 216 x 356 mm
<b>Media sizes, custom</b>	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2: 4.0 x 5.85 to 8.5 x 11.69 in; Optional Trays 3+: 4.0 x 5.85 to 8.5 x 14 in

<b>Media type and capacity, ADF</b>	Sheets: 100
<b>Media type and capacity, tray 1</b>	Sheets (75 g/m <sup>2</sup> paper): 100; Transparencies, cardstock (163 g/m <sup>2</sup> ): 50; Cardstock (216 g/m <sup>2</sup> ): 30; Envelopes: 10
<b>Media type and capacity, tray 2</b>	Sheets (75 g/m <sup>2</sup> paper): 550; Labels, cardstock (163 g/m <sup>2</sup> ); Transparencies: 100
<b>Media type and capacity, tray 3</b>	Sheets (75 g/m <sup>2</sup> paper): 550; Labels, cardstock (163 g/m <sup>2</sup> ); Transparencies: 100
<b>Media types</b>	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined
<b>Media weight (tray 1)</b>	60 to 220 g/m <sup>2</sup> (plain paper), 105 to 220 g/m <sup>2</sup> (glossy paper)
<b>Media weight (tray 2)</b>	60 to 220 g/m <sup>2</sup> (plain paper), 105 to 220 g/m <sup>2</sup> (glossy paper)
<b>Media weight (tray 3)</b>	60 to 220 g/m <sup>2</sup> (plain paper), 105 to 220 g/m <sup>2</sup> (glossy paper)
<b>Media weight, supported</b>	Tray 1: 16 to 58 lb (plain); 28 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain paper); 28 to 58 lb (glossy paper); Optional Trays 3+: 16 to 58 lb (plain paper); 28 to 58 lb (glossy paper); Automatic Duplexer: 16 to 43 lb
<b>Media weight, supported</b>	Tray 1: 60 to 220 g/m <sup>2</sup> (plain paper), 105 to 220 g/m <sup>2</sup> (glossy paper); Tray 2: 60 to 220 g/m <sup>2</sup> (plain paper), 105 to 220 g/m <sup>2</sup> (glossy paper); Optional Trays 3+: 60 to 220 g/m <sup>2</sup> (plain paper), 105 to 220 g/m <sup>2</sup> (glossy paper); Automatic Duplexer: 60 to 163 g/m <sup>2</sup>
<b>Media weights, supported ADF</b>	12 to 53 lb
<b>Media weights, supported ADF</b>	45 to 199 g/m <sup>2</sup>
<b>Memory</b>	1.25 GB (printer), 512 MB (scanner)
<b>Memory Slots</b>	1 slot, 144-pin DDR3
<b>Memory card compatibility</b>	DDR3 Memory DIMM
<b>Memory footnote</b>	Maximum physical memory present is reported. Actual usable amount by firmware might be less.
<b>Memory upgrade</b>	Expandable to 3.75 GB through one 144-pin DDR3 DIMM slot
<b>Metric depth</b>	504
<b>Metric height</b>	583
<b>Metric width</b>	482
<b>Minimum System Requirements</b>	Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); Windows OS compatible with Universal Print Driver (From HP.com); Windows XP SP3 32- & 64-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32- & 64-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); CD-ROM or DVD drive, or Internet connection; Dedicated USB or network connection or Wireless connection; 200 MB available hard disk space; OS compatible hardware (For OS hardware requirements see <a href="http://www.microsoft.com">http://www.microsoft.com</a> )

<b>Minimum System Requirements for Macintosh</b>	Mac OS (HP Print Drivers available from HP.com and Apple Store); OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Internet; USB; 1 GB HD; OS compatible hardware (For OS hardware requirements see <a href="http://www.apple.com">http://www.apple.com</a> )
<b>Multitasking supported</b>	Yes
<b>Native scan file format</b>	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)
<b>Network ready</b>	Standard (built-in Gigabit Ethernet)
<b>Non-Operating Humidity Range</b>	10 to 90% RH
<b>Number of print cartridges</b>	4 (1 each black, cyan, magenta, yellow)
<b>Number of users</b>	5-15 Users
<b>Operating humidity range</b>	10 to 80% RH
<b>Operating temperature range</b>	59 to 86°F
<b>Operating temperature range</b>	15 to 30°C
<b>Orderable product number</b>	B5L54A#AB0, B5L54A#AB2, B5L54A#ABJ, B5L54A#ACJ, B5L54A#BBU, B5L54A#BGM, B5L54A#ABT, B5L54A#ABY, B5L54A#ACQ, B5L54A#B19, B5L54A#BAZ, B5L54A#201, B5L54A#AAZ, B5L54A#BGJ, B5L54A#B13
<b>Orderable supplies</b>	HP LaserJet 110v Fuser Kit B5L35A, HP LaserJet 220v Fuser Kit B5L36A, HP Color LaserJet Toner Collection Unit B5L37A, HP 200 ADF Roller Replacement Kit B5L52A, HP Staple Cartridge Pack Q7432A
<b>Output capacity</b>	Up to 250 sheets
<b>Package dimensions (W x D x H)</b>	29.7 x 23.6 x 25.6 in
<b>Package dimensions (W x D x H)</b>	755 x 600 x 650 mm
<b>Package weight</b>	98.8 lb
<b>Package weight</b>	45 kg
<b>Pallet dimensions</b>	47.3 x 31.5 x 91.5 in
<b>Pallet dimensions (W x D x H)</b>	1200 x 800 x 2325 mm
<b>Pallet weight</b>	615 lb
<b>Pallet weight</b>	280 kg
<b>Paper handling input, optional</b>	550-sheet media input tray 3, 550-sheet media input tray 4, 550-sheet media input tray 5
<b>Paper handling input, standard</b>	100-sheet multipurpose tray, 550-sheet input tray 2
<b>Paper handling output, standard</b>	250-sheet output bin, convenience stapler
<b>Paper trays, maximum</b>	5
<b>Paper trays, standard</b>	2
<b>Photo (product photo, jpg, 190x170)</b>	Printing and Digital Imaging/B5L54A__190x170.jpg

Photo (product photo, jpg, 400x400)

Printing and Digital Imaging/B5L54A\_400x400.jpg

<b>Ports</b>	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit/Fast Ethernet 10/100/1000Base-TX network; 1 Hardware Integration Pocket; 1 Fax
<b>Post warranty repair &amp; maintenance</b>	<a href="http://www.hp.com/Support/colorljM577">http:// www.hp.com/Support/colorljM577</a>
<b>Power</b>	Input voltage: 100 to 127 VAC, 60 Hz, Input voltage: 200 to 240 VAC, 50 Hz (Not dual voltage, product varies by part number with # Option code identifier). Not dual voltage, power supply varies by part number with # Option code identifier.
<b>Print Technology</b>	Laser
<b>Print colors</b>	Yes
<b>Print languages</b>	XPS, HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7)
<b>Print quality black (normal)</b>	Up to 600 x 600 dpi
<b>Print resolution black (fine lines)</b>	Up to 1200 x 1200 dpi
<b>Print resolution color (fine lines)</b>	Up to 1200 x 1200 dpi
<b>Print resolution color (normal)</b>	Up to 600 x 600 dpi
<b>Print speed black (Landscape, A5)</b>	Up to 59 ppm
<b>Print speed black (Portrait, A5)</b>	Up to 6 ppm
<b>Print speed color (Landscape, A5)</b>	Up to 59 ppm
<b>Print speed color (Portrait, A5)</b>	Up to 6 ppm
<b>Print speed duplex (A4)</b>	Up to 38 ipm
<b>Print speed duplex (A4)</b>	Up to 38 ipm
<b>Print speed duplex (letter)</b>	Up to 40 ipm
<b>Print speed duplex (letter)</b>	Up to 40 ipm
<b>Print speed footnote number (A5)</b>	[20]
<b>Print technology</b>	Laser
<b>Printer Management</b>	UPD Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator); HP Web JetAdmin Software; HP Proxy Agent Software; HP JetAdvantage Security Manager
<b>Printer black pages (MPV black)</b>	1050
<b>Printer color pages (MPV color)</b>	700
<b>Processor speed</b>	1.2 GHz
<b>Product long name specifications</b>	HP Color LaserJet Enterprise MFP M577
<b>Product short name specifications</b>	HP Color LaserJet Enterprise Flow MFP M577c, Color, Printer for Business, Print, copy, scan, fax, 100-sheet ADF; Front-facing USB printing; Scan to email/PDF; Two-sided printing
<b>Quantity per pallet</b>	6

<b>RMN number</b>	BOISB-1406-01
<b>Recommended media weight (duplex)</b>	Automatic: 28 to 58 lb (glossy), 16 to 43 (plain); manual: 16 to 58 lb (all types)
<b>Recommended media weight (duplex)</b>	Automatic: 105 to 220 g/m <sup>2</sup> (glossy), 60 to 163 g/m <sup>2</sup> (plain); Manual: 60 to 220 g/m <sup>2</sup> (all types)
<b>Recommended monthly page volume</b>	2000 to 7500 <sup>[10]</sup>
<b>Recommended monthly scan volume</b>	8,350 to 13,900
<b>Recommended operating humidity range</b>	30 to 70% RH
<b>Recommended operating temperature range</b>	17 to 25°C
<b>Recommended operating temperature range</b>	62 to 77°F
<b>Replacement product number</b>	CD646A
<b>Resolution</b>	600 dpi
<b>Resolution (black and white, standard mode)</b>	204 x 98 dpi
<b>Resolution (black and white, superfine mode)</b>	300 x 300 dpi
<b>Resolution (black photo grayscale)</b>	300 x 300 dpi (400 x 400 dpi for received faxes only)
<b>Right margin (A4)</b>	2 mm absolute/5 mm assured image
<b>Safety</b>	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN 60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2007/IEC 60825-1:2007 (Class 1 Laser Product); EN 62479: 2010/IEC 62479: 2010; Low Voltage Directive 2006/95/EC with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries.
<b>Scan resolution, hardware</b>	Up to 600 x 600 dpi
<b>Scan resolution, optical</b>	Up to 600 dpi
<b>Scan size (ADF), maximum</b>	216 x 356 mm
<b>Scan size (ADF), maximum</b>	8.5 x 14 in
<b>Scan size (ADF), minimum</b>	105 x 127 mm
<b>Scan size (ADF), minimum</b>	4.1 x 5 in
<b>Scan size, maximum</b>	216 x 356 mm
<b>Scan size, maximum</b>	8.5 x 14 in
<b>Scan size, minimum</b>	No minimum
<b>Scan size, minimum</b>	No minimum
<b>Scan speed duplex (normal, A4)</b>	Up to 64 ipm (b&w), up to 58 ipm (color)

**Scan speed duplex (normal, letter)** Up to 68 ipm (b&w), up to 60 ipm (color)

**Security management**

Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140-2 validated cryptographic libraries), Secure Erase, SSL/TLS (HTTPS), Encrypted Credentials; Device: Security lock slot, USB port disablement, hardware integration pocket for security solutions, optional Trusted Platform Module; Security management: Compatible with optional HP JetAdvantage Security Manager

**Segment (filter)**

Business

**Services**

Customers can retain their hard disk drive and keep control of sensitive data.

**Services**

Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

**Services**

Installation services that include onsite installation and network setup of printing product.

**Services description headline 01**

Same Day Onsite – 4 hour 9x5 and 13x5:

**Services description headline 02**

Next Business Day with Defective Media Retention:

**Services description headline 03**

Installation Service with Network Setup:

**Standard media sizes (duplex)**

A4; A5; B5 (JIS)

**Standard media sizes (duplex, imperial)**

Letter; legal; oficio; executive

**Standard output capacity (envelopes)**

Up to 10 envelopes

**Standard output capacity (transparencies)**

Up to 100 sheets

**Storage device and direct print support**

Front-facing USB/Flash drive; USB printing

**Storage temperature range**

32 to 95°F

**Storage temperature range**

0 to 35°C

**Sub-brand name**

LaserJet

**SureSupply supported**

Yes

**Target user and print volume**

For teams up to 15 users; Prints up to 7,500 pages/month

**Tariff numbers**

8443310000 (National HTS); 8443318000 (EU Base HTS); 8443310000 (AM Base HTS); 84433120 (AP Base HTS)

**Technology logo, print 1**

Publication logos/AMS\_windows\_10.jpg

**Technology logo, print 2**

Publication logos/AMS\_Windows8\_compatible\_hp\_blue.jpg

**Technology logo, print 3**

Publication logos/AMS\_Compatible with Win7.jpg

<b>Technology logo, print 4</b>	Publication logos/AMS_mac_hires.jpg
<b>Technology logo, print 5</b>	Publication logos/AMS_EnergyStar.jpg
<b>Technology logo, print 6</b>	Publication logos/AMS_hp_eprint.jpg
<b>Telecom compliance (fax capability)</b>	Telecom wired: ES 203 021; R&TTE Directive 1999/5/EC with CE marking (Europe); FCC Rules and Regulations 47 CFR Part 68; Industry Canada CS03; Other Telecom approvals as required by individual countries.
<b>Telephone handset supported</b>	No
<b>Top key features</b>	100-sheet ADF; Front-facing USB printing; Scan to email/PDF; Two-sided printing
<b>Top margin (A4)</b>	2 mm absolute/5 mm assured image
<b>Tray capacity</b>	650
<b>Typical electricity consumption (TEC) number</b>	1.51 kWh/Week (Blue Angel); 0.464 kWh/Week (Energy Star 3.0) <sup>[5]</sup>
<b>UNSPSC code</b>	43212110
<b>UPC number</b>	(201) 725184071324; (AB0) 725184071218; (BGJ) 725184071348
<b>Web address for additional information</b>	Solutions: <a href="http://www.hp.com/go/gsc">http://www.hp.com/go/gsc</a> ; Fonts and IPDS Emulation: <a href="http://www.hp.com/go/laserjetfonts">http://www.hp.com/go/laserjetfonts</a> ; HP Web Jetadmin: <a href="http://www.hp.com/go/wja">http://www.hp.com/go/wja</a> ; HP Universal Print Driver: <a href="http://www.hp.com/go/upd">http://www.hp.com/go/upd</a> ; HP Imaging & Printing Security Center: <a href="http://www.hp.com/go/ipsc">http://www.hp.com/go/ipsc</a> ; On Demand Cloud Solutions: <a href="http://www.hpjetadvantage.com/ondemand">http://www.hpjetadvantage.com/ondemand</a>

[1] Toner cartridge yields established using ISO/IEC test standards. Actual yields and costs vary considerably depending on images printed, number of color pages printed, and other factors.

[4] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

[5] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

[6] Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutSupportlies>

[9] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

[10] HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

[13] Not all "Compatible Operating Systems" are supported with INBOX software; Full solution software available only for Windows 7 and newer; Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print and Scan drivers only; Windows RT OS for Tablets (32- & 64-bit) uses a simplified HP print driver built into the RT OS; UNIX modelscripts are available on HP.com (Modelscripts are printer drivers for UNIX operating systems); Linux systems use in-OS HPLIP software.

[18] Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17.

[19] Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.





## Services

### HP Care Pack Services

★ : Recommended

#### Imaging and Printing Hardware Support Onsite Svc

HP 3 year Next Business Day Service for ColorLaserJet M57x MFP	U8TH7E ★
HP 3 year 4 hour 9x5 Service for ColorLaserJet M57x MFP	U8TJ0E ★
HP 3 year 4 hour 13x5 Service for ColorLaserJet M57x MFP	U8TJ3E ★
HP 1 year Post Warranty 4 hour 13x5 Service for ColorLaserJet M57x MFP	U8TL1PE
HP 1 year Post Warranty 4 hour 9x5 Service for ColorLaserJet M57x MFP	U8TLOPE
HP 1 year Post Warranty Next Business Day Service for ColorLaserJet M57xMFP	U8TK8PE
HP 1 yr Renewal Print At Your Service NBD w/DMR Maintenance Kit Service for Color LaserJet M577 MFP	U9PU2PE
HP 2 year Post Warranty Next Business Day Service for ColorLaserJet M57xMFP	U8TK9PE
HP 4 year 4 hour 13x5 Service for ColorLaserJet M57x MFP	U8TJ4E
HP 4 year 4 hour 9x5 Service for ColorLaserJet M57x MFP	U8TJ1E
HP 4 year Next Business Day Service for ColorLaserJet M57x MFP	U8TH8E
HP 5 year 4 hour 13x5 Service for ColorLaserJet M57x MFP	U8TJ5E
HP 5 year 4 hour 9x5 Service for ColorLaserJet M57x MFP	U8TJ2E
HP 5 year Next Business Day Service for ColorLaserJet M57x MFP	U8TH9E

#### Imaging and Printing Commercial Care Pack Services

HP Installation Service with network configuration for Workgroup Printer(1 unit)	U9JT2E ★
HP 1 year Post Warranty Parts Exchange Service for ColorLaserJet M57xMFP	U8TL2PE
HP 1 year Print At Your Service Supplies Renewal up to 3500 pages per month Color LaserJet Service	UC6U0PE
HP 1 year Print At Your Service Supplies Renewal up to 7500 pages per month Color LaserJet Service	UC6U3PE
HP 1y Renewal Subscription Supply Svc for Color LaserJet (up to 1000 pages/mnth)	U9PW3PE
HP 1y Renewal Subscription Supply Svc for Color LaserJet (up to 2000 pages/mnth)	U9PW6PE
HP 1y Renewal Subscription Supply Svc for Color LaserJet (up to 5000 pages/mnth)	U9PW9PE
HP 3 year Parts Exchange Service for ColorLaserJet M57x MFP	U8TJ6E
HP 4 year Parts Exchange Service for ColorLaserJet M57x MFP	U8TJ7E

HP 5 year Parts Exchange Service for ColorLaserJet M57x MFP U8TJ8E

HP Maintenance Kit Replacement SVC ADF for Color LaserJet M575  
M577LaserJet M525 OfficeJet X585 U1W21E

HP Maintenance Kit Replacement Service Fuser 110 Volt for Color LaserJet  
M575 M55x M577 UL623E

HP Print User Wellness Parts Only Service for Color LaserJet MFP M57xSeries U29B5E

HP Print User Wellness Service for Color LaserJet MFP M57x Series U22Q1E

## Accessories

### Paper Handling

★ : Recommended

#### Input Trays

HP Color LaserJet 550-sheet Media Tray	B5L34A ★
--	----------

#### Fax Upgrades

HP LaserJet MFP Analog Fax Accessory 600	B5L53A
--	--------

#### Staple Cartridges

HP Staple Cartridge Pack	Q7432A
--------------------------	--------

### Cabinets and Stands

#### Printer Cabinets and Stands

HP Color LaserJet Printer Cabinet	B5L51A ★
-----------------------------------	----------

### Memory

#### DDR3 Memory

HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM	E5K48A
--	--------

HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM	E5K49A
---	--------

HP 2GB 144-Pin DDR3 TAA Version DIMM	2NR09A
--------------------------------------	--------

### Accessory Bundles

#### Printer Accessibility Accessories

HP Accessibility Kit	2TD64A
----------------------	--------

#### Data Security Accessories

HP Removable Hard Drive Enclosure	2NR12A
-----------------------------------	--------

### Cables/Cable Kits/Cable Adapters

#### Printer Cables

HP Foreign Interface Harness	B5L31A
------------------------------	--------

#### Port Cables and Cable Adapters

HP Internal USB Ports

B5L28A

## Network Print Servers

### External Print Servers

HP Jetdirect 3000w NFC/Wireless Accessory

J8030A

HP Jetdirect 3100w BLE/NFC/Wireless Accessory

3JN69A

## Fonts

### MICR

HP MICR Printing Solution - USB

HG277TT

## Security and Protection

### Smart Cards and SmartCard Readers

HP SmartCard NIPRNet Solution for US Government

CC543B

HP SmartCard SIPRNet Solution for US Government

F8B30A

### Security Devices

HP Trusted Platform Module Accessory

F5S62A

## PC Drives and Storage

### EIO Hard Drives

HP TAA Version Secure Hard Disk Drive

5EL03A

# Solutions

## Imaging and Printing Solutions

★ : Recommended

### Printing SW Solution Licenses

HP HID Mobile Access Mifare DES Fire Keystroking Reader	35H11A ★
---	----------

## HP Document and Workflow Solutions

### JetAdvantage Printing Security

Celiveo Enterprise	HP3PCELIVEO
HP Access Control Secure Printing and Job Accounting Solution	HPACOLUTION
HP Proximity Card Reader	HPPROXIMTYRDR
HP Secure Print and Insights	HPJETADSECUREPRINT
HP Security Manager	HPJETADSECMGR
Kofax SafeCom Security and Job Accounting Solution	HPNSAFECOMSOL
Pharos Blueprint	HP3PHAROSBPRNT

### JetAdvantage Printer Workflow

HP Capture and Route	HPCAPTANDROUTE
HP Workpath Apps	HPJA_AP

### JetAdvantage Print Management

HP Universal Print Driver	HPUNIVPRNTDRV
HP Web Jetadmin	HPWEBJETADMIN
Kofax ControlSuite	HP_CSUITE
LRS VPSX for Output Management	HP3PLRS

### JetAdvantage Mobile Printing

ePRINTit	HP3PEPRINTIT
----------	--------------

## Ink/Toner/Paper/Printer Supplies

### HP Maintenance Kits

★ : Recommended

#### HP ScanJet Maintenance Kits

HP 200 ADF Roller Replacement Kit	W5U23A
-----------------------------------	--------

### HP Laser Toner Cartridges and Kits

#### HP Color Laser Toner Printer Cartridges

HP 508A 3-pack Cyan/Magenta/Yellow Original LaserJet Toner Cartridges	CF360AM
HP 508A Black Original LaserJet Toner Cartridge	CF360A
HP 508A Cyan Original LaserJet Toner Cartridge	CF361A
HP 508A Magenta Original LaserJet Toner Cartridge	CF363A
HP 508A Yellow Original LaserJet Toner Cartridge	CF362A
HP 508X 2-pack High Yield Black Original LaserJet Toner Cartridges	CF360XD
HP 508X High Yield Black Original LaserJet Toner Cartridge	CF360X
HP 508X High Yield Cyan Original LaserJet Toner Cartridge	CF361X
HP 508X High Yield Magenta Original LaserJet Toner Cartridge	CF363X
HP 508X High Yield Yellow Original LaserJet Toner Cartridge	CF362X
HP Color LaserJet B5L35A 110V Fuser Kit	B5L35A
HP Color LaserJet B5L36A 220V Fuser Kit	B5L36A
HP Color LaserJet B5L37A Toner Collection Unit	B5L37A

### HP Paper for Multiple Uses

#### HP Multi-use Everyday Paper

HP All-in-One Printing Paper-250 sht/A4/210 x 297 mm	CHP712
HP All-in-One Printing Paper-500 sht/A4/210 x 297 mm	CHP710
HP Copy Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP910
HP Hi White Everyday Paper-5 reams/A4/210 x 297 mm	Q2400A
HP Hi White Everyday Paper-5 reams/Letter/8.5 x 11 in	Q2398A
HP Home and Office Paper-500 sht/A4/210 x 297 mm	CHP150
HP Office Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	HPC3HP
HP Office Paper-10 reams/Letter/8.5 x 11 in	HPC8511
HP Office Paper-2500 sht/A4/210 x 297 mm	CHP113
HP Office Paper-500 sht/A4/210 x 297 mm	CHP110

HP Office Quickpack-2500 sht/Letter/8.5 x 11 in	HP2500S
HP Premium Choice Paper-500 sht/A4/210 X 297 mm	CHP812
HP Printing Paper 90 gsm-500 sht/A4/210 x 297 mm	CHP235
HP Printing Paper-2500 sht/A4/210 x 297 mm	CHP215
HP Printing Paper-500 sht/A4/210 x 297 mm	CHP210

## HP Multipurpose Paper

HP Multipurpose Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	HPM113H
HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in	HPM115R
HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in	HPM115RC
HP Multipurpose Paper-500 sht/A4/210 x 297 mm	CHP225
HP Multipurpose Paper-500 sht/Letter/8.5 x 11 in	HPM1120

## HP Recycled Paper

HP Recycled Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP830
HP Recycled Paper-10 reams/Letter/8.5 x 11 in	HPE1120

## HP Business Papers

### HP Business Papers for laser

HP Enhanced Business Paper, Glossy, 150 g/m <sup>2</sup> , A4 (210 x 297 mm), 150 sheets	CG965A
HP Enhanced Business Paper, Glossy, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	Q6611A
HP Enhanced Business Paper, Matte, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	Q6543A
HP Enhanced Tri-Fold Business Paper, Glossy, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	Q6612A
HP Everyday Business Paper, Glossy, 32 lb, 11 x 17 in. (279 x 432 mm), 150 sheets	4WN07A
HP Everyday Business Paper, Glossy, 32 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN08A
HP Professional Business Paper, Glossy, 52 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN10A
HP Professional Business Paper, Matte, 52 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN05A

## HP Home & Office Papers

### HP Home & Office Papers for laser and inkjet



HP MultiPurpose20TM, 20 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets	HPM1120R
HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets	HPM1420
HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets	HPM1420P
HP Premium24(R), 24 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets	HPJ1124P

## HP Paper Designed for Laser Printers

### HP Laser Everyday Paper

HP Premium Choice LaserJet Paper-500 sht/Letter/8.5 x 11 in	HPU1132P
---	----------

## Industries

### Healthcare

★ : Recommended

#### Healthcare

Healthcare Overview

HPHLSOVERVIEW

## Disclaimer — Copyright

© Copyright 2015 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Nov 12, 2022 12:09 AM UTC+0000