



# HP DesignJet T2530 36-in PostScript Multifunction Printer (L2Y26A)



## Overview

**Dual-roll 36-inch, 6-ink integrated MFP for professional-quality CAD and GIS applications**

Boost workgroup performance with this MFP. Produce professional quality quickly. Enhance productivity with efficient printing including two rolls and a single, intuitive control panel for print, scan, and copy functions. Secure and manage easily.

### **PROFESSIONAL—Your work in high quality, quickly**

Present your work in precise, detailed color rendered with 6 Original HP inks including gray and photo black.

### **MANAGEABLE—Secure and easy-to-manage for IT**

From upgrades to network integration, this single, integrated device requires less effort to manage.[3]

### **PRODUCTIVE—Efficiencies help workgroups save time**

Convenient access to single control panel for print/scan/copy enables easy, do-it-yourself operation.

---

[3] One integrated print/scan/copy multifunction device compared to separate print, scan, copy devices.

## Specifications

<b>Print quality color (best)</b>	Up to 2400 x 1200 optimized dpi
<b>Functions</b>	Print, copy, scan
<b>Connectivity, standard</b>	Gigabit Ethernet (1000Base-T)
<b>Mobile printing capability</b>	Mobile printing and scanning via Apple AirPrint™, HP Print Service Plugin for Android, HP All-in-One Printer Remote app, and email printing. Supports printing from most smartphones and tablets using these operating systems: Android, iOS
<b>Energy star certified</b>	Yes
<b>Scan file format</b>	JPEG, PDF, TIFF
<b>Scanner type</b>	Sheetfed, CIS (Contact Image Sensor)
<b>Minimum dimensions (W x D x H)</b>	1399 x 916 x 1110 mm
<b>Minimum dimensions (W x D x H)</b>	55.1 x 36.1 x 43.7 in
<b>Weight</b>	112 kg
<b>Weight</b>	245 lb
<b>Power consumption</b>	120 watts (printing/scanning); 1.3 watts (5 watts with embedded Digital Front End) (sleep)
<b>Environmental certification</b>	ENERGY STAR®; WEEE; EU RoHS; China RoHS; REACH; EPEAT Bronze
<b>What's in the box</b>	HP DesignJet T2530 Multifunction Printer; printhead; introductory ink cartridges; stacking tray; printer stand and media bin; spindles; quick reference guide; setup poster; startup software; power cord
<b>Manufacturer Warranty</b>	One-year limited hardware warranty

## Additional specifications

<b>Accessories</b>	HP DesignJet 3-in Core Adapter CN538A, HP DesignJet 36-in Spindle L4R66A
<b>Acoustic power emissions (active, printing)</b>	6.5 B(A) (operating), 5.8 B(A) (idle), <1.9 B(A) (sleep)
<b>Acoustic pressure emissions</b>	47 dB(A) (operating), 39 dB(A) (idle), <16 dB(A) (sleep)
<b>Additional information about HP</b>	<a href="http://www.hp.com">http://www.hp.com</a>
<b>Additional information about HP in the countries</b>	<a href="http://hp.com">hp.com</a>
<b>Color(s) of printing supplies</b>	Cyan, gray, magenta, matte black, photo black, yellow
<b>Copier settings</b>	Copy quality; copy color; roll; content type; original paper type; background removal; contrast; de-skew; blueprints support
<b>Copies, maximum</b>	Up to 99 copies
<b>Copy reduce / enlarge settings</b>	25 to 400%
<b>Copy resolution (color text and graphics)</b>	Up to 2400 x 1200 optimized dpi
<b>Eco label</b>	ENERGY STAR® certified; EPEAT Bronze registered
<b>Electromagnetic compatibility</b>	Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI); Certified as Class A product: Korea (KCC)
<b>FCC Class A emissions</b>	FCC Class A emissions - for use in commercial environments, not residential environments
<b>Finished output handling</b>	Input: two automatic front-loading roll feeds; smart roll switching; sheet feed; Output: integrated output stacking tray (from A4/A to A0/E, with up to 50 A1/D-size capacity); media bin; automatic cutter; Scanner: straight-through scan paper path for sheet and cardboard originals
<b>Guaranteed minimum line width</b>	0.07 mm (ISO/IEC 13660:2001(E))
<b>Guaranteed minimum line width</b>	0.0028 in (ISO/IEC 13660:2001(E))
<b>Guaranteed minimum line width footnote</b>	Measured on HP Matte Film
<b>Guaranteed minimum line width footnote</b>	Measured on HP Matte Film
<b>HP ePrint capability</b>	Yes
<b>Ink drop</b>	6 pl (C, M, Y, G, pK); 9 pl (mK)
<b>Ink types</b>	Dye-based (C, G, M, pK, Y); pigment-based (mK)
<b>Internal Storage</b>	Standard, 500 GB
<b>Line accuracy</b>	±0.1%
<b>Line accuracy note</b>	±0.1% of the specified vector length or ±0.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A0/E HP Matte Film in Best or Normal mode with Original HP inks

<b>Linear scan speed</b>	Up to 2.5 in/sec (color, 200 dpi); up to 7.5 in/sec (grayscale, 200 dpi)
<b>Linear scan speed</b>	Up to 6.35 cm/sec (color, 200 dpi); up to 19.05 cm/sec (grayscale, 200 dpi)
<b>Maximum Memory</b>	128 GB (file processing)
<b>Maximum media thickness</b>	0.8 mm
<b>Maximum optical density (black)</b>	6 L* min/2.15 D
<b>Maximum optical density footnote (black)</b>	With HP Premium Instant Dry Photo Gloss media with Original HP inks
<b>Media sizes standard (metric rolls)</b>	210 to 914-mm wide sheets; 279 to 914-mm rolls
<b>Media sizes standard (sheets, rolls)</b>	8.3 to 36-in wide sheets; 11 to 36-in rolls
<b>Media sizes supported</b>	A, B, C, D, E
<b>Media sizes supported</b>	A4; A3; A2; A1; A0
<b>Media sizes, custom</b>	210 x 279 to 914 x 1219 mm
<b>Media sizes, custom</b>	8.3 x 11 to 36 x 48 in
<b>Media thickness</b>	0.03 in
<b>Media thickness</b>	Up to 19.7 mil
<b>Media types</b>	Bond and coated paper (bond, coated, heavyweight coated, super heavyweight plus matte, colored), technical paper (natural tracing, translucent bond, vellum), film (clear, matte, polyester), photographic paper (satin, gloss, semi-gloss, matte, high-gloss), backlit, self-adhesive (two-view cling, indoor paper, polypropylene, vinyl)
<b>Media weight, recommended</b>	60 to 328 g/m <sup>2</sup>
<b>Media width, maximum</b>	36 in
<b>Media width, maximum</b>	914 mm
<b>Memory</b>	128 GB (file processing) (Based on 1.5 GB RAM)
<b>Model size</b>	36 in
<b>Model size</b>	914 mm
<b>Network ready</b>	Standard
<b>Non-Operating Humidity Range</b>	0 to 95% RH
<b>Non-printable area (cut-sheet)</b>	0.1 x 0.87 x 0.1 x 0.1 in
<b>Non-printable area (cut-sheet)</b>	3 x 22 x 3 x 3 mm
<b>Non-printable area (roll media)</b>	3 x 3 x 3 x 3 mm
<b>Non-printable area (roll media)</b>	0.1 x 0.1 x 0.1 x 0.1 in
<b>Number of print cartridges</b>	6 (cyan, gray, magenta, matte black, photo black, yellow)
<b>Operating humidity range</b>	20 to 80% RH
<b>Operating temperature range</b>	5 to 40°C
<b>Operating temperature range</b>	41 to 104°F

<b>Package dimensions (W x D x H)</b>	1500 x 781 x 815 mm
<b>Package dimensions (W x D x H)</b>	59.1 x 30.8 x 33.5 in
<b>Package weight</b>	320 lb
<b>Package weight</b>	145 kg
<b>Photo (product photo, jpg, 190x170)</b>	Accessories/L2Y26A_190x170.jpg
<b>Photo (product photo, jpg, 400x400)</b>	Accessories/L2Y26A_400x400.jpg
<b>Photo (product photo, jpg, 70x100)</b>	Accessories/L2Y26A_70x100.jpg
<b>Power</b>	Input voltage (auto ranging) 100-240 V (±10%), 50/60 Hz (±3 Hz), 2 A max (peak current)
<b>Print Technology</b>	Ink
<b>Print cartridge volume delivered</b>	HP 727 Ink Cartridge: cyan, gray, magenta, matte black, photo black, yellow (300 ml); cyan, gray, magenta, matte black, photo black, yellow (130 ml)
<b>Print head nozzles</b>	9632
<b>Print heads</b>	1 (cyan, gray, magenta, matte black, photo black, yellow)
<b>Print languages</b>	Adobe PostScript 3, Adobe PDF 1.7 Extension Level 3, HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4, HP-PCL3GUI, URF
<b>Print speed black line drawing (draft, A1 plain paper)</b>	120 A1 prints per hour
<b>Print speed black line drawing (draft, US D plain paper)</b>	120 D prints per hour
<b>Print speed line drawing (economode, A1 plain paper)</b>	120 A1 prints per hour
<b>Print speed line drawing (economode, D plain paper)</b>	120 D prints per hour
<b>Print technology</b>	HP Thermal Inkjet
<b>Print time black and white line drawing (draft, US D plain paper)</b>	21 sec/page
<b>Print time black and white line drawing (draft, metric A1 plain paper)</b>	21 sec/page
<b>Print time line drawing (economode, A1 plain paper)</b>	21 sec/page
<b>Print time line drawing (economode, D plain paper)</b>	21 sec/page
<b>Printer drivers included</b>	HP-GL/2, HP-PCL3GUI drivers for Windows and Mac OS X; PostScript drivers for Windows, Linux, and Mac OS X
<b>Printing path</b>	Direct printing from USB flash drive (Printing PDF files from USB Flash Drive only available with HP Designjet T2530 PostScript Multifunction Printer), email printing, HP driver for Windows, HP driver for Mac OS X, HP Print Service for Android, Apple AirPrint driver, HP Print for Chrome OS

**Product logos**

Adobe PostScript 3; AirPrint; ENERGY STAR; EPEAT Bronze; Gold IPv6 Ready; Hi-Speed USB; Mac Universal; PANTONE\* Digital Color; Sepialine; Windows 8 Compatible

**Recommended installation method**

Professional installation is recommended

**Roll external diameter**

140 mm

**Roll external diameter**

5.5 in

**Roll maximum input**

2

**Roll maximum weight**

11.9 kg

**Roll maximum weight**

26.3 lb

**Safety**

USA and Canada (CSA certified); EU (LVD and EN 60950-1 compliant); Russia (GOST); Singapore (PSB); China (CCC); Argentina (IRAM); Mexico (NYCE); Korea (KATS)

**Scan modes supported**

File, email, USB, HDD, network folder, FTP, mobile device through HP AiO Printer Remote, print

**Scan resolution, optical**

Up to 600 dpi

**Scan size, maximum**

36 x 315 in (JPEG); 36 x 197 in (PDF); 36 x 472 in (TIFF) (Files no bigger than 2 GB); 24 x 709 in (TIFF) (Files no bigger than 2 GB)

**Scan size, maximum**

914 x 8000 mm (JPEG); 914 x 5000 mm (PDF); 914 x 12,000 mm (TIFF) (Files no bigger than 2 GB); 610 x 18,000 mm (TIFF) (Files no bigger than 2 GB)

**Storage temperature range**

-25 to 55°C

**Storage temperature range**

-13 to 131°F

**Supported Primary Applications**

Line drawings; Renderings; Presentations; Maps; Orthophotos

**Theoretical minimum line width**

0.02 mm (HP-GL/2 addressable)

**Theoretical minimum line width**

0.0008 in (HP-GL/2 addressable)

**UNSPSC code**

43211610

**UPC number**

(ABG) 889894200617; (B19) 889894200594; (B1K) 889894200624; (BCD) 889894200600

**Web address for additional information**

<http://www.hp.com/go/designjett2530>

---

Services

HP Care Pack Services

★ : Recommended

Graphics Solutions Care Pack Services

HP 1 year Post Warranty Next Business Day Onsite Hardware Support w/DMR  
for Designjet T2530 MFP

U8PN3PE ★

### Ink Supplies

★ : Recommended

#### HP Graphic Arts Inks/Printheads

HP 727 130-ml Cyan DesignJet Ink Cartridge	B3P19A
HP 727 130-ml Gray DesignJet Ink Cartridge	B3P24A
HP 727 130-ml Magenta DesignJet Ink Cartridge	B3P20A
HP 727 130-ml Matte Black DesignJet Ink Cartridge	B3P22A
HP 727 130-ml Photo Black DesignJet Ink Cartridge	B3P23A
HP 727 130-ml Yellow DesignJet Ink Cartridge	B3P21A
HP 727 300-ml Cyan DesignJet Ink Cartridge	F9J76A
HP 727 300-ml Gray DesignJet Ink Cartridge	F9J80A
HP 727 300-ml Magenta DesignJet Ink Cartridge	F9J77A
HP 727 300-ml Matte Black DesignJet Ink Cartridge	C1Q12A
HP 727 300-ml Photo Black DesignJet Ink Cartridge	F9J79A
HP 727 300-ml Yellow DesignJet Ink Cartridge	F9J78A
HP 727/732 DesignJet Printhead	B3P06A
HP 727B 130-ml Gray DesignJet Ink Cartridge	3WX15A
HP 727B 130-ml Matte Black DesignJet Ink Cartridge	3WX13A
HP 727B 130-ml Photo Black DesignJet Ink Cartridge	3WX14A
HP 727B 300-ml Gray DesignJet Ink Cartridge	3WX21A
HP 727B 300-ml Matte Black DesignJet Ink Cartridge	3WX19A
HP 727B 300-ml Photo Black DesignJet Ink Cartridge	3WX20A

Accessories

Paper Handling

★ : Recommended

Roll Core Adapters

HP DesignJet 3-in Core Adapter	CN538A
--------------------------------	--------

Spindles

HP DesignJet 36-in Spindle	L4R66A
----------------------------	--------

HP DesignJet Printing Solutions

★ : Recommended

DesignJet Printing Solutions

HP DesignJet Printing Solutions	HPDJSOL
---------------------------------	---------

## Scanners/Copiers/Faxes

### Scanners

★ : Recommended

#### Large Format Scanners

HP HD Pro 2 42-in Scanner	5EK00A	
HP HD Pro 2 42-in Scanner	5EK00D	
HP SD Pro 2 44-in Scanner	5EK01A	
HP SD Pro 2 44-in Scanner	5EK01D	
HP SD Pro 44-in Scanner	G6H50B	obsolete
HP SD Pro 44-in Scanner	G6H50D	obsolete

### Disclaimer — Copyright

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Nov 12, 2022 12:54 AM UTC+0000