HP DesignJet T2600dr 36-in PostScript Multifunction Printer (3EK15A)

Overview

ENGINEERED FOR COLLABORATION—Turn your workgroups into highly efficient teams

Create highly efficient teams with the most compact, quiet MFP[3] that supports collaboration with a smart interface and access to shared folders.[2] Meet deadlines with the fastest print speed and the only automatic print stacking.[3]

SEAMLESS EXPERIENCE—Designed for all

Radically simple experience with a smart 15.6-inch interface and the easiest PDF printing with HP Click.[1]

SECURE—World's most secure large-format printer[5]

Rely on the best network protection with features like HP Secure Boot and whitelisting.[5]

UNLEASH PERFORMANCE—To turn design into delivery

Showcase design versatility from precise line drafts to boldly colored 3D renders, with HP Bright Office Inks.

---

[1] Compared to Canon Direct Print & Share and based on "One Click Print." Once image is selected, one-click printing when printing the entire file without any modifications to the print settings. Applicable to PDF, JPEG, TIFF, DWF, HP-GL/2 files.

[2] Using Lightweight Directory Access Protocol (LDAP).

[3] Based on comparable large-format inkjet printers under $12,000 (USD) as of December, 2018. IDC figures show that Canon, Epson, and HP combine for 98% share of this printing category worldwide as of Q3, 2018. Most compact footprint calculated using all devices in "Operation mode" with an Open Basket and the arm of the Screen (front panel) spread out to enable user interaction and the scanner lifted on the Canon TX 3000 T36 MFP and the Epson SC-T5200 MFP to enable top media loading. Most quiet according to internal HP testing of sound pressure level during operating mode (plain paper, line drawing, Normal mode) compared to published specification of competitive printers. Percentage calculations of noise based on lineal units vs. Canon TX-3000 published spec of 51dB(A). Fastest print speed based on sustained printing speeds. Only automatic print stacking based on unicity of the integrated stacker versus competitive printers only offering basket or bin with stacking position.

[5] Advanced embedded security features are based on HP review of 2019 published embedded security features of competitive printers, as of February 2019.

Specifications

Print quality color (best)	Up to 2400 x 1200 optimized dpi
Functions	Print, copy, scan
Connectivity, standard	Gigabit Ethernet (1000Base-T), Wi-Fi (with optional Jetdirect accessory), supporting the following standards: TCP/IP, BootP/DHCP (IPv4 only), DHCPv6, TFTP (IPv4 only), SNMP (v1, v2c, v3), Apple Bonjour Compatible, WS Discovery, Embedded Web Server (HTTP, HTTPS), IPsec, SMTP (email), Raw IP printing (9100), LPD, IPP, WS print, NTLM v2, SMBv3, SSL/TLS, 802.1X authentication (LEAP, PEAP, EAP-TLS), DFS
Mobile printing capability	Direct print from mobile apps on iOS, Android, and Chrome OS; email printing with HP ePrint and HP Smart app for iOS and Android
Software included	HP Click, HP mobile, ePrint and iOS/Android support plus the HP Smart app for mobile, HP Web Jetadmin, HP JetAdvantage Security Manager, HP SmartTracker (optional)
Energy star certified	Yes
Scan file format	JPEG, TIFF and multipage TIFF, PDF and multipage PDF
Scan input modes	USB, shared network folder, printer HDD, email
Scanner type	Sheetfed, CIS (Contact Image Sensor)
Minimum dimensions (W x D x H)	1390 x 760 x 1240 mm
Minimum dimensions (W x D x H)	55 x 30 x 49 in
Weight	109 kg
Weight	240 lb
Power consumption	120 W (printing); <36 W (ready); <10 W (sleep); 0.3 W (off)
Environmental certification	ENERGY STAR, ErP, WEEE, RoHS (EU, China, Korea, India), REACH, EPEAT
What's in the box	HP DesignJet T2600 Multifuntion Printer, printer stand and media bin, 15.6" touchscreen, spindles (x2), printheads, introductory ink cartridges, user guide, power cords
Manufacturer Warranty	One-year limited hardware warranty

Additional specifications

Accessories	5NB95A HP SmartTracker USB License for DesignJet, 5NB95AAE HP SmartTracker for DesignJet (Electronic License), C0C66C HP DesignJet PostScript/PDF Upgrade Kit, CN538A HP DesignJet 3-in Core Adapter, L4R66A HP DesignJet 36-in Spindle, N7P47AA HP USB 3.0 to Gigabit LAN Adapter
Acoustic power emissions (active, printing)	≤5.9 B(A) (operating), ≤4.9 B(A) (idle), ≤3.5 B(A) (sleep)
Acoustic pressure emissions	42 dB(A) (operating), 32 dB(A) (idle), <17 dB(A) (sleep)
Additional information about HP	http://www.hp.com
Additional information about HP in the countries	hp.com
Color(s) of printing supplies	Cyan, magenta, yellow, photo black, matte black, gray
Copy reduce / enlarge settings	25 to 400%, at 1% increment
Datasheet photo 1	AHID/97279805a87d0527e7aa88064628020c6a0aa793
Dynamic security	Dynamic security enabled printer
Electromagnetic compatibility	Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI), Korea (KCC)
Finished output handling	Sheet feed, two automatic front-loading roll feeds, smart roll switching, integrated output stacker[4], media bin, automatic horizontal cutter; Scanner: straight-through scan paper path for sheet and cardboard originals
HP ePrint capability	Yes
Ink drop	6 pl (C, M, Y, G, pK); 9 pl (mK)
Ink types	Dye-based (C, M, Y, pK, G); pigment-based (mK)
Internal Storage	500 GB self-encrypting removeable
Line accuracy	±0.1%[2]
Linear scan speed	Scan: Up to 3 in/sec (color, 200 dpi), up to 10 in/sec (grayscale, 200 dpi); Copy: Up to 6 in/sec (color, 200 dpi), up to 10 in/sec (grayscale, 200 dpi)
Linear scan speed	Scan: Up to 7.62 cm/sec (color, 200 dpi), up to 25.4 cm/sec (grayscale, 200 dpi); Copy: Up to 15.24 cm/sec (color, 200 dpi), up to 25.4 cm/sec (grayscale, 200 dpi)
Maximum media thickness	0.8 mm
Maximum scan length	164 ft (PDF), 39 ft (TIFF), 26 ft (JPEG)[3]
Maximum scan length	50 m (PDF), 12 m (TIFF), 8 m (JPEG)[3]
Media sizes standard (metric rolls)	279 to 914 mm
Media sizes standard (sheets, rolls)	11 to 36 in
Media sizes supported	A4, A3, A2, A1, A0

Media sizes supported	A, B, C, D, E
Media sizes, custom	210 x 279 to 914 x 1219 mm
Media sizes, custom	8.3 x 11 to 36 x 48 in
Media thickness	0.03 in
Media thickness	Up to 19.7 mil
Media thickness (metric)	Up to 0.5 mm
Media types	Bond and coated paper (bond, coated, heavyweight coated, super heavyweight plus matte, colored), technical paper (natural tracing, translucent bond, vellum), film (clear, matte, polyester), photographic paper (satin, gloss, semi-gloss, matte, high-gloss), backlit, self-adhesive (two-view cling, indoor paper, polypropylene, vinyl)
Media width, maximum	914 mm
Media width, maximum	36 in
Memory	128 GB (file processing)[5]
Model size	36 in
Model size	914 mm
Network ready	Standard
Non-Operating Humidity Range	0 to 90% RH
Non-printable area (cut-sheet)	3 x 22 x 3 x 3 mm
Non-printable area (cut-sheet)	0.12 x 0.87 x 0.12 x 0.12 in
Non-printable area (roll media)	0.12 x 0.12 x 0.12 x 0.12 in
Non-printable area (roll media)	3 x 3 x 3 x 3 mm
Number of print cartridges	6 (C, M, Y, G, pK, mK)
Operating humidity range	20 to 80% RH
Operating temperature range	5 to 35ºC
Operating temperature range	41 to 95ºF
Package dimensions (W x D x H)	1477 x 767 x 800 mm
Package dimensions (W x D x H)	58.1 x 30.2 x 31.5 in
Package weight	313 lb
Package weight	142 kg
Power	Input voltage (auto ranging) 100-240 V (±10%), 50/60 Hz (±3 Hz), 2 A max
Print Technology	Ink
Print cartridge volume delivered	300 ml (C, M, Y, G, pK, mK); 130 ml (C, M, Y, G, pK, mK)
Print heads	1 universal printhead
Print languages	Adobe PostScript 3, Adobe PDF 1.7, HP-GL/2, HP-RTL, TIFF, JPEG, CALS G4
Print speed	180 A1/hr, 19.3 sec/A1[1]
Print speed	180 D/hr, 19.3 sec/D[1]

Print technology	HP Thermal Inkjet
Printer drivers included	Raster, PostScript and PDF drivers for Windows, AirPrint for macOS
Printing path	Direct printing from USB flash drive, print from network shared folder, email printing, HP driver for Windows, HP Print Service for Android, Apple AirPrint driver for macOS and for iOS, HP Print for Chrome OS, HP Click, HP Smart App for iOS and Android
Product logos	AirPrint; ENERGY STAR; EPEAT; Gold IPv6 Ready; PANTONE* Digital Color; Windows 10 Compatible
Recommended media	C6810A HP Bright White Inkjet Paper (FSC® certified)[6] (recyclable)[7] 914 mm x 91.4 m (36 in x 300 ft); C6980A HP Coated Paper (PEFC™ certified)[6] (recyclable)[7] 914 mm x 91.4 m (36 in x 300 ft); L5C80A HP Universal Heavyweight Coated Paper, 3-in Core (FSC® certified)[6] (recyclable)[7] 914 mm x 91.4 m (36 in x 300 ft); D9R28A HP Everyday Matte Polypropylene, 3-in Core 914 mm x 61 m (36 in x 200 ft)
Roll external diameter	140 mm
Roll external diameter	5.5 in
Roll maximum input	2
Roll maximum weight	26.3 lb
Roll maximum weight	11.9 kg
Safety	USA and Canada (CSA certified); EU (LVD and EN 60950-1 compliant); Russia, Belarus, Khazakstan (EAC); Ukraine (UA); Singapore (PSB); China (CCC); Argentina (IRAM); Mexico (NYCE); India (BIS)
Scan resolution, optical	Up to 600 dpi
Scan size, minimum	8.2 x 11.6 in
Scan size, minimum	210 x 297 mm
Security features	HP Secure Boot, Whitelisting, TPM, Role Based Access Control, LDAP and Kerberos authentication, SNMPv3, HTTPS, Secure-IPP, IPsec/Firewall, Certificates management, 802.1X, TLS 1.0/1.1/1.2, HP Web Jetadmin compatible, HP JetAdvantage Security Manager compatible, Secure Disk erase (DoD 5220.22-M), Secure File erase, self-encrypting HDD, encrypted PIN printing, Syslog security logging
Storage temperature range	-25 to 55ºC
Storage temperature range	-13 to 131ºF
Supported Primary Applications	Line drawings; Maps; Orthophotos; Presentations; Renderings
Technology logo, print 1	AHID/a6e83756a3ca20b047a0baab4bc9840b8a4073d2
Technology logo, print 2	AHID/95142d0f2ba4b6d45a004d774f64f5f379ea070e
Technology logo, print 3	AHID/7f5fb10b352c00f2fb80593f9113010f5a12d28c
Technology logo, print 4	AHID/93a68b8d94fd3b1ed6cdc04da868ac9d4e2a7fdd
Technology logo, print 5	AHID/50f2579767f95971e279228282cc0452a86d8bf2
Technology logo, print 6	AHID/1a4faf2434b8597844c53dfe0c37e073c5d0aa79
Theoretical minimum line width	0.02 mm (PDF addressable @ 1200 dpi)
Theoretical minimum line width	0.0008 in (PDF addressable @ 1200 dpi)

UNSPSC code	43212104
UPC number	193808346620
Web address for additional information	http://www.hp.com/go/designjett2600

Services

HP Care Pack Services

★ : Recommended

Graphics Solutions Care Pack Services

HP 1 year Post Warranty NBD Onsite HW Support w/Defective Media Retention for DesignJet T2600 2 roll	UB8U7PE
HP 2 year Next Business Day Onsite HW Support w/Defective Media Retention for DesignJet T2600 2 roll	UB8U3E
HP 2 year Post Warranty NBD Onsite HW Support w/Defective Media Retention for DesignJet T2600 2 roll	UB8U8PE
HP 3 year Next Business Day Onsite HW Support w/Defective Media Retention for DesignJet T2600 2 roll	UB8U4E
HP 4 year Next Business Day Onsite HW Support w/Defective Media Retention for DesignJet T2600 2 roll	UB8U5E
HP 5 year Next Business Day Onsite HW Support w/Defective Media Retention for DesignJet T2600 2 roll	UB8U6E
HP Excessive Installation Service for HP DesignJet Series	U46TYE
HP Maintenance Kit Replacement Servcie for DesignJet T930/T1530/T2530 (Service Station)	U8ZP6E
HP Network Installation Service for DesignJet High-end and Midrange	H4518E

Ink/Toner/Paper/Printer Supplies

Ink Supplies

★ : Recommended

HP Graphic Arts Inks/Printheads

HP 727/732 DesignJet Printhead	B3P06A
HP 730 130-ml Cyan DesignJet Ink Cartridge	P2V62A
HP 730 130-ml Gray DesignJet Ink Cartridge	P2V66A
HP 730 130-ml Magenta DesignJet Ink Cartridge	P2V63A
HP 730 130-ml Matte Black DesignJet Ink Cartridge	P2V65A
HP 730 130-ml Photo Black DesignJet Ink Cartridge	P2V67A
HP 730 130-ml Yellow DesignJet Ink Cartridge	P2V64A
HP 730 300-ml Cyan DesignJet Ink Cartridge	P2V68A
HP 730 300-ml Gray DesignJet Ink Cartridge	P2V72A
HP 730 300-ml Magenta DesignJet Ink Cartridge	P2V69A
HP 730 300-ml Matte Black DesignJet Ink Cartridge	P2V71A
HP 730 300-ml Photo Black DesignJet Ink Cartridge	P2V73A
HP 730 300-ml Yellow DesignJet Ink Cartridge	P2V70A
HP 730B 130-ml Cyan DesignJet Ink Cartridge	3ED42A
HP 730B 130-ml Gray DesignJet Ink Cartridge	3ED44A
HP 730B 130-ml Magenta DesignJet Ink Cartridge	3ED41A
HP 730B 130-ml Matte Black DesignJet Ink Cartridge	3ED45A
HP 730B 130-ml Photo Black DesignJet Ink Cartridge	3ED43A
HP 730B 130-ml Yellow DesignJet Ink Cartridge	3ED40A
HP 730B 300-ml Cyan DesignJet Ink Cartridge	3ED48A
HP 730B 300-ml Gray DesignJet Ink Cartridge	3ED50A
HP 730B 300-ml Magenta DesignJet Ink Cartridge	3ED47A
HP 730B 300-ml Matte Black DesignJet Ink Cartridge	3ED51A
HP 730B 300-ml Photo Black DesignJet Ink Cartridge	3ED49A
HP 730B 300-ml Yellow DesignJet Ink Cartridge	3ED46A
HP 730F 300-ml Cyan DesignJet Ink Cartridge	1XB27A
HP 730F 300-ml Gray DesignJet Ink Cartridge	1XB29A
HP 730F 300-ml Magenta DesignJet Ink Cartridge	1XB26A
HP 730F 300-ml Matte Black DesignJet Ink Cartridge	1XB30A
HP 730F 300-ml Photo Black DesignJet Ink Cartridge	1XB28A

Accessories

Paper Handling

Roll Core Adapters

HP DesignJet 3-in Core Adapter	CN538A

Spindles

HP DesignJet 36-in Spindle	L4R66A

Postscript/PCL5 Emulations

Postscript/PCL5 Emulations

HP DesignJet PostScript/PDF Upgrade Kit	7HC76A

Network Print Servers

External Print Servers

HP Jetdirect 3100w BLE/NFC/Wireless Accessory	3JN69A

Docking and Port Replicators

Port Replicators

HP USB 3.0 to Gigabit LAN Adapter	N7P47AA	obsolete

Scanners/Copiers/Faxes

Scanners

Large Format Scanners

HP HD Pro 2 42-in Scanner	5EK00A	
HP HD Pro 2 42-in Scanner	5EK00D	
HP SD Pro 2 44-in Scanner	5EK01A	
HP SD Pro 2 44-in Scanner	5EK01D	
HP SD Pro 44-in Scanner	G6H50B	obsolete
HP SD Pro 44-in Scanner	G6H50D	obsolete

Software

Printing and Imaging Software

★ : Recommended

Printer Management Software

HP SmartStream Preflight Manager	8SW00AAE
HP SmartStream Print Controller USB for HP DesignJet Printers	8SW01A
HP SmartStream Print Controller for HP DesignJet Printers	8SW01AAE
HP SmartStream USB Preflight Manager	8SW00A
HP SmartTracker USB for DesignJet	5NB95A
HP SmartTracker USB for DesignJet	8SW11A
HP SmartTracker for DesignJet	5NB95AAE
HP SmartTracker for DesignJet	8SW11AAE

Disclaimer — Copyright

Generated by Dynamic Collateral Tool – (us-en) – Nov 12, 2022 12:12 AM UTC+0000