



# HP LaserJet Managed E60065dn (MOP35A)



## Overview

**This HP LaserJet with JetIntelligence combines performance, energy efficiency, and security.[1]**

This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.[1]

### **The world's most secure printing[1]**

With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.

### **More. Pages, Performance, and Protection.[6]**

Produce sharp text, bold blacks, and crisp graphics with precision black toner.

### **High-speed performance meets energy efficiency**

Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.

## Features



Take the guesswork out of fleet management<sup>[10]</sup>



Eliminate the wait from your workday<sup>[12]</sup>

---

*[1] Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit [hp.com/go/PrintersThatProtect](http://hp.com/go/PrintersThatProtect). For more information: <http://www.hp.com/go/printersecurityclaims>*

*[6] More pages versus predecessor cartridges claim based on page-yield comparison of HP 37X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges. For more information, see <http://www.hp.com/go/learnaboutsupplies>*

## Specifications

<b>Print Resolution Technologies</b>	FastRes 1200; 1200 x 1200 dpi
<b>Print quality black (best)</b>	Up to 1200 x 1200 dpi
<b>Print speed black (ISO, A4)</b>	Up to 61 ppm
<b>Print speed black (ISO, letter)</b>	Up to 65 ppm
<b>Functions</b>	Print
<b>Duplex printing</b>	Automatic (standard)
<b>Duty cycle (monthly, A4)</b>	Up to 420,000 pages
<b>Duty cycle (monthly, letter)</b>	Up to 420,000 pages
<b>Printer smart software features</b>	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB
<b>Energy savings feature technology</b>	HP Auto-On/Auto-Off Technology; Instant-on Technology
<b>Replacement cartridges</b>	HP Black Managed LaserJet Toner (50,000 yield) W9004MC <sup>[5, 11]</sup>
<b>Connectivity, standard</b>	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket
<b>Connectivity, optional</b>	HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000w NFC/Wireless Accessory J8030A
<b>Network capabilities</b>	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).
<b>Mobile printing capability</b>	HP ePrint; Apple AirPrint™; Google Cloud Print™
<b>Network protocols, supported</b>	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x
<b>Software included</b>	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals

## Compatible Operating Systems

Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)

*(Full solution software available only for Windows 7 and newer, UPD software available only for Windows 7 and newer, HP Software for Mac and Windows is no longer included on the CD, but can be downloaded from [123.hp.com](http://123.hp.com), Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print and Scan drivers only with a reduced feature set, Windows RT OS for Tablets (32- & 64-bit) uses a simplified HP print driver built into the RT OS)*

<b>Sustainable impact specifications</b>	Mercury-free
<b>Energy star certified</b>	Yes
<b>Ecolabels</b>	ENERGY STAR® qualified
<b>Display area (imperial)</b>	2.125 x 1.59 in
<b>Display area (metric)</b>	54 x 40.5 mm
<b>Display</b>	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle)
<b>Minimum dimensions (W x D x H)</b>	431 x 466 x 380 mm
<b>Minimum dimensions (W x D x H)</b>	17 x 18.3 x 15 in
<b>Weight</b>	21.6 kg <i>(With print cartridges)</i>
<b>Weight</b>	47.7 lbs <i>(With print cartridges)</i>
<b>Power consumption</b>	780 watts (printing), 15.3 watts (ready), 3.1 watts (sleep), < 0.1 watts (Auto Off/Manual On), < 0.1 watts (Manual Off) <sup>[3]</sup> <i>(Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.)</i>
<b>Power supply type</b>	Built in 115V or 220V Power Supply (Not dual voltage, power supply varies by part number with # Option code identifier)
<b>What's in the box</b>	HP LaserJet Printer; HP Black Original LaserJet Toner Cartridge (~11K yield); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord <sup>[2]</sup>
<b>Manufacturer Warranty</b>	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to <a href="http://hp.com/support">hp.com/support</a> to learn about HP award winning service and support options in your region. (wty code 4G)

## Additional specifications

<b>Accessories</b>	2MU47A HP Accessibility Assistant; 2NR03A HP 1 GB 90-pin DDR3 DIMM; 2NR12A HP Removable Hard Drive Enclosure; 3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory; B5L29A HP High-Performance Secure Hard Disk; G6W84A HP 1 GB 90-pin DDR3 DIMM; J8030A HP Jetdirect 3000w NFC/Wireless Accessory; J8031A HP Jetdirect 2900nw Print Server; J8J96A HP Staple Cartridge Refill; LOH17A HP LaserJet 550-sheet Paper Tray; LOH18A HP LaserJet 2100 Sheet Paper Tray; LOH19A HP LaserJet Printer Stand; LOH20A HP LaserJet Stapler/Stacker/Mailbox; LOH21A HP LaserJet Envelope Feeder; LOH22A HP LaserJet Extension Tray Cover; X3D03A HP Universal USB Proximity Card Reader
<b>Acoustic power emissions (active, printing)</b>	6.9 B(A)
<b>Acoustic power emissions (ready)</b>	Inaudible
<b>Acoustic power note</b>	Acoustic values are subject to change. For current information see <a href="http://www.hp.com/support">http://www.hp.com/support</a> . Noise measured during printing mono simplex A4 at 62ppm.
<b>Acoustic pressure emissions bystander (active, printing)</b>	55 dB(A)
<b>Acoustic pressure emissions bystander (ready)</b>	Inaudible
<b>Additional information about HP</b>	<a href="http://www.hp.com">http://www.hp.com</a>
<b>Additional information about HP in the countries</b>	<a href="http://hp.com">hp.com</a>
<b>Automatic paper sensor</b>	No
<b>Best technical electricity consumption (TEC)</b>	2.684 kWh/week <sup>[12]</sup>
<b>Best technical electricity consumption (TEC) footnote</b>	Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.
<b>Blue Angel (sleep mode)</b>	3.21 watts
<b>Bottom margin (A4)</b>	4.3 mm
<b>Business filter</b>	cMPS
<b>Cable included</b>	No, please purchase (USB) cable separately
<b>Cartons per layer</b>	4

**Compatible Network Operating Systems**

Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2012/2012R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services 32- and 64-bit, Citrix XenApp 6.0/6.5 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenApp 6.0/6.5/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenApp 7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Citrix XenDesktop 5.6 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 7.0/7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Novell NetWare 6.5/SP8 Novell Clients [www.novell.com/iprint](http://www.novell.com/iprint), Novell iPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Novell Servers [www.novell.com/iprint](http://www.novell.com/iprint), Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2), Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32-/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services)

**Component type**

Printer

**Control panel**

2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle) display with 24-key pad

**Count of layers in pallet**

4

**Country of origin**

Made in China (AB0, AB2, ABJ, ACJ, BBU, BGM, ACQ, ABT, ABY, B13, B19, BAZ, BGJ, AC4, AC8, AKV); Made in Brazil (696)

**Datasheet photo 1**

Publication photos/MOP35A.jpg

**Datasheet photo 4**

Publication photos/E60065 workaround managed.jpg

**Datasheet publication number**

4AA6-9942

**Downloadable software**

HP Easy Start (Guided Software Install for Windows OS and Mac); HP ePrint Software (ePrint Mobile Driver for Windows); HP ePrint Software (for Windows); HP Imaging & Printing Security Center; HP JetAdvantage Security Manager; HP Mobile Printing <http://www8.hp.com/us/en/ads/mobility/overview.html>; HP PCL6 (XPS) print driver only (No installer for "Add Printer" installs); HP PCL6 (XPS) print driver with installer; Product Documentation and Support; HP Proxy Agent Software; HP Universal Print Drivers (PCL6 & PS for Windows); Linux/Unix Print Drivers; Mac Software Solution; Printer Administrator Resource Kit; SAP (PS Print Drivers); Web JetAdmin; Windows driver only solution; Windows Full Software Solution

<b>Driver updates</b>	Current HP printer drivers and software can be obtained from the HP Customer Care Web site: In the US, go to <a href="http://www.hp.com/support/colorljM608">www.hp.com/support/colorljM608</a> ; Outside the US, go to <a href="http://www.hp.com/support">http://www.hp.com/support</a> . Select the country/region. 2. Select Drivers & Downloads 3. Enter a product name/number. 4. Under Download Options, select Drivers, Software & Firmware 5. Select the operating system version. 6. Then select DOWNLOAD.
<b>Duty cycle note</b>	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
<b>Electromagnetic compatibility</b>	CISPR 22:2008 (International) - Class A, EN 55022: 2010 (EU) - Class A, EN 61000-3-2: 2006 +A1: 2009 +A2: 2009, EN 61000-3-3: 2008, EN 55024: 2010, EMC Directive 2004/108/EC, FCC CFR 47 Part 15 Class A / ICES-003, Issue 5 Class A, Other EMC approvals as required by individual countries
<b>Engine life</b>	1350000
<b>Envelope Feeder</b>	Yes, 75 (optional)
<b>Finished output handling</b>	Sheetfed
<b>First page out black (A4, ready)</b>	As fast as 5.4 sec
<b>First page out black (A4, sleep)</b>	As fast as 7.9 sec
<b>First page out black (letter, ready)</b>	As fast as 5.3 sec
<b>First page out black (letter, sleep)</b>	As fast as 7.8 sec
<b>Fonts and typefaces</b>	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <a href="http://www.hp.com/go/laserjetfonts">http://www.hp.com/go/laserjetfonts</a>
<b>Input capacity</b>	Up to 650 sheets
<b>Internal Storage</b>	Optional, 500 GB (with accessory B5L29A)
<b>Left margin (A4)</b>	4.3 mm
<b>Mac compatible</b>	Yes
<b>Maximum Memory</b>	1.5 GB, MAX memory, when 1GB Accessory DIMM is installed
<b>Maximum dimensions (W x D x H)</b>	431 x 1040 x 453 mm
<b>Maximum dimensions (W x D x H)</b>	17 x 40.9 x 17.8 in
<b>Maximum input capacity (sheets)</b>	Up to 4400 sheets
<b>Maximum output capacity (sheets)</b>	Up to 1300 sheets
<b>Media sizes supported</b>	feeder 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (C5, B5, C6, DL ISO), Postcard (JIS single and double); feeder 2: A4, A5, A5-R, B5 (JIS), 16K
<b>Media sizes supported</b>	feeder 1: Letter, legal, statement, executive, Oficio (8.5 x 13 in), envelopes [No. 9, No. 10, Monarch(7 3/4)], 3 x 5, 4 x 6, 5 x 7, 5 x 8; feeder 2: letter, executive, legal

<b>Media sizes, custom</b>	feeder 1: 76 x 127 to 216 x 356 mm; feeder 2: 99 x 148 to 216 x 356 mm
<b>Media sizes, custom</b>	feeder 1: 3 x 5 to 8.5 x 14 in; feeder 2: 3.90 x 5.83 to 8.5 x 14 in
<b>Media types</b>	Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope
<b>Media weight, supported</b>	Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2: 16 to 32 lb bond (plain)
<b>Media weight, supported</b>	Feeder 1: 60 to 199 g/m <sup>2</sup> ; feeder 2: 60 to 120 g/m <sup>2</sup>
<b>Memory</b>	512 MB
<b>Memory Slots</b>	1 slot, 90-pin
<b>Memory upgrade</b>	Expandable to 1.5 GB through 1 GB 90-pin DDR3 DIMM
<b>Minimum System Requirements</b>	2 GB available hard disk space; OS hardware requirements see microsoft.com
<b>Minimum System Requirements for Macintosh</b>	1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info
<b>Non-Operating Humidity Range</b>	10 to 80% RH
<b>Number of print cartridges</b>	1 (black)
<b>Number of users</b>	10-30 Users
<b>Operating humidity range</b>	30 to 70% RH
<b>Operating temperature range</b>	59 to 86°F
<b>Operating temperature range</b>	15 to 30°C
<b>Orderable product number</b>	MOP35A#AB0, MOP35A#AB2, MOP35A#ABJ, MOP35A#ACJ, MOP35A#BBU, MOP35A#BGM, MOP35A#ABT, MOP35A#ABY, MOP35A#ACQ, MOP35A#B13, MOP35A#B19, MOP35A#BAZ, MOP35A#AC4, MOP35A#AC8, MOP35A#AKV, MOP35A#BGJ
<b>Orderable supplies</b>	HP Staple Cartridge Refill J8J96A, HP LaserJet 110v Maintenance Kit LOH24A, HP LaserJet 220v Maintenance Kit LOH25A
<b>Output capacity</b>	Up to 500 sheets
<b>Package dimensions (W x D x H)</b>	597 x 497 x 539 mm
<b>Package dimensions (W x D x H)</b>	23.50 x 19.57 x 21.22 in
<b>Package weight</b>	60.1 lb
<b>Package weight</b>	27.2 kg
<b>Page yield footnote</b>	Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a>
<b>Pallet dimensions</b>	47.24 x 39.37 x 90.94 in (AP), 47.24 x 39.37 x 91.33 in (EMEA & AMS)
<b>Pallet dimensions (W x D x H)</b>	1200 x 1000 x 2310 mm (AP), 1200 x 1000 x 2320 mm (EMEA & AMS)
<b>Pallet weight</b>	955.89 lb (NA, EMEA, AP)
<b>Pallet weight</b>	433.59 kg (NA, EMEA, AP)



<b>Paper handling input, optional</b>	Optional 1x550-sheet paper feeder, optional 1x550 paper feeder and stand with cabinet, optional 3x550-sheet paper feeder and stand, optional high-capacity paper feeder and stand with 1x550 sheet feeder and 1x2,000-sheet feeder
<b>Paper handling input, standard</b>	100-sheet multipurpose feeder, 550-sheet input feeder
<b>Paper handling output, optional</b>	Optional 5 bin stapler stacker
<b>Paper handling output, standard</b>	500 sheet output bin
<b>Paper trays, maximum</b>	Up to 6
<b>Paper trays, standard</b>	2
<b>Post warranty repair &amp; maintenance</b>	<a href="http://www.hp.com/support">http://www.hp.com/support</a>
<b>Power</b>	100V - 127V nominal @ +/-10% (min 90V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 6 A
<b>Print Technology</b>	Laser
<b>Print colors</b>	No
<b>Print languages</b>	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™
<b>Print quality black (normal)</b>	FastRes 1200
<b>Print resolution black (fine lines)</b>	Up to 1200 x 1200 dpi
<b>Print speed black (Landscape, A5)</b>	Up to 100 ppm
<b>Print speed black (Portrait, A5)</b>	Up to 6 ppm
<b>Print speed duplex (A4)</b>	Up to 50 ppm
<b>Print speed duplex (letter)</b>	Up to 53 ppm
<b>Print speed footnote number (A5)</b>	[8]
<b>Print technology</b>	Laser
<b>Printer Management</b>	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver
<b>Printer black pages (MPV black)</b>	5000
<b>Processor speed</b>	1.2 GHz
<b>Quantity per pallet</b>	16
<b>RMN number</b>	BOISB-1502-00
<b>Recommended media weight (duplex)</b>	16 to 32 lb
<b>Recommended media weight (duplex)</b>	60 to 120 g/m <sup>2</sup>
<b>Recommended monthly page volume</b>	5000 to 40,000

<b>Recommended monthly page volume note</b>	HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
<b>Recommended operating humidity range</b>	10 to 90% RH
<b>Recommended operating temperature range</b>	63.5 to 77°F
<b>Recommended operating temperature range</b>	17.5 to 25°C
<b>Right margin (A4)</b>	4.3 mm
<b>Safety</b>	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2007 / IEC 60825-1:2007 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; Low Voltage Directive 2006/95/EC with CE Mark Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007. Other safety approvals as required by individual countries
<b>Security management</b>	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
<b>Service &amp; support options</b>	Free telephone support for basic setup, installation, and troubleshooting in North America, Europe, and Asia Pacific during warranty; Optional HP Supportpack for 4-hour response during standard business hours; Optional HP Supportpack for 24 hours a day, 7 days a week; Optional HP Supportpack for Comprehensive Technical Support
<b>Service level options</b>	Onsite service the next business day after the service call is received
<b>Service level options</b>	Onsite support within four hours after the service call is received within the coverage window
<b>Service level options</b>	Onsite replacement of your printer's maintenance kit including parts, materials, and labor
<b>Service level options</b>	Assembly, network configuration, and basic administrator familiarization
<b>Service level options, header</b>	Next Business Day Onsite Support
<b>Service level options, header</b>	Maintenance Kit Replacement Service
<b>Service level options, header</b>	4 hour Onsite Support

<b>Service level options, header</b>	Installation with Network Configuration Service
<b>Services</b>	Customers can retain their hard disk drive and keep control of sensitive data.
<b>Services</b>	Ships a permanent replacement unit overnight via premium airfreight, if hardware issue cannot be resolved remotely. Shipping charges are prepaid by HP.
<b>Services</b>	Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.
<b>Services description headline 01</b>	Next Business Day Onsite with Defective Media Retention:
<b>Services description headline 02</b>	Same Day Onsite – 4 hour 9x5:
<b>Services description headline 03</b>	Next Business Day Exchange:
<b>Standard input capacity (envelopes)</b>	Up to 10
<b>Standard media sizes (duplex)</b>	A4; A5; RA4; B5; Oficio; 16k
<b>Standard media sizes (duplex, imperial)</b>	letter; legal; executive; Oficio
<b>Standard output capacity (envelopes)</b>	Up to 75 envelopes
<b>Standard output capacity (transparencies)</b>	200
<b>Storage temperature range</b>	-4 to 104°F
<b>Storage temperature range</b>	-20 to 40°C
<b>Sub-brand name</b>	LaserJet
<b>SureSupply supported</b>	Yes
<b>Target user and print volume</b>	For teams over 25 users; Prints up to 40,000 pages/month
<b>Tariff numbers</b>	8443321010 (AM); 8443321090 (EU); 84433230 (AP)
<b>Technical support information</b>	<a href="http://www.hp.com/support/ljE60065">http://www.hp.com/support/ljE60065</a>
<b>Technology logo, print 1</b>	Publication logos/AMS_EnergyStar.jpg
<b>Technology logo, print 2</b>	Publication logos/AMS_windows_10.jpg
<b>Technology logo, print 3</b>	Publication logos/AMS_mac_hires.jpg
<b>Technology logo, print 4</b>	Publication logos/AMS_Mopria.jpg
<b>Technology logo, print 5</b>	Publication logos/AMS_hp_eprint.jpg
<b>Technology logo, print 6</b>	Publication logos/AMS_AirPrint.jpg
<b>Top margin (A4)</b>	4.3 mm
<b>Total package service recommended services description</b>	Next Business Day Onsite Support

<b>Total package service recommended services description</b>	Next Business Day Onsite Support, Maintenance Kit Replacement Service or Preventive Maintenance Service, Installation with Network Configuration Service
<b>Total package service recommended services description</b>	4 hour Onsite Support, Maintenance Kit Replacement Service or Preventive Maintenance, Installation with Network Configuration Service
<b>Total package service recommended services description headline</b>	Standard Care (high level of uptime)
<b>Total package service recommended services description headline</b>	Basic Care (minimum recommended support)
<b>Total package service recommended services description headline</b>	Optimized Care (optimum performance and stability)
<b>Total package service recommended services preface</b>	Downtime can have serious consequences, so HP provides support recommendations beyond the standard warranty. You benefit from reduced risk, maximized uptime, and predictable service delivery while avoiding unbudgeted repair costs. Choose from:
<b>Typical electricity consumption (TEC) footnote</b>	Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.
<b>Typical electricity consumption (TEC) number</b>	2.425 kWh/Week (Blue Angel); 0.877 kWh/Week (Energy Star 3.0) <sup>[4]</sup>
<b>UNSPSC code</b>	43212105
<b>UPC number</b>	889894069597
<b>Warm-up time</b>	130 Sec
<b>Web address for additional information</b>	Solutions: <a href="http://www.hp.com/go/gsc">http://www.hp.com/go/gsc</a> ; Fonts and IPDS Emulation: <a href="http://www.hp.com/go/laserjetfonts">http://www.hp.com/go/laserjetfonts</a> ; HP Web Jetadmin: <a href="http://www.hp.com/go/wja">http://www.hp.com/go/wja</a> ; HP Universal Print Driver: <a href="http://www.hp.com/go/upd">http://www.hp.com/go/upd</a> ; HP JetAdvantage Security Manager: <a href="http://www.hp.com/go/securitymanager">www.hp.com/go/securitymanager</a> ; HP JetAdvantage On Demand Cloud Solutions: <a href="http://www.hp.com/go/JetAdvantageondemand">www.hp.com/go/JetAdvantageondemand</a>

[2] Cartridges included; yields 11,000 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>

[3] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

[4] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.

[5] Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.

[11] Original HP LaserJet "A" and "X" toner cartridges are also compatible with this product.

*[12] Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.*

---

## Ink/Toner/Paper/Printer Supplies

### HP Laser Toner Cartridges and Kits

★ : Recommended

#### HP Laser Printer Supply Kits

HP LaserJet 110V Maintenance Kit	LOH24A ★
HP LaserJet 220V Maintenance Kit	LOH25A

### HP Business Papers

#### HP Business Papers for laser

HP Enhanced Business Paper, Glossy, 150 g/m <sup>2</sup> , A4 (210 x 297 mm), 150 sheets	CG965A
HP Everyday Business Paper, Glossy, 32 lb, 11 x 17 in. (279 x 432 mm), 150 sheets	4WN07A
HP Everyday Business Paper, Glossy, 32 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN08A
HP Professional Business Paper, Glossy, 52 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN10A
HP Professional Business Paper, Matte, 52 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN05A

## Accessories

### Paper Handling

★ : Recommended

#### Staple Cartridges

HP Staple Cartridge Refill	J8J96A ★
----------------------------	----------

#### Input Trays

HP LaserJet 2100 Sheet Paper Tray	LOH18A ★
-----------------------------------	----------

HP LaserJet 550-sheet Paper Tray	LOH17A ★
----------------------------------	----------

HP LaserJet Extension Tray Cover	LOH22A
----------------------------------	--------

#### Envelope Feeders

HP LaserJet Envelope Feeder	LOH21A ★
-----------------------------	----------

#### Output Trays and Stackers

HP LaserJet Stapler/Stacker/Mailbox	LOH20A ★
-------------------------------------	----------

### Memory

#### DDR Memory

HP 1 GB 90-pin DDR3 DIMM	G6W84A ★
--------------------------	----------

HP 1 GB 90-pin DDR3 DIMM	2NR03A
--------------------------	--------

### Cables/Cable Kits/Cable Adapters

#### Printer Cables

HP Foreign Interface Harness	B5L31A ★
------------------------------	----------

#### Port Cables and Cable Adapters

HP Internal USB Ports	B5L28A ★
-----------------------	----------

### Security and Protection

#### Smart Cards and SmartCard Readers

HP HIP2 Keystroke Reader	Y7C05A ★
--------------------------	----------

HP USB Universal Card Reader	X3D03A ★
------------------------------	----------

#### Security Devices

HP Trusted Platform Module Accessory

F5S62A ★

## PC Drives and Storage

### EIO Hard Drives

HP High-Performance Secure Hard Disk

B5L29A ★

## Network Print Servers

### External Print Servers

HP Jetdirect 3000w NFC/Wireless Accessory

J8030A ★

HP Jetdirect 3100w BLE/NFC/Wireless Accessory

3JN69A ★

### Internal Print Servers

HP Jetdirect LAN Accessory

8FP31A ★

## Cabinets and Stands

### Printer Cabinets and Stands

HP LaserJet Printer Stand

LOH19A ★

## Accessory Bundles

### Data Security Accessories

HP Removable Hard Drive Enclosure

2NR12A ★



# Solutions

## Imaging and Printing Solutions

★ : Recommended

### Printing SW Solution Licenses

HP HID Mobile Access Mifare DES Fire Keystroking Reader	35H11A ★
---	----------

## HP Document and Workflow Solutions

### JetAdvantage Printing Security

Celiveo Enterprise	HP3PCELIVEO
HP Access Control Secure Printing and Job Accounting Solution	HPACSOLUTION
HP Proximity Card Reader	HPPROXIMTYRDR
HP Secure Print and Insights	HPJETADSECUREPRINT
HP Security Manager	HPJETADSECMGR
Kofax SafeCom Security and Job Accounting Solution	HPNSAFECOMSOL

### JetAdvantage Print Management

HP Universal Print Driver	HPUNIVPRNTDRV
HP Web Jetadmin	HPWEBJETADMIN
LRS VPSX for Output Management	HP3PLRS

### JetAdvantage Mobile Printing

ePRINTit	HP3PEPRINTIT
----------	--------------

## Services

### HP Care Pack Services

★ : Recommended

#### Imaging and Printing Hardware Support Onsite Svc

HP 1 year Post Warranty 4 hour 9x5 w/DMR Service for Color LaserJet E60065 E60165 Managed	U9NJ6PE
HP 1 year Post Warranty Next Business Day w/DMR Service for Color LaserJet E60065 E60165 Managed	U9NJ4PE
HP 2 year Post Warranty 4 hour 9x5 w/DMR Service for Color LaserJet E60065 E60165 Managed	U9NJ7PE
HP 2 year Post Warranty Next Business Day w/DMR Service for Color LaserJet E60065 E60165 Managed	U9NJ5PE
HP 3 year 4 hour 9x5 w/DMR Service for Color LaserJet E60065 E60165 Managed	U9NH8E
HP 3 year Next Business Day w/DMR Service for Color LaserJet E60065 E60165 Managed	U9NH5E
HP 4 year 4 hour 9x5 w/DMR Service for Color LaserJet E60065 E60165 Managed	U9NH9E
HP 4 year Next Business Day w/DMR Service for Color LaserJet E60065 E60165 Managed	U9NH6E
HP 5 year 4 hour 9x5 w/DMR Service for Color LaserJet E60065 E60165 Managed	U9NJ0E
HP 5 year Next Business Day w/DMR Service for Color LaserJet E60065 E60165 Managed	U9NH7E

#### Imaging and Printing Commercial Care Pack Services

HP 1 yr Post Wty Parts Exchange SVC for Color LaserJet E60065 E60165 Managed	U9NJ8PE
HP 2 yr Post Wty Parts Exchange SVC for Color LaserJet E60065 E60165 Managed	U9NJ9PE
HP 3 year Parts Exchange Service for Color LaserJet E60065 E60165 Managed	U9NJ1E
HP 4 year Parts Exchange Service for Color LaserJet E60065 E60165 Managed	U9NJ2E
HP 5 year Parts Exchange Service for Color LaserJet E60065 E60165 Managed	U9NJ3E
HP Installation Service with network configuration for Workgroup Printer(1 unit)	U9JT2E

---

## Disclaimer — Copyright

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional

warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Nov 12, 2022 1:03 AM UTC+0000