

Overview

This HP Color LaserJet MFP merges performance, energy efficiency, and the deepest security.[1]

HP Managed MFPs are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this product can help reduce printing and copying costs. See your HP Authorized Reseller for details.

The world's most secure printing[1]

With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.

High speed performance meets energy efficiency

Scanning is now faster than ever; duplex scan speeds up to 120 ipm. Scan to SharePoint and more.

More. Pages, Performance, and Protection.[4]

ColorSphere3 toner formulation, combined with an automatic media sensor, help provide leading print quality

Features





Take the guesswork out of fleet management^[13]

Eliminate the wait from your workday^[15]

[1] Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims

[4] More pages versus predecessor cartridges claim based on page-yield comparison of HP 653X High Yield Color Original LaserJet Toner Cartridges with HP Color Managed LaserJet Toner Cartridges. For more information, see http://www.hp.com/go/learnaboutsupplies

Specifications

	HP ImageRet 3600; 600 x 600 dpi; HP ProRes 1200 (1200 x 1200 dpi);
Print Resolution Technologies	Pantone© Calibrated
Print quality black (best)	Up to 1200 x 1200 dpi
Print quality color (best)	Up to 1200 x 1200 dpi
Print speed black (ISO, A4)	Up to 47 ppm
Print speed black (ISO, letter)	Up to 50 ppm
Print Speed Color (ISO)	Up to 47 ppm
Print speed color (ISO)	Up to 50 ppm
Functions	Print, copy, scan
Duplex printing	Automatic (standard)
Duty cycle (monthly, A4)	Up to 150,000 pages
Duty cycle (monthly, letter)	Up to 150,000 pages
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB
Copier smart software features	Auto scale; Reduce/enlarge from scanner glass (25 to 400 percent); Collate; Auto color detection; Two-sided copying; Image adjustments (darkness, background cleanup, sharpness); Job build
Scanner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy
Replacement cartridges	HP Black Managed LaserJet Toner Cartridge (~32,200 yield) W9030MC; HP Cyan Managed LaserJet Toner Cartridge (~28,000 yield) W9031MC; HP Yellow Managed LaserJet Toner Cartridge (~28,000 yield) W9032MC; HP Magenta Managed LaserJet Toner Cartridge (~28,000 yield) W9033MC ^[7,19]
Connectivity, standard	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket
Connectivity, optional	HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000w NFC/Wireless Accessory J8030A
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).
Wireless capability	Optional, enabled with purchase of HP Jetdirect 2900nw Print Server J8031A or HP Jetdirect 3000w NFC/Wireless Accessory J8030A
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™-certified; Google Cloud Print 2.0

Network protocols, supported	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x
Software included	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals
Compatible Operating Systems	Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Vista; Android; macOS X 10.10 Yosemite; macOS 10.11 El Capitan; macOS 10.12 Sierra; Linux; UNIX (Full solution software available only for Windows 7 and newer, UPD software available only for Windows 7 and newer, HP Software for Mac and Windows is no longer included on the CD, but can be downloaded from 123.hp.com, Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print and Scan drivers only with a reduced feature set, Windows RT OS for Tablets (32- & 64-bit) uses a simplified HP print driver built into the RT OS)
Sustainable impact specifications	Mercury-free
Energy star certified	Yes
Ecolabels	ENERGY STAR® qualified; CECP; EPEAT® Silver
Copy speed (black, normal quality, A4)	Up to 47 cpm
Copy speed (color, normal quality, A4)	Up to 47 cpm
Copy speed black (normal, letter)	Up to 50 cpm
Copy speed color (normal, letter)	Up to 50 cpm
Copy speed black duplex (A4)	Up to 47 cpm
Copy speed black duplex (Letter)	Up to 50 cpm
Digital sending standard features	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to SharePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF
Digital sending optional features	Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book
Faxing	No
Scan speed (normal, A4)	Up to 69 ppm/111 ipm (b&w), up to 69 ppm/111 ipm (color)
Scan speed (normal, letter)	Up to 75 ppm/120 ipm (b&w), up to 75 ppm/120 ipm (color)
Scan file format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht) ^[18]

Scan input modes	Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications; HP Scan or user application via TWAIN
Scan technology	Charge Coupled Device (CCD)
Scanner type	Flatbed, ADF
Display area (imperial)	6.37 x 4.78 in
Display area (metric)	16.2 x 12.1 cm
Display	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)
Minimum dimensions (W \times D \times H)	510 x 555 x 658 mm
Minimum dimensions (W \times D \times H)	20.08 x 21.85 x 25.91 in
Weight	42.3 kg ^[3]
Weight	93.2 lb
Power consumption	900 watts (printing/copying), 47 watts (ready), 0.9 watts (sleep), 0.9 watts (Auto Off/Manual On), 0.1 (Manual Off) ^[5]
Power supply type	Built in 115V or 220 V Power Supply (not dual voltage, power supply varies by part number with option code identifier)
What's in the box	HP Color LaserJet Multifunction Printer; HP Black Original LaserJet Toner Cartridge (~12,500 yield), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (~10,500 yield each) (toner cartridges installed); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord ^[2]
Manufacturer Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://hp.com/support to learn about HP award winning service and support options in your region.

Additional specifications

Accessories	HP MFP Analog Fax Accessory 700 2EH31A, HP Accessibility Assistant 2MU47A, HP 2GB 144-Pin DDR3 TAA Version DIMM 2NR09A, HP Removable Hard Drive Enclosure 2NR12A, HP Accessibility Kit 2TD64A, HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, HP Internal USB Ports B5L28A, HP Foreign Interface Harness B5L31A, HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM E5K48A, HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM E5K49A, HP Jetdirect 3000w NFC/Wireless Accessory J8030A, HP Jetdirect 2900nw Print Server J8031A, HP 300 ADF Roller Replacement Kit J8J95A, HP Color LaserJet 550-sheet Media Tray P1B09A, HP Color LaserJet 3x550-sheet Feeder and Stand P1B11A, HP Color LaserJet 1x550/2000-sheet HCI Feeder and Stand P1B12A
Acoustic power emissions (active copy)	7.0 B(A)
Acoustic power emissions (active scan)	7.3 B(A)
Acoustic power emissions (active, printing)	6.6 B(A)
Acoustic power emissions (ready)	4.6 B(A)
Acoustic power note	Printing mono simplex A4 at 47 ppm. Scanning mono simplex A4 at 96 ppm. Acoustic values are subject to change. For current information see http://www.hp.com/support
Acoustic pressure emissions bystander (active copy)	56 dB(A
Acoustic pressure emissions bystander (active scan)	58 dB(A)
Acoustic pressure emissions bystander (active, printing)	52 dB(A)
Acoustic pressure emissions bystander (ready)	32 dB(A)
Additional information about HP	http://www.hp.com
Additional information about HP in the countries	hp.com
Automatic document feeder capacity	Standard, 150 sheets
Automatic paper sensor	Yes
Best technical electricity consumption (TEC)	2.24 kWh/Week
Bit depth	24-bit
Blue Angel (sleep mode)	0.73 Watts
Bottom margin (A4)	4.3 mm
Business filter	cMPS
Cable included	No, please purchase USB cable separately

Cartons per layer	1
Color scanning	Yes
Compatible Network Operating Systems	Windows 11; Windows Server; Linux; Citrix; Novell
Component type	Printer
Control panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)
Copier scaling (ADF)	25 to 200%
Copier settings	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy (different media sizes)
Copies, maximum	Up to 9999
Copy resolution (black graphics)	Up to 600 x 600 dpi
Copy resolution (black text)	Up to 600 x 600 dpi
Copy resolution (color text and graphics)	Up to 600 x 600 dpi
Copy speed color duplex (A4)	Up to 47 cpm
Copy speed color duplex (Letter)	Up to 50 cpm
Count of layers in pallet	2
Country of origin	Made in Mexico (NA); Made in Netherlands (EMEA); Made in China (AP)
Datasheet photo 1	Publication photos/L3U66A.jpg
Datasheet photo 4	Publication photos/E67550dh walkaround.jpg
Datasheet publication number	4AA6-9950ENUC
Downloadable software	HP Easy Start (Guided Software Install for Windows OS and Mac); HP ePrint Software (ePrint Mobile Driver for Windows); HP ePrint Software (for Windows); HP JetAdvantage Security Manager; HP PC Send Fax; HP Mobile Printing http://www8.hp.com/us/en/ads/mobility/overview.html; HP PCL6 (XPS) print driver only (No installer for "Add Printer" installs); HP PCL6 (XPS) print driver with installer, Product Documentation and Support; HP Proxy Agent Software; HP Universal Print Drivers (PCL6 & PS for Windows); Linux/Unix Print Drivers; Mac Software Solution; Printer Administrator Resource Kit; SAP (PS Print Drivers); Web JetAdmin; Windows driver only solution; Windows Full Software Solution
Driver updates	Current HP printer drivers and software can be obtained from the HP Customer Care Web site: In the US, go to www.hp.com/support/ljE67550; Outside the US, go to http://www.hp.com/support 1. Go to http://www.hp.com/support. Select the country/region. 2. Select Drivers & Downloads 3. Enter a product name/number. 4. Under Download Options, select Drivers, Software & Firmware 5. Select the operating
	system version. 6. Then select DOWNLOAD.
Duplex ADF scanning	· ·

Duty cycle note	HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
Electromagnetic compatibility	CISPR 22:2008 (International) - Class A, CISPR 32:2012 (International) - Class A, EN 55032: 2012 (EU) - Class A, EN 61000-3-2: 2014, EN 61000-3-3: 2013, EN 55024: 2010, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A / ICES-003, Issue 6 Class A, Other EMC approvals as required by individual countries
Engine life	800000
Enhanced scanning resolution	Up to 600 dpi
Envelope Feeder	No
File Format Supported	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)
Finished output handling	Sheetfed
First copy out black (A4)	As fast as 6.7 sec
First copy out black (A4, sleep)	As fast as 13.3 sec
First copy out black (letter)	As fast as 6.6 sec
First copy out black (letter, sleep)	As fast as 13.2 sec
First copy out color (A4)	As fast as 7.2 sec
First copy out color (A4, sleep)	As fast as 13.3 sec
First copy out color (letter)	As fast as 7.1 sec
First copy out color (letter, sleep)	As fast as 13.2 sec
First page out black (A4, ready)	As fast as 6.5 sec
First page out black (A4, sleep)	As fast as 9 sec
First page out black (letter, ready)	As fast as 6.4 sec
First page out black (letter, sleep)	As fast as 8.9 sec
First page out color (A4, ready)	As fast as 6.5 sec
First page out color (A4, sleep)	As fast as 9 sec
First page out color (letter, ready)	As fast as 6.4 sec
First page out color (letter, sleep)	As fast as 8.9 sec
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts
HP ePrint capability	Yes
Input capacity	Up to 650 sheets
Internal Storage	Standard, minimum 500 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater)

Left margin (A4)	4.3 mm
Levels of grayscale	256
Mac compatible	Yes
Maximum Input Capacity (envelopes)	MP Tray: Up to 10 envelopes (or 10mm stack height)
Maximum Memory	2.5 GB
Maximum dimensions (W x D x H)	963 x 770 x 910 mm
Maximum dimensions (W x D x H)	37.91 x 30.31 x 35.83 in
Maximum input capacity (sheets)	Up to 3200 sheets
Maximum output capacity (sheets)	Up to 500 Sheets
Maximum print area	207.4 x 347.1 mm
Media size (ADF)	Letter; legal; oficio; executive; statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard (JIS); 4×6 in; 5×7 in; 5×8 in; 68×147 mm to 215.9 $\times 863.6$ mm; 2.68×5.79 in to 8.46×34 in
Media size, tray 1	A4, A5, A6, RA4, B5, B6, 16k, 10 \times 15 cm, Oficio, postcards (JIS single and double) envelopes (DL, C5, B5, C6); 76 \times 127 to 216 \times 356 mm
Media size, tray 2	A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16k, Dpostcard, envelopes (DL, C5, B5, C6); 101.6 x 148 to 216 x 356 mm
Media size, tray 3	1x550 feeders: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16k, Dpostcard, 101.6 x 148 to 216 x 356 mm; 2000-sheet high-capacity feeder: A4
Media sizes supported	Tray 1: A4, A5, A6, RA4, B5, B6, 16k, 10 x 15 cm, Oficio, postcards (JIS single and double) envelopes (DL, C5, B5, C6); Tray 2: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16k, Dpostcard; Optional 550-sheet trays 3, 4, 5: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16k, Dpostcard; Optional 2,000-sheet high-capacity Tray 4: A4
Media sizes supported	Tray 1: letter, legal, executive, statement, Oficio, 3×5 in, 4×6 in, 5×7 in, 5×8 in, envelopes (No. 9, No. 10, Monarch); Tray 2: letter, legal, executive, statement, Oficio, 4×6 in, 5×7 in, 5×8 in; Optional 550-sheet trays: letter, legal, executive, statement, Oficio, 4×6 in, 5×7 in, 5×8 in; Optional 2,000-sheet high-capacity tray: letter, legal
Media sizes, custom	Tray 1: 76×127 to 216×356 mm; Tray 2: 101.6×148 to 216×356 mm; Optional 550-sheet trays: 101.6×148 to 216×356 mm; Optional 2,000-sheet high-capacity tray: custom sizes not supported in this tray
Media sizes, custom	Tray 1: 3×5 to 8.5×14 in; Tray 2: 4×5.83 to 8.5×14 in; Optional 550-sheet trays: 4×5.83 to 8.5×14 in; Optional 2000-sheet high-capacity tray: custom sizes not supported in this tray
Media type and capacity, ADF	Sheets: 150
Media type and capacity, tray 1	Paper: 100 sheets of 75 g/m² media; Envelopes: 10
Media type and capacity, tray 2	Plain media (75 g/m 2) sheets: 550 (55 mm stack height); Glossy media sheets (120 g/m 2): 250 (30 mm stack height)
Media types	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined
Media weight (tray 1)	60 to 220 g/m² (plain), 120 to 220 g/m² (glossy)

Media weight (tray 2)	60 to 163 g/m² (plain); 120 to 220 g/m² (glossy)
Media weight, supported	Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Tray 2: 16 to 90 lb (plain) 32 to 58 lb (glossy)
Media weight, supported	Tray 1: 60-220 g/m² (plain), 120 to 220 g/m² (glossy); Tray 2: 60 to 163 g/m² (plain), 120 to 220 g/m² (glossy)
Media weights, supported ADF	12 to 53 lb
Media weights, supported ADF	45 to 199 g/m²
Memory	1.5 GB (printer); 512 MB (scanner)
Memory Slots	1 slot, 144-pin, DDR3 DIMM
Memory upgrade	Expandable to 3 GB through one 144-pin DDR3 DIMM slot
Minimum System Requirements	2 GB available hard disk space; OS hardware requirements see microsoft.com
Minimum System Requirements for Macintosh	1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info
Multitasking supported	Yes
Native scan file format	PDF, JPG, TIF, MTIF
Network ready	Standard (built-in Gigabit Ethernet)
Non-Operating Humidity Range	10 to 90% RH
Number of print cartridges	4 (1 each black, cyan, magenta, yellow)
Number of users	10-30 Users
Operating humidity range	10 to 80% RH
Operating temperature range	15 to 30ºC
Operating temperature range	59 to 86ºF
Orderable supplies	HP LaserJet 110 V Maintenance Kit P1B91A, HP LaserJet 220 V Maintenance Kit P1B92A, HP LaserJet Image Transfer Belt Kit, HP LaserJet Toner Collection Unit P1B94A, HP 300 ADF Roller Replacement Kit J8J95A
Output capacity	Up to 500 Sheets
Package dimensions (W x D x H)	28.1 x 26.7 x 32.1 in
Package dimensions (W x D x H)	714 x 677 x 816 mm
Package weight	109 lb
Package weight	49.5 kg
Pallet dimensions	28.1 lb x 26.7 x 70.2 lb
Pallet dimensions (W x D x H)	756 x 680 x 1782 mm
Pallet weight	238 lb
Pallet weight	108 kg
Paper handling input, optional	Optional 1x550-sheet paper feeder, optional 1x550 paper feeder and stand with cabinet, optional 3x550-sheet paper feeder and stand, optional high-capacity paper feeder and stand with 1x550 sheet feeder and 1x2,000-sheet feeder

Paper handling input, standard	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder
Paper handling output, standard	500-sheet output tray, two-sided printing
Paper trays, maximum	5
Paper trays, standard	2
Ports	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket
Post warranty repair & maintenance	Please consult web site http://www.hp.com/support
Power	Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/-3Hz), 12 A; Input voltage: 220 V to 240V nominal, (+/-10%) 50 - 60Hz nominal (+/- 3Hz), 6 A. Not dual voltage, power supply varies by part number with # Option code identifier.
Print Technology	Laser
Print colors	Yes
Print languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7), URF (AirPrint)
Print quality black (normal)	Up to 600 x 600 dpi
Print resolution black (fine lines)	Up to 1200 x 1200 dpi
Print resolution color (fine lines)	Up to 1200 x 1200 dpi
Print resolution color (normal)	Up to 600 x 600 dpi
Print speed black (Landscape, A5)	Up to 74 ppm
Print speed black (Portrait, A5)	Up to 4 ppm
Print speed color (Landscape, A5)	Up to 74 ppm
Print speed color (Portrait, A5)	Up to 4 ppm
Print speed duplex (A4)	Up to 47 ppm
Print speed duplex (A4)	Up to 47 ppm
Print speed duplex (letter)	Up to 50 ppm
Print speed duplex (letter)	Up to 50 ppm
Print speed footnote number (A5)	[11]
Print technology	Laser
Printer Management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver
Printer black pages (MPV black)	2700
Printer color pages (MPV color)	1800
Processor speed	1.2 GHz
Product short name specifications	HP Color LaserJet Managed MFP E67550dh, Print, copy, scan
Quantity per pallet	2

RMN number	BOISB-1503-02
Recommended media weight (duplex)	60 to 163 g/m² (plain); 120 to 220 g/m² (glossy)
Recommended media weight (duplex)	16 to 90 lb (plain); 32 to 58 lb (glossy)
Recommended monthly page volume	3000 to 24,000
Recommended monthly page volume note	HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
Recommended monthly scan volume	14,250 to 23,750
Recommended monthly scan volume note	HP recommends that the number of scanned pages per month be within the stated range for optimum device performance
Recommended operating humidity range	30 to 70% RH
Recommended operating temperature range	17.5 to 25°C
Recommended operating temperature range	63.5 to 77ºF
Resolution	Up to 600 dpi
Right margin (A4)	4.3 mm
Right margin (A4) Safety	4.3 mm EC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 Amendment 2:2014; Other safety approvals as required by individual countries
	EC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 Amendment 2:2014; Other safety approvals as required
Safety	EC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 Amendment 2:2014; Other safety approvals as required by individual countries
Safety Scan resolution, hardware	EC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 Amendment 2:2014; Other safety approvals as required by individual countries
Safety Scan resolution, hardware Scan resolution, optical	EC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 Amendment 2:2014; Other safety approvals as required by individual countries Up to 600 x 600 dpi Up to 600 dpi
Scan resolution, hardware Scan resolution, optical Scan size (ADF), maximum	EC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 Amendment 2:2014; Other safety approvals as required by individual countries Up to 600 x 600 dpi Up to 600 dpi 215.9 x 863.6 mm
Scan resolution, hardware Scan resolution, optical Scan size (ADF), maximum Scan size (ADF), maximum	EC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 Amendment 2:2014; Other safety approvals as required by individual countries Up to 600 x 600 dpi Up to 600 dpi 215.9 x 863.6 mm 8.5 x 34.0 in
Scan resolution, hardware Scan resolution, optical Scan size (ADF), maximum Scan size (ADF), minimum	EC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 Amendment 2:2014; Other safety approvals as required by individual countries Up to 600 x 600 dpi Up to 600 dpi 215.9 x 863.6 mm 8.5 x 34.0 in
Scan resolution, hardware Scan resolution, optical Scan size (ADF), maximum Scan size (ADF), minimum Scan size (ADF), minimum	EC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 Amendment 2:2014; Other safety approvals as required by individual countries Up to 600 x 600 dpi Up to 600 dpi 215.9 x 863.6 mm 8.5 x 34.0 in 2.7 x 5.8 in
Scan resolution, hardware Scan resolution, optical Scan size (ADF), maximum Scan size (ADF), minimum Scan size (ADF), minimum Scan size (ADF), minimum Scan size, maximum	EC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 Amendment 2:2014; Other safety approvals as required by individual countries Up to 600 x 600 dpi Up to 600 dpi 215.9 x 863.6 mm 8.5 x 34.0 in 2.7 x 5.8 in 68 x 147 mm
Scan resolution, hardware Scan resolution, optical Scan size (ADF), maximum Scan size (ADF), minimum Scan size (ADF), minimum Scan size (ADF), minimum Scan size, maximum Scan size, maximum	EC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 Amendment 2:2014; Other safety approvals as required by individual countries Up to 600 x 600 dpi Up to 600 dpi 215.9 x 863.6 mm 8.5 x 34.0 in 2.7 x 5.8 in 68 x 147 mm 8.5 x 14 in 216 x 356 mm
Scan resolution, hardware Scan resolution, optical Scan size (ADF), maximum Scan size (ADF), minimum Scan size (ADF), minimum Scan size (ADF), minimum Scan size, maximum Scan size, maximum Scan size, minimum	EC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 Amendment 2:2014; Other safety approvals as required by individual countries Up to 600 x 600 dpi Up to 600 dpi 215.9 x 863.6 mm 8.5 x 34.0 in 2.7 x 5.8 in 68 x 147 mm 8.5 x 14 in 216 x 356 mm No Minimum Size

Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs
Services	Customers can retain their hard disk drive and keep control of sensitive data.
Services	Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.
Services description headline 01	Next Business Day Onsite with Defective Media Retention:
Services description headline 02	Same Day Onsite – 4 hour 9x5 and 13x5:
Standard media sizes (duplex)	A4; A5; RA4; B5; Oficio; 16k
Standard media sizes (duplex, imperial)	Letter, legal, executive, Oficio
Standard output capacity (envelopes)	Up to 85 envelopes
Standard output capacity (transparencies)	Up to 200 sheets
Storage temperature range	-20 to 40ºC
Storage temperature range	-4 to 104ºF
Sub-brand name	Color LaserJet
SureSupply supported	Yes
Target user and print volume	For teams over 25 users; Prints up to 24,000 pages/month
Tariff numbers	8443310000 (AM-Base-HTS); 8443318000 (EU-Base-HTS); 84433120 (AP-Base-HTS)
Technology logo, print 1	Publication logos/AMS_EnergyStar.jpg
Technology logo, print 2	Publication logos/AMS_ windows_10.jpg
Technology logo, print 3	Publication logos/AMS_mac_hires.jpg
Technology logo, print 4	Publication logos/AMS_Mopria.jpg
Technology logo, print 5	Publication logos/AMS_hp_eprint.jpg
Technology logo, print 6	Publication logos/AMS_AirPrint.jpg
Top margin (A4)	4.3 mm

Twain version	Version 2.1
Typical electricity consumption (TEC) number	2.68 kWh/Week (Blue Angel); 0.672 kWh/Week (Energy Star 3.0)
UNSPSC code	43212110
UPC number	889894756558
Warm-up time	195 Sec
Web address for additional information	Solutions: http://www.hp.com/go/gsc; Fonts and IPDS Emulation: http://www.hp.com/go/laserjetfonts; HP Web Jetadmin: http://www.hp.com/go/wja; HP Universal Print Driver: http://www.hp.com/go/upd; HP JetAdvantage Security Manager: www.hp.com/go/securitymanager; HP JetAdvantage On Demand Cloud Solutions: www.hp.com/go/JetAdvantageondemand

[2] Cartridges included; yields 10,500 color (C/Y/M) and 12,500 black pages. Pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies. Pages may vary based on customer printing conditions and usage.

[3] With print cartridges

[5] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typicallty based on measurement of 115V device.

[7] Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies

[18] Scan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support

[19] Original HP LaserJet "A" and "X" toner cartridges are also compatible with this product.

HP Care Pack Services

Imaging and Printing Hardware Support Onsite Svc

HP 3 year Next Business Day w/DMR Service for Color LaserJet E675xx E676xx Managed	U9NY1E ★
HP 3 year 4 hour 9x5 w/DMR Service for Color LaserJet E675xx E676xx Managed	U9NY4E ★
HP 1 year Post Warranty 4 hour 9x5 w/DMR Service for Color LaserJet E675xx E676xx Managed	U9NZ2PE
HP 1 year Post Warranty Next Business Day w/DMR Service for Color LaserJet E675xx E676xx Managed	U9NZ0PE
HP 2 year Post Warranty 4 hour 9x5 w/DMR Service for Color LaserJet E675xx E676xx Managed	U9NZ3PE
HP 2 year Post Warranty Next Business Day w/DMR Service for Color LaserJet E675xx E676xx Managed	U9NZ1PE
HP 4 year 4 hour 9x5 w/DMR Service for Color LaserJet E675xx E676xx Managed	U9NY5E
HP 4 year Next Business Day w/DMR Service for Color LaserJet E675xx E676xx Managed	U9NY2E
HP 5 year 4 hour 9x5 w/DMR Service for Color LaserJet E675xx E676xx Managed	U9NY6E
HP 5 year Next Business Day w/DMR Service for Color LaserJet E675xx E676xx Managed	U9NY3E
Imaging and Printing Commercial Care Pack Services	

★: Recommended

HP Installation Service with network configuration for Workgroup Printer(1 unit)	U9JT2E ★
HP 1 yr Post Wty Parts Exchange SVC for Color LaserJet E675xx E676xx Managed	U9NZ4PE
HP 2 yr Post Wty Parts Exchange SVC for Color LaserJet E675xx E676xx Managed	U9NZ5PE
HP 3 year Parts Exchange Service for Color LaserJet E675xx E676xx Managed	U9NY7E
HP 4 year Parts Exchange Service for Color LaserJet E675xx E676xx Managed	U9NY8E
HP 5 year Parts Exchange Service for Color LaserJet E675xx E676xx Managed	U9NY9E
HP Automatic Document Feeder Maintenance Kit Replacement Service for Color LaserJet M68x	U9TN4E
HP Image Transfer Belt Maintenance Kit Replacement Service for Color LaserJet M65x M68x	U9TN2E
HP MK CLJ M65xM68x E675xxE650xx F110 SVC	U9TN0E
HP MK CLJ M65xM68x E675xxE650xx F220 SVC	U9TN1E

HP Print Carbon Neutral Certification Service	U34Y1E
HP Toner Collection Unit Maintenance Kit Replacement Service for Color LaserJet M65x M68x	U9TN3E

Ink/Toner/Paper/Printer Supplies

HP Laser Toner Cartridges and Kits

HP Laser Printer Supply Kits

HP 300 ADF Roller Replacement Kit	J8J95A ★
HP LaserJet 110V Fuser Kit	P1B91A ★
HP LaserJet Image Transfer Belt Kit	P1B93A ★
HP LaserJet Toner Collection Unit	P1B94A ★
HP 300 ADF Roller Replacement Kit	J8J95A

★ : Recommended

HP Business Papers

HP Business Papers for laser

HP Enhanced Business Paper, Glossy, 150 g/m2, A4 (210 x 297 mm), 150 sheets	CG965A
HP Everyday Business Paper, Glossy, 32 lb, 11 x 17 in. (279 x 432 mm), 150 sheets	4WN07A
HP Everyday Business Paper, Glossy, 32 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN08A
HP Professional Business Paper, Glossy, 52 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN10A
HP Professional Business Paper, Matte, 52 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN05A

Accessories

Network Print Servers

External Print Servers

HP Jetdirect 3000w NFC/Wireless Accessory	J8030A ★
HP Jetdirect 3100w BLE/NFC/Wireless Accessory	3JN69A ★

★ : Recommended

Paper Handling

Fax Upgrades

HP LaserJet MFP Analog Fax Accessory 500	CC487A ★
HP MFP Analog Fax Accessory 700	2EH31A ★
Input Trays	

HP Color LaserJet 1x550/2000-sheet HCI Feeder and Stand	P1B12A ★
HP Color LaserJet 3x550-sheet Feeder and Stand	P1B11A★
HP Color LaserJet 550-sheet Media Tray	P1B09A ★
HP Color LaserJet 550-sheet Paper Tray with Stand	P1B10A ★

Staple Cartridges

HP Staple Cartridge Refill	J8J96A ★
----------------------------	---------------------

Memory

DDR3 Memory

HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM	E5K48A ★
HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM	E5K49A ★
HP 2GB 144-Pin DDR3 TAA Version DIMM	2NR09A

Accessory Bundles

Printer Accessibility Accessories

HP Accessibility Kit	2TD64A ★

Data Security Accessories

HP Removable Hard Drive Enclosure	2NR12A ★
-----------------------------------	----------

Cables/Cable Kits/Cable Adapters

Printer Cables

HP Foreign Interface Harness	B5L31A ★
Port Cables and Cable Adapters	
HP Internal USB Ports	B5L28A ★

Security and Protection

Smart Cards and SmartCard Readers

HP HIP2 Keystroke Reader	Y7C05A ★
HP USB Universal Card Reader	X3D03A ★
Security Devices	
HP Trusted Platform Module Accessory	F5S62A ★

Solutions

Imaging and Printing Solutions

★: Recommended

Printing SW Solution Licenses

HP HID Mobile Access Mifare DES Fire Keystroking Reader	35H11A ★
---------------------------------------------------------	----------

HP Document and Workflow Solutions

JetAdvantage Printing Security

Celiveo Enterprise	HP3PCELIVEO
HP Access Control Secure Printing and Job Accounting Solution	HPACSOLUTION
HP Proximity Card Reader	HPPROXIMTYRDR
HP Secure Print and Insights	HPJETADSECUREPRINT
HP Security Manager	HPJETADSECMGR
Kofax SafeCom Security and Job Accounting Solution	HPNSAFECOMSOL
Pharos Blueprint	HP3PHAROSBPRNT

JetAdvantage Printer Workflow

HP Capture and Route	HPCAPTANDROUTE

JetAdvantage Print Management

HP Universal Print Driver	IPUNIVPRNTDRV
HP Web Jetadmin	IPWEBJETADMIN
Kofax ControlSuite	IP_CSUITE
LRS VPSX for Output Management	IP3PLRS

JetAdvantage Mobile Printing

ePRINTit	HP3PEPRINTIT

Print Security Solutions

Print Security

Print Security	HPPRNTSECURE

Disclaimer — Copyright

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Nov 12, 2022 12:20 AM UTC+0000