



# HP LaserJet Pro M404dn (W1A53A)

## Overview



**The HP LaserJet Pro M404 printer--focus your time where it's most effective--growing your business**

Winning in business means working smarter. The HP LaserJet Pro M404 printer is designed to let you focus your time where it's most effective--helping to grow your business and staying ahead of the competition.

### **Built to keep you—and your business—moving forward**

Help decrease the amount of paper used in the office by printing on both sides of the page.[12]

### **Best -in-class security-detect and stop attacks[5]**

A suite of embedded security features help protect your printer from being an entry point for attacks.[5]

### **Simply designed to uncomplicate your day**

Set up this printer fast and easily manage device settings to help increase overall printing efficiency.

### **Sustainability is smart business**

Avoid frustrating reprints, wasted supplies, and service calls using Original HP toner cartridges.

## Features

Enhanced security    Energy efficient

---

*[5] Based on HP review of 2019 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://www.hp.com/go/PrintersThatProtect>. For more information: <http://www.hp.com/go/printersecurityclaims>*

## Specifications

|  |  |
|--|--|
| <b>Print Resolution Technologies</b>     | HP FastRes1200, HP ProRes1200, Economode   |
| <b>Print quality black (best)</b>        | Fine Lines (1200 x 1200 dpi)   |
| <b>Print speed black (ISO, A4)</b>       | Up to 38 ppm (default) ; Up to 40 ppm (HP High Speed)  |
| <b>Print speed black (ISO, letter)</b>   | Up to 40 ppm (default) ; Up to 42 ppm (HP High Speed)  |
| <b>Print speed</b>                       | Prints up to 40/42 ppm (A4/LTR) (HP High Speed)  |
| <b>Functions</b>                         | Print  |
| <b>Duplex printing</b>                   | Automatic (default)  |
| <b>Duty cycle (monthly, A4)</b>          | Up to 80,000 pages   |
| <b>Duty cycle (monthly, letter)</b>      | Up to 80,000 pages <sup>[10]</sup>   |
| <b>Printer smart software features</b>   | Apple AirPrint™, Mopria certified, Google Cloud Print 2.0, HP ePrint, HP Auto-On/Auto-Off Technology, Job Storage with PIN printing, N-up printing, collation  |
| <b>Energy savings feature technology</b> | HP Auto-On/Auto-Off Technology; Instant-on Technology  |
| <b>Replacement cartridges</b>            | AMS: For distribution and use in North America and Latin America only: HP 58A Black LaserJet Toner Cartridge (~3,000 pages), CF258A; HP 58X Black LaserJet Toner Cartridge (~10,000 pages), CF258X; EMEA: For distribution and use in Europe, Middle East, Russia, CIS, and Africa only: HP 59A Black LaserJet Toner Cartridge (~3,000 pages), CF259A; HP 59X Black LaserJet Toner Cartridge (~10,000 pages), CF259X; APJ: For distribution and use only in Asia Pacific - excluding China (PRC) and India: HP 76A Black LaserJet Toner Cartridge (~3,000 pages), CF276A; HP 76X Black LaserJet Toner Cartridge (~10,000 pages), CF276X <sup>[3]</sup> |
| <b>Supplies feature</b>                  | HP JetIntelligence Cartridge   |
| <b>Connectivity, standard</b>            | 1 Hi-Speed USB 2.0; 1 host USB at rear side; Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE)  |
| <b>Network capabilities</b>              | Built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X  |
| <b>Wireless capability</b>               | No   |
| <b>Mobile printing capability</b>        | HP Smart App; HP ePrint; Apple AirPrint™; Google Cloud Print™; Mobile Apps; Mopria™ Certified  |
| <b>Network protocols, supported</b>      | TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, HP ePrint, Apple AirPrint™, Google Cloud Print 2.0, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download  |
| <b>Software included</b>                 | No software solutions are included in the Box, Download software at <a href="http://123.hp.com/laserjet">http://123.hp.com/laserjet</a> or <a href="http://hp.com">http://hp.com</a>   |
| <b>Compatible Operating Systems</b>      | Windows 11; Windows 10; Windows 8; Windows 7; Windows Client OS; Android; Mobile OS; macOS 10.12 Sierra; macOS 10.14 Mojave  |

|  |  |
|--|--|
| <b>Sustainable impact specifications</b> | Mercury-free   |
| <b>Energy star certified</b>             | Yes  |
| <b>Ecolabels</b>                         | ENERGY STAR® qualified; EPEAT® Silver; CECP <sup>[13]</sup>  |
| <b>Blue Angel compliant</b>              | Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies   |
| <b>Display area (imperial)</b>           | 1.79 x 0.53 in   |
| <b>Display area (metric)</b>             | 4.55 x 1.35 cm   |
| <b>Display</b>                           | 2-line backlit LCD graphic display   |
| <b>Minimum dimensions (W x D x H)</b>    | 381 x 357 x 216 mm<br><i>(Without trays and covers not extended)</i>   |
| <b>Minimum dimensions (W x D x H)</b>    | 15 x 14.06 x 8.5 in<br><i>(Without trays and covers not extended)</i>  |
| <b>Weight</b>                            | 8.56 kg  |
| <b>Weight</b>                            | 18.87 lb   |
| <b>Power consumption</b>                 | 495 watts (active printing), 5.5 watts (ready), 0.5 watts (sleep), 0.5 watts (Auto Off/Wake on LAN, enabled at shipment), 0.05 watts (Auto-off/Manual-on), 0.05 (Manual Off) <sup>[2]</sup>  |
| <b>Power supply type</b>                 | Internal (built-in) Power Supply   |
| <b>What's in the box</b>                 | HP LaserJet Pro M404dn; Preinstalled HP Black LaserJet Toner Cartridge (59A for EMEA, 58A for AMS, 76A for AP, yield ~3,000 pages); Getting Started Guide; Support Flyer; Warranty Guide; Regulatory Flyer; Power cord; USB cable (AP Only) <sup>[14]</sup>  |
| <b>Manufacturer Warranty</b>             | One-year Bench/Depot Repair warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to <a href="http://hp.com/support">hp.com/support</a> to learn about HP award winning service and support options in your region. (wty code 4E; wty ID A033) |

## Additional specifications

|   |  |
|---|--|
| <b>Accessories</b>  | D9P29A HP LaserJet 550-sheet Feeder Tray; POR81AA HP v222w 16GB Mini USB Drive                                     |
| <b>Acoustic power emissions (active, printing)</b>              | 6.7 B(A)   |
| <b>Acoustic power emissions (ready)</b>                         | 2.6 B(A)   |
| <b>Acoustic pressure emissions bystander (active, printing)</b> | 54 dB(A)   |
| <b>Acoustic pressure emissions bystander (ready)</b>            | 15 dB(A)   |
| <b>Additional information about HP</b>                          | <a href="http://www.hp.com">http://www.hp.com</a>  |
| <b>Additional information about HP in the countries</b>         | <a href="http://hp.com">hp.com</a>   |
| <b>Automatic paper sensor</b>                                   | No   |
| <b>Bottom margin (A4)</b>                                       | 5 mm   |
| <b>Business filter</b>  | cMPS   |
| <b>Cable included</b>   | Yes, 1 USB cable (AP only); No, please purchase USB cable separately (EMEA, Americas)                              |
| <b>Cartons per layer</b>  | 9  |
| <b>Compatible Network Operating Systems</b>                     | Windows 11; Windows 10; Windows 8; Windows 7; Android; iOS; Mobile OS; macOS 10.13 High Sierra; macOS 10.14 Mojave |
| <b>Component type</b>   | Printer  |
| <b>Control panel</b>  | 2-line LCD; OK button; Left button; Right button; Cancel button; Back button; Ready LED; Error LED                 |
| <b>Count of layers in pallet</b>                                | 5 (NA), 4 (EMEA, AP)   |
| <b>Country of origin</b>  | Made in Philippines; Made in Japan (W1A53A#201); Made in Brazil (W1A53A#696, #697, #AC8)                           |
| <b>Datasheet photo 1</b>  | Publication photos/W1A53A.jpg  |
| <b>Datasheet photo 4</b>  | Publication photos/M404 series.jpg   |
| <b>Datasheet publication number</b>                             | 4AA7-4860  |

|   |  |
|---|--|
| <b>Downloadable software</b>                | <p>From <a href="http://123.hp.com">http://123.hp.com</a>, HP Easy Start (Guided Software Install for Windows and Mac), From <a href="http://hp.com">http://hp.com</a> for Windows OS, Fullsolution software and drivers, Basicsolution software and drivers, HP PCL6 XPS Discrete Print Driver, Product Documentation and Support, From <a href="http://hp.com">http://hp.com</a> for Mac OS, HP Easy Start (Guided Software Install), HP Mac PS Print Driver, HP Easy Admin, For Mobile OS, iOS For more information see <a href="http://hp.com/go/businessmobileprinting">http://hp.com/go/businessmobileprinting</a>, Android For more information see <a href="http://hp.com/go/businessmobileprinting">http://hp.com/go/businessmobileprinting</a>, From <a href="http://hp.com">http://hp.com</a> for printer administrators, Printer Administrator Resource Kit (Driver Configuration Utility Driver Deployment Utility Managed Printing Administrator), HP Universal Print Drivers PCL6 GDI &amp; PS GDI for Windows, HP ePrint Software (Mobile Driver for Windows), SAP Print Drivers for more information see <a href="http://support.hp.com/usen/document/c05051702">http://support.hp.com/usen/document/c05051702</a>, HP Web JetAdmin, HP JetAdvantage Security Manager, HPLIP Linux Printer Driver for more information see <a href="http://hplipopensource.com/hplipweb/index.html">http://hplipopensource.com/hplipweb/index.html</a>, Unix Model Script Printer Driver for more information see <a href="http://hp.com/go/unixmodelscripts">http://hp.com/go/unixmodelscripts</a></p> |
| <b>Driver updates</b>                       | <p>Latest supported operating systems and Print drivers available at <a href="HTTP://www.hp.com/support/ljM404">HTTP://www.hp.com/support/ljM404</a></p>   |
| <b>Duty cycle note</b>                      | <p>Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.</p>   |
| <b>Dynamic security</b>                     | <p>Dynamic security enabled printer</p>  |
| <b>Electromagnetic compatibility</b>        | <p>CISPR 32:2012/EN 55032:2012 - Class B, CISPR 32:2015/EN 55032:2015 - Class B, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010+A1:2015, FCC Title 47 CFR, Part 15 Class B / ICES-003, Issue 6</p>  |
| <b>Engine life</b>                          | <p>200000</p>  |
| <b>Envelope Feeder</b>                      | <p>No</p>  |
| <b>Finished output handling</b>             | <p>Sheetfed</p>  |
| <b>First page out black (A4, ready)</b>     | <p>As fast as 6.3 sec</p>  |
| <b>First page out black (A4, sleep)</b>     | <p>As fast as 8.8 sec</p>  |
| <b>First page out black (letter, ready)</b> | <p>As fast as 6.1 sec</p>  |
| <b>First page out black (letter, sleep)</b> | <p>As fast as 8.6 sec</p>  |
| <b>Fonts and typefaces</b>                  | <p>84 scalable TrueType fonts</p>  |
| <b>Input capacity</b>                       | <p>Up to 350 sheets (Tray 1: up to 100 sheets; Tray 2: up to 250 sheets)</p>   |
| <b>Internal Storage</b>                     | <p>None</p>  |
| <b>Left margin (A4)</b>                     | <p>4 mm</p>  |
| <b>Mac compatible</b>                       | <p>Yes</p>   |
| <b>Maximum Memory</b>                       | <p>256 MB</p>  |
| <b>Maximum dimensions (W x D x H)</b>       | <p>15 x 25 x 9.5 in</p>  |
| <b>Maximum dimensions (W x D x H)</b>       | <p>381 x 781 x 241 mm</p>  |
| <b>Maximum input capacity (sheets)</b>      | <p>Up to 900 sheets</p>  |

|  |  |
|--|--|
| <b>Maximum output capacity (sheets)</b>          | Up to 150 sheets   |
| <b>Maximum print area</b>                        | 207.4 x 347.1mm  |
| <b>Media size, tray 1</b>                        | A4, A5, A6, B5 (JIS), B6 (JIS), 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm), 10 x 15 cm, Oficio (216 x 340 mm), postcards (JIS single, JIS double), envelopes (DL, C5, B5)  |
| <b>Media size, tray 2</b>                        | A4, A5, A6, B5 (JIS), B6 (JIS), 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm), 10 x 15 cm, Oficio (216 x 340 mm), postcards (JIS single, JIS double), envelopes (DL, C5, B5)  |
| <b>Media size, tray 3</b>                        | A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double)  |
| <b>Media sizes supported</b>                     | Tray 1, Tray 2: A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double); envelopes (DL, C5, B5); Optional Tray 3: A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double); Automatic duplexer: A4; B5; 16K (195 x 270 mm, 184 x 260 mm; 197 x 273 mm); Oficio (216 x 340 mm) |
| <b>Media sizes supported</b>                     | Tray 1, Tray 2: Letter, legal, executive, Oficio (8.5 x 13 in), 4 x 6 in, 5 x 8 in, envelopes (No 10, Monarch); Optional Tray 3: Letter, legal, executive, Oficio (8.5 x 13 in), 4 x 6 in, 5 x 8 in; Automatic duplexer: Letter, legal, executive, Oficio (8.5 x 13 in)  |
| <b>Media sizes supported, key</b>                | 10 x 15 cm; A4; Envelopes  |
| <b>Media sizes supported, key</b>                | 4 x 6 in; Letter; Legal; Envelopes   |
| <b>Media sizes, custom</b>                       | Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, optional Tray 3: 100 x 148 to 216 x 356 mm   |
| <b>Media sizes, custom</b>                       | Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2, optional Tray 3: 3.94 x 5.83 to 8.5 x 14 in  |
| <b>Media type and capacity, tray 1</b>           | Sheets: 100; envelopes: 10   |
| <b>Media type and capacity, tray 2</b>           | Sheets: 250  |
| <b>Media type and capacity, tray 3</b>           | Sheets: 550  |
| <b>Media types</b>                               | Paper (plain, EcoFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels  |
| <b>Media weight (tray 1)</b>                     | 60 to 200 g/m <sup>2</sup>   |
| <b>Media weight (tray 2)</b>                     | 60 to 120 g/m <sup>2</sup>   |
| <b>Media weight (tray 3)</b>                     | 60 to 120 g/m <sup>2</sup> (optional 550-sheet tray)   |
| <b>Media weight, supported</b>                   | Tray 1: 16 to 46.6 lb; Tray 2 and Optional 550-sheet Tray 3: 16 to 32 lb   |
| <b>Media weight, supported</b>                   | Tray 1: 60 to 200 g/m <sup>2</sup> ; Tray 2, Optional 550-sheet Tray 3: 60 to 120 g/m <sup>2</sup>   |
| <b>Memory</b>                                    | 256 MB   |
| <b>Minimum System Requirements</b>               | 2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com   |
| <b>Minimum System Requirements for Macintosh</b> | 2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com   |
| <b>Number of print cartridges</b>                | 1 (black)  |

|   |   |
|---|---|
| <b>Number of users</b>                      | 3-10 Users  |
| <b>Operating humidity range</b>             | 10 to 80% RH  |
| <b>Operating temperature range</b>          | 59 to 90.5°F  |
| <b>Operating temperature range</b>          | 15 to 32.5°C  |
| <b>Orderable supplies</b>                   | CF258A HP 58A Black LaserJet Toner Cartridge (~3,000 pages); CF258X HP 58X Black LaserJet Toner Cartridge (~10,000 pages)   |
| <b>Output capacity</b>                      | Up to 150 sheets  |
| <b>Package dimensions (W x D x H)</b>       | 17.44 x 10.78 x 18.26 in  |
| <b>Package dimensions (W x D x H)</b>       | 443 x 274 x 464 mm  |
| <b>Package weight</b>                       | 10.5 kg   |
| <b>Package weight</b>                       | 23.1 lb   |
| <b>Page yield (set-up/inbox cartridges)</b> | ~3000 pages black   |
| <b>Pallet dimensions</b>                    | 47.24 x 39.37 x 97.44 in (NA), 47.24 x 39.37 x 79.17 in (EMEA, AP)  |
| <b>Pallet dimensions (W x D x H)</b>        | 1200 x 1000 x 2475 mm (NA), 1200 x 1000 x 2011 mm (EMEA, AP)  |
| <b>Pallet weight</b>                        | 1089.4 lb (NA), 881.5 lb (EMEA, AP)   |
| <b>Pallet weight</b>                        | 495.2 kg (NA), 400.7 kg (EMEA, AP)  |
| <b>Paper handling input, optional</b>       | Optional third 550-sheet tray   |
| <b>Paper handling input, standard</b>       | 100-sheet multipurpose Tray 1, 250-sheet input Tray 2   |
| <b>Paper handling output, standard</b>      | 150-sheet output bin  |
| <b>Paper trays, maximum</b>                 | 3   |
| <b>Paper trays, standard</b>                | 2   |
| <b>Power</b>                                | 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz);<br>220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz)<br>(Not dual voltage, product varies by part number with # Option code identifier). Not dual voltage, power supply varies by part number with # Option code identifier. |
| <b>Print Technology</b>                     | Laser   |
| <b>Print colors</b>                         | No  |
| <b>Print languages</b>                      | HP PCL 6, HP postscript level 3 emulation, PDF, URF, PWG Raster   |
| <b>Print quality black (normal)</b>         | Normal (Native: 600 x 600 dpi, enhanced up to 4800 x 600 dpi)   |
| <b>Print resolution black (fine lines)</b>  | Fine Lines (1200 x 1200 dpi)  |
| <b>Print speed black (Landscape, A5)</b>    | Up to 63 ppm  |
| <b>Print speed black (Portrait, A5)</b>     | Up to 14 ppm  |
| <b>Print speed duplex (A4)</b>              | Up to 31 ipm  |
| <b>Print speed duplex (letter)</b>          | Up to 33 ipm  |
| <b>Print speed footnote (A5)</b>            | Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.   |



|  |   |
|--|---|
| <b>Print technology</b>                        | Laser   |
| <b>Printer Management</b>                      | HP Printer Assistant; HP Utility (Mac); HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)   |
| <b>Printer black pages (MPV black)</b>         | 600   |
| <b>Processor speed</b>                         | 1200 MHz  |
| <b>Product short name specifications</b>       | HP LaserJet Pro M404dn, Print, Fast first page out speeds; Compact Size; Energy Efficient; Strong Security  |
| <b>Quantity per pallet</b>                     | 45 (NA), 36 (EMEA, AP)  |
| <b>RMN number</b>                              | SHNGC-1800-00   |
| <b>Recommended media weight (duplex)</b>       | 16 to 32 lb   |
| <b>Recommended media weight (duplex)</b>       | 60 to 120 g/m <sup>2</sup>  |
| <b>Recommended monthly page volume</b>         | 750 to 4000 <sup>[11]</sup>   |
| <b>Recommended operating humidity range</b>    | 30 to 70% RH  |
| <b>Recommended operating temperature range</b> | 17.5 to 25°C  |
| <b>Recommended operating temperature range</b> | 63.5 to 77°F  |
| <b>Right margin (A4)</b>                       | 4 mm  |
| <b>Safety</b>                                  | IEC 60950-1:2005 +A1:2009+A2:2013/EN 60950-1:2006 +A11:2009+A1:2010+A12:2011+A2:2013; IEC 60825-1:2014/EN 60825-1:2014 (Class 1 Laser/LED Product); IEC 62479: 2010/EN 62479: 2010  |
| <b>Security management</b>                     | Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; IPP over TLS; Network: enable/disable network ports and features, unused protocol and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, 802.1x authentication (EAP-TLS, and PEAP); Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, Compatible with optional HP JetAdvantage Security Manager |
| <b>Standard input capacity (envelopes)</b>     | Up to 10  |
| <b>Standard media sizes (duplex)</b>           | A4; 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); B5; Oficio  |
| <b>Standard media sizes (duplex, imperial)</b> | Letter; Legal; Executive; Oficio (8.5 x 13 in)  |
| <b>Standard output capacity (envelopes)</b>    | Up to 10 envelopes  |

|   |  |
|---|--|
| <b>Storage</b>  | Optional Job storage via external rear host USB port (Minimum 16 GB)   |
| <b>Storage device and direct print support</b>        | Optional job storage via external rear host USB port (Minimum 16GB)  |
| <b>Storage temperature range</b>                      | -4 to 104°F  |
| <b>Storage temperature range</b>                      | -20 to 40°C  |
| <b>SureSupply supported</b>                           | Yes  |
| <b>Target user and print volume</b>                   | For teams up to 10 users; Prints up to 4,000 pages/month   |
| <b>Tariff numbers</b>                                 | (AM) 8443321010; (EU) 8443321000; (AP) 84433231  |
| <b>Technology logo, print 1</b>                       | Publication logos/AMS_EnergyStar.jpg   |
| <b>Technology logo, print 2</b>                       | Publication logos/AMS_windows_10.jpg   |
| <b>Technology logo, print 3</b>                       | Publication logos/AMS_mac_hires.jpg  |
| <b>Technology logo, print 4</b>                       | Publication logos/AMS_AirPrint.jpg   |
| <b>Top key features</b>                               | Fast first page out speeds; Compact Size; Energy Efficient; Strong Security  |
| <b>Top margin (A4)</b>                                | 5 mm   |
| <b>Typical electricity consumption (TEC) footnote</b> | BA TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device. |
| <b>Typical electricity consumption (TEC) number</b>   | 1.10 kWh/Week (Blue Angel); 0.371 kWh/Week (Energy Star 3.0) <sup>[15]</sup>   |
| <b>UNSPSC code</b>                                    | 43212105   |
| <b>UPC number</b>                                     | (201) 192018902909; (BGJ) 192018902916   |
| <b>Warm-up time</b>                                   | As fast as 45 sec  |
| <b>Waste electrical and electronic weight</b>         | 8.56 kg  |
| <b>Web address for additional information</b>         | <a href="http://www.hp.com/go/support">http://www.hp.com/go/support</a>  |

[2] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.

[3] Toner cartridges designed for distribution and use within a designated region only; will not work outside of designated region.

[10] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

[11] HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period

[13] EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

*[14] In box cartridge yields 3,000 black pages based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see: <http://www.hp.com/go/learnaboutesupplies>. Pages may vary based on customer printing conditions and usage.*

*[15] BA TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.*

---

## Services

### HP Care Pack Services

★ : Recommended

#### Imaging and Printing Commercial Care Pack Services

|   |          |
|---|----------|
| HP 3 year Next Business Day Exchange Service for LaserJet Pro M404 M405 M304 M305               | UB9U1E ★ |
| HP Installation Service with network configuration for Personal Scanner and Printer (1 unit)    | U9JT1E ★ |
| HP 1 year Post Warranty Next Business Day Exchange Service for LaserJet Pro M404 M405 M304 M305 | UB9U5PE  |
| HP 1 year Print At Your Service Supplies Renewal up to 3500 pages per month LaserJet Service    | UC6T9PE  |
| HP 1 year Print At Your Service Supplies Renewal up to 500 pages per month LaserJet Service     | UC6T6PE  |
| HP 1y Renewal Subscription Supply Svc for LaserJet (up to 1000 pages per month)                 | U9PW2PE  |
| HP 1y Renewal Subscription Supply Svc for LaserJet (up to 2000 pages per month)                 | U9PW5PE  |

#### Imaging and Printing Hardware Support Onsite Svc

|   |          |
|---|----------|
| HP 3 year Next Business Day Service for LaserJet Pro M404 M405 M304 M305                | UB9T8E ★ |
| HP 1 year Post Warranty 4 hour 9x5 Service for LaserJet Pro M404 M405 M304 M306         | UC0Q7PE  |
| HP 1 year Post Warranty Next Business Day Service for LaserJet Pro M404 M405 M304 M305  | UB9U3PE  |
| HP 1 year Print At Your Service Next Business Day Renewal Service for LaserJet Pro M404 | UC0T9PE  |
| HP 3 year 4 hour 9x5 Service for LaserJet Pro M404 M405 M304 M305                       | UC0Q4E   |
| HP 4 year 4 hour 9x5 Service for LaserJet Pro M404 M405 M304 M306                       | UC0Q5E   |
| HP 4 year Next Business Day Service for LaserJet Pro M404 M405 M304 M305                | UB9T9E   |
| HP 5 year 4 hour 9x5 Service for LaserJet Pro M404 M405 M304 M307                       | UC0Q6E   |
| HP 5 year Next Business Day Service for LaserJet Pro M404 M405 M304 M305                | UB9U0E   |

# Accessories

## Paper Handling

★ : Recommended

### Input Trays

|                                       |          |
|---------------------------------------|----------|
| HP LaserJet Pro 550-sheet Feeder Tray | D9P29A ★ |
|---------------------------------------|----------|

## Ink/Toner/Paper/Printer Supplies

### HP Laser Toner Cartridges and Kits

★ : Recommended

#### HP Black and White Laser Toner Printer Cartridges

|   |        |
|---|--------|
| HP 58A Black Original LaserJet Toner Cartridge            | CF258A |
| HP 58X High Yield Black Original LaserJet Toner Cartridge | CF258X |

### HP Business Papers

#### HP Business Papers for laser

|  |        |
|--|--------|
| HP Enhanced Business Paper, Glossy, 150 g/m <sup>2</sup> , A4 (210 x 297 mm), 150 sheets | CG965A |
| HP Everyday Business Paper, Glossy, 32 lb, 11 x 17 in. (279 x 432 mm), 150 sheets        | 4WN07A |
| HP Everyday Business Paper, Glossy, 32 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets       | 4WN08A |
| HP Professional Business Paper, Glossy, 52 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets   | 4WN10A |
| HP Professional Business Paper, Matte, 52 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets    | 4WN05A |

# Solutions

## HP Document and Workflow Solutions

★ : Recommended

### JetAdvantage Print Management

|                           |               |
|---------------------------|---------------|
| HP Universal Print Driver | HPUNIVPRNTDRV |
| HP Web Jetadmin           | HPWEBJETADMIN |

### JetAdvantage Mobile Printing

|          |              |
|----------|--------------|
| ePRINTit | HP3PEPRINTIT |
|----------|--------------|

---

## Disclaimer — Copyright

© Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.