



# HP LaserJet Managed Flow MFP E62565z (J8J79A)



## Overview

**This HP LaserJet MFP with JetIntelligence combines performance, energy efficiency, and security.[1]**

This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.[1]

### **The world's most secure printing[1]**

With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.

### **High-speed performance meets energy efficiency**

Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.

### **More. Pages, Performance, and Protection.[6]**

Produce sharp text, bold blacks, and crisp graphics with precision black toner.

### **Give workgroups the speed they need**

Help workgroups capture every page easily and detect potential errors or missed pages—every time.

## Features



Take the guesswork out of fleet management<sup>[12]</sup>



Eliminate the wait from your workday<sup>[14]</sup>

---

*[1] Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://www.hp.com/go/PrintersThatProtect>. For more information: <http://www.hp.com/go/printersecurityclaims>.*

*[6] More pages versus predecessor cartridges claim based on page-yield comparison of HP 37X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges. For more information, see <http://www.hp.com/go/learnaboutsupplies>*

## Specifications

|  |  |
|--|--|
| <b>Print Resolution Technologies</b>     | FastRes1200; 1200 x 1200 dpi   |
| <b>Print quality black (best)</b>        | Up to 1200 x 1200 dpi  |
| <b>Print speed black (ISO, A4)</b>       | Up to 61 ppm   |
| <b>Print speed black (ISO, letter)</b>   | Up to 65 ppm   |
| <b>Functions</b>                         | Print, Copy, Scan  |
| <b>Duplex printing</b>                   | Automatic (standard)   |
| <b>Duty cycle (monthly, A4)</b>          | Up to 450,000 pages  |
| <b>Duty cycle (monthly, letter)</b>      | Up to 450,000 pages  |
| <b>Printer smart software features</b>   | Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB  |
| <b>Copier smart software features</b>    | Auto scale; Reduce/enlarge from scanner glass (25 to 400 percent); Collate; Auto color detection; Two-sided copying; Image adjustments (darkness, background cleanup, sharpness); Job build  |
| <b>Scanner advanced features</b>         | Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone  |
| <b>Energy savings feature technology</b> | HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy   |
| <b>Replacement cartridges</b>            | HP Black Managed LaserJet Toner (50,000 yield) W9004MC <sup>[3, 12]</sup>  |
| <b>Connectivity, standard</b>            | 1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket  |
| <b>Connectivity, optional</b>            | HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000w NFC/Wireless Accessory J8030A  |
| <b>Network capabilities</b>              | Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).  |
| <b>Wireless capability</b>               | Optional, enabled with purchase of HP Jetdirect 2900nw Print Server J8031A or HP Jetdirect 3000w NFC/Wireless Accessory J8030A   |
| <b>Mobile printing capability</b>        | HP ePrint; Apple AirPrint™; Mopria™-certified; Google Cloud Print 2.0  |
| <b>Network protocols, supported</b>      | Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x |

|   |   |
|---|---|
| <b>Software included</b>                      | HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals  |
| <b>Compatible Operating Systems</b>           | Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Vista; Android; macOS X 10.10 Yosemite; macOS 10.11 El Capitan; macOS 10.12 Sierra; Linux; UNIX<br><i>(Full solution software available only for Windows 7 and newer, UPD software available only for Windows 7 and newer, HP Software for Mac and Windows is no longer included on the CD, but can be downloaded from 123.hp.com, Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print and Scan drivers only with a reduced feature set, Windows RT OS for Tablets (32- &amp; 64-bit) uses a simplified HP print driver built into the RT OS)</i> |
| <b>Sustainable impact specifications</b>      | Mercury free  |
| <b>Energy star certified</b>                  | Yes   |
| <b>Ecolabels</b>                              | ENERGY STAR® qualified; CECP; EPEAT® Silver   |
| <b>Copy speed (black, normal quality, A4)</b> | Up to 61 cpm  |
| <b>Copy speed black (normal, letter)</b>      | Up to 65 cpm  |
| <b>Copy speed black duplex (A4)</b>           | Up to 50 cpm  |
| <b>Copy speed black duplex (Letter)</b>       | Up to 53 cpm  |
| <b>Digital sending standard features</b>      | Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR   |
| <b>Digital sending optional features</b>      | Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book; via HP Embedded Capture; Metadata capture and validation; Data transfer; Scan workflow management   |
| <b>Faxing</b>                                 | No  |
| <b>Scan speed (normal, A4)</b>                | Up to 83 ppm/167 ipm (b&w), up to 83 ppm/167 ipm (color)  |
| <b>Scan speed (normal, letter)</b>            | Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color)  |
| <b>Scan file format</b>                       | Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht) <sup>[11]</sup>  |
| <b>Scan input modes</b>                       | Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications; HP Scan or user application via TWAIN   |
| <b>Scan technology</b>                        | Charge Coupled Device (CCD)   |
| <b>Scanner type</b>                           | Flatbed, ADF  |
| <b>Display area (imperial)</b>                | 6.37 x 4.78 in  |
| <b>Display area (metric)</b>                  | 16.2 x 12.1 cm  |

|                                       |  |
|---------------------------------------|--|
| <b>Display</b>                        | 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)   |
| <b>Minimum dimensions (W x D x H)</b> | 856 x 760 x 1025 mm  |
| <b>Minimum dimensions (W x D x H)</b> | 33.70 x 29.92 x 40.35 in   |
| <b>Weight</b>                         | 39.8 kg  |
| <b>Weight</b>                         | 87.7 lb  |
| <b>Power consumption</b>              | 740 watts (printing/copying), 29.0 watts (ready), 3.3 watts (sleep), <0.1 watts (Auto Off/Manual On), <0.1 watts (Manual Off) <sup>[2]</sup>   |
| <b>Power supply type</b>              | Built in 115 V or 220 V Power Supply   |
| <b>What's in the box</b>              | HP LaserJet Multifunction Printer; HP Black Original LaserJet Toner Cartridge (~11K yield); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord <sup>[1]</sup>  |
| <b>Manufacturer Warranty</b>          | One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to <a href="http://hp.com/support">hp.com/support</a> to learn about HP award winning service and support options in your region. |

## Additional specifications

|   |  |
|---|--|
| <b>Accessories</b>  | 2EH31A HP MFP Analog Fax Accessory 700; 2MU47A HP Accessibility Assistant; 2NR09A HP 2GB 144-Pin DDR3 TAA Version DIMM; 2NR12A HP Removable Hard Drive Enclosure; 2TD64A HP Accessibility Kit; 3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory; 5EL03A HP TAA Version Secure Hard Disk Drive; B5L28A HP Internal USB Ports; B5L31A HP Foreign Interface Harness; CC487A HP LaserJet MFP Analog Fax Accessory 500; CC543B HP SmartCard NIPRNet Solution for US Government; E5K48A HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM; E5K49A HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM; F5S62A HP Trusted Platform Module Accessory; J8030A HP Jetdirect 3000w NFC/Wireless Accessory; J8031A HP Jetdirect 2900nw Print Server; J8J89A HP LaserJet 550-sheet Feeder Tray; J8J90A HP LaserJet Envelope Feeder; J8J91A HP LaserJet 1x550 Paper Feeder and Cabinet; J8J92A HP LaserJet 1x550-sheet and 2000-sheet HCI Feeder and Stand; J8J93A HP LaserJet 3x550-sheet Paper Feeder with Cabinet; J8J95A HP 300 ADF Roller Replacement Kit; J8J96A HP Staple Cartridge Refill |
| <b>Acoustic power emissions (active copy)</b>                   | 7.4 B(A)   |
| <b>Acoustic power emissions (active scan)</b>                   | 7.2 B(A)   |
| <b>Acoustic power emissions (active, printing)</b>              | 7.0 B(A)   |
| <b>Acoustic power emissions (ready)</b>                         | Inaudible  |
| <b>Acoustic power note</b>                                      | Acoustic values are subject to change. For current information see <a href="http://www.hp.com/support">http://www.hp.com/support</a> . Noise measured during printing mono simplex A4 at 62 ppm and ADF scan mono simplex A4 at 95 ipm.  |
| <b>Acoustic pressure emissions bystander (active copy)</b>      | 60 dB(A)   |
| <b>Acoustic pressure emissions bystander (active scan)</b>      | 58 dB(A)   |
| <b>Acoustic pressure emissions bystander (active, printing)</b> | 56 dB(A)   |
| <b>Acoustic pressure emissions bystander (ready)</b>            | Inaudible  |
| <b>Additional information about HP</b>                          | <a href="http://www.hp.com">http://www.hp.com</a>  |
| <b>Additional information about HP in the countries</b>         | <a href="http://hp.com">hp.com</a>   |
| <b>Automatic document feeder capacity</b>                       | Standard, 150 sheets   |
| <b>Automatic paper sensor</b>                                   | no   |
| <b>Best technical electricity consumption (TEC)</b>             | 2.414 kWh/week <sup>[9]</sup>  |
| <b>Bit depth</b>  | Internal: 30 bit ; External: 24 bit  |
| <b>Blue Angel (sleep mode)</b>                                  | 3.49 watts   |
| <b>Bottom margin (A4)</b>                                       | 4.3 mm   |

|   |   |
|---|---|
| <b>Business filter</b>                      | cMPS  |
| <b>Cable included</b>                       | No, please purchase USB cable separately  |
| <b>Color scanning</b>                       | Yes   |
| <b>Compatible Network Operating Systems</b> | Windows 11; Windows Server; Linux; Citrix; Novell   |
| <b>Component type</b>                       | Printer   |
| <b>Control panel</b>                        | 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Extended Keyboard   |
| <b>Copier settings</b>                      | Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy (different media sizes)  |
| <b>Copies, maximum</b>                      | Up to 9999 copies   |
| <b>Copy resolution (black graphics)</b>     | Up to 600 x 600 dpi (flatbed); Up to 600 x 450 dpi (ADF)  |
| <b>Copy resolution (black text)</b>         | Up to 600 x 600 dpi (flatbed); Up to 600 x 450 dpi (ADF)  |
| <b>Copy speed note</b>                      | First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see <a href="http://www.hp.com/go/printerclaims">http://www.hp.com/go/printerclaims</a> . Exact speed varies depending on the system configuration, software application and document complexity.   |
| <b>Country of origin</b>                    | Made in Mexico (AC4, AC8, AKV, BGJ); Made in China (ABT, ABY, ACQ, B13, B19, BAZ)   |
| <b>Datasheet photo 1</b>                    | Publication photos/J8J79A.jpg   |
| <b>Datasheet photo 4</b>                    | Publication photos/E62565 walkaround.jpg  |
| <b>Datasheet publication number</b>         | 4AA6-9601   |
| <b>Downloadable software</b>                | HP Easy Start (Guided Software Install for Windows OS and Mac); HP ePrint Software (ePrint Mobile Driver for Windows); HP ePrint Software (for Windows); HP Imaging & Printing Security Center; HP PC Send Fax; HP JetAdvantage Security Manager; HP Mobile Printing <a href="http://www8.hp.com/us/en/ads/mobility/overview.html">http://www8.hp.com/us/en/ads/mobility/overview.html</a> ; HP PCL6 (XPS) print driver only (No installer for "Add Printer" installs); HP PCL6 (XPS) print driver with installer; Product Documentation and Support; HP Proxy Agent Software; HP Universal Print Drivers (PCL6 & PS for Windows); Linux/Unix Print Drivers; Mac Software Solution; Printer Administrator Resource Kit; SAP (PS Print Drivers); Web JetAdmin; Windows driver only solution; Windows Full Software Solution HP Easy Start (Guided Software Install for Windows OS and Mac); HP ePrint Software (ePrint Mobile Driver for Windows); HP ePrint Software (for Windows); HP Imaging & Printing Security Center; HP PC Send Fax; HP JetAdvantage Security Manager; HP Mobile Printing <a href="http://www8.hp.com/us/en/ads/mobility/overview.html">http://www8.hp.com/us/en/ads/mobility/overview.html</a> ; HP PCL6 (XPS) print driver only (No installer for "Add Printer" installs); HP PCL6 (XPS) print driver with installer; Product Documentation and Support; HP Proxy Agent Software; HP Universal Print Drivers (PCL6 & PS for Windows); Linux/Unix Print Drivers; Mac Software Solution; Printer Administrator Resource Kit; SAP (PS Print Drivers); Web JetAdmin; Windows driver only solution; Windows Full Software Solution |

|   |   |
|---|---|
| <b>Driver updates</b>                       | Current HP printer drivers and software can be obtained from the HP Customer Care Web site: In the US, go to <a href="http://www.hp.com/support/colorljE62565">www.hp.com/support/colorljE62565</a> ; Outside the US, go to <a href="http://www.hp.com/support">http://www.hp.com/support</a> . 1. Go to <a href="http://www.hp.com/support">http://www.hp.com/support</a> . Select the country/region. 2. Select Drivers & Downloads 3. Enter a product name/number. 4. Under Download Options, select Drivers, Software & Firmware 5. Select the operating system version. 6. Then select DOWNLOAD. |
| <b>Duplex ADF scanning</b>                  | Yes   |
| <b>Duty cycle note</b>                      | HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.   |
| <b>Electromagnetic compatibility</b>        | CISPR 22: 2008/EN 55022: 2010 (Class A), EN 61000-3-2: 2006 +A1: 2009 + A2: 2009; EN 61000-3-3 :2008; EN 55024:2010; FCC Title 47 CFR, Part 15 Class A (USA); ICES-003, Issue 4 (Canada); EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries   |
| <b>Engine life</b>                          | 1350000   |
| <b>Enhanced scanning resolution</b>         | 600 dpi   |
| <b>Envelope Feeder</b>                      | Yes, 75 (optional)  |
| <b>Fax phone TAM interface supported</b>    | No  |
| <b>Fax telephone mode supported</b>         | No  |
| <b>File Format Supported</b>                | Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)  |
| <b>Finished output handling</b>             | Input: Sheetfed; Output: Staple; Stack; Job Offset  |
| <b>First copy out black (A4)</b>            | As fast as 4.9 sec  |
| <b>First copy out black (A4, sleep)</b>     | As fast as 14.7 sec   |
| <b>First copy out black (letter)</b>        | As fast as 4.8 sec  |
| <b>First copy out black (letter, sleep)</b> | As fast as 14.6 sec   |
| <b>First page out black (A4, ready)</b>     | As fast as 5.4 sec  |
| <b>First page out black (A4, sleep)</b>     | As fast as 12.2 sec   |
| <b>First page out black (letter, ready)</b> | As fast as 5.3 sec  |
| <b>First page out black (letter, sleep)</b> | As fast as 12.1 sec   |
| <b>Fonts and typefaces</b>                  | 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <a href="http://www.hp.com/go/laserjetfonts">http://www.hp.com/go/laserjetfonts</a>  |
| <b>HP ePrint capability</b>                 | Yes   |



|   |   |
|---|---|
| <b>Input capacity</b>                     | Up to 650 sheets  |
| <b>Internal Storage</b>                   | Standard, minimum 500 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater)  |
| <b>Left margin (A4)</b>                   | 4.3 mm  |
| <b>Levels of grayscale</b>                | 256   |
| <b>Mac compatible</b>                     | Yes   |
| <b>Maximum Input Capacity (envelopes)</b> | Up to 75 envelopes  |
| <b>Maximum Memory</b>                     | 2.5 GB Total  |
| <b>Maximum dimensions (W x D x H)</b>     | 40.5 x 31.7 x 42 in (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open)   |
| <b>Maximum dimensions (W x D x H)</b>     | 1030 x 808 x 1067 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open)  |
| <b>Maximum input capacity (sheets)</b>    | Up to 3750 sheets   |
| <b>Maximum output capacity (sheets)</b>   | up to 1000 sheets   |
| <b>Maximum print area</b>                 | 212 x 352 mm  |
| <b>Media size (ADF)</b>                   | Letter; legal; oficio; executive; statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard (JIS); 4 x 6 in; 5 x 7 in; 5 x 8 in; 68 x 147 mm to 215.9 x 863.6 mm; 2.68 x 5.79 in to 8.46 x 34 in |
| <b>Media size, tray 1</b>                 | A4; A5; A6, RA4; B5 (JIS); B6 (JIS); 10 x 15 cm; Oficio (216 x 340 mm); 16K; Envelopes (C5, B5, C6, DL ISO); Postcard (JIS single and double)   |
| <b>Media size, tray 2</b>                 | A4; A5; A5-R; RA4; B5 (JIS); 16K  |
| <b>Media sizes supported</b>              | Feeder 1: Letter, legal, statement, executive, Oficio (8.5 x 13 in), envelopes [No. 9, No. 10, Monarch(7 3/4)], 3 x 5, 4 x 6, 5 x 7, 5 x 8; feeder 2: letter, executive   |
| <b>Media sizes supported</b>              | Feeder 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (C5, B5, C6, DL ISO), Postcard (JIS single and double); feeder 2: A4, A5, A5-R, B5 (JIS), 16K                  |
| <b>Media sizes, custom</b>                | Feeder 1: 3 x 5 to 8.5 x 14 in; feeder 2: 3.90 x 5.83 to 8.5 x 11 in  |
| <b>Media sizes, custom</b>                | Feeder 1: 76 x 127 to 216 x 356 mm; feeder 2: 99 x 148 to 216 x 297 mm  |
| <b>Media type and capacity, ADF</b>       | Sheets: 150   |
| <b>Media type and capacity, tray 1</b>    | Sheets: 100; transparencies, cardstock (163 g/m <sup>2</sup> ): 50; Cardstock (200 g/m <sup>2</sup> ): 30; Envelopes: 10  |
| <b>Media type and capacity, tray 2</b>    | Sheets: 550; Labels, Transparencies: 100  |
| <b>Media types</b>                        | Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope                     |
| <b>Media weight (tray 1)</b>              | 60 to 200 g/m <sup>2</sup>  |
| <b>Media weight (tray 2)</b>              | 60 to 120 g/m <sup>2</sup>  |
| <b>Media weight, supported</b>            | Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2: 16 to 32 lb bond (plain)   |
| <b>Media weight, supported</b>            | Feeder 1: 60 to 200 g/m <sup>2</sup> ; feeder 2: 60 to 120 g/m <sup>2</sup>   |

|  |  |
|--|--|
| <b>Media weights, supported ADF</b>              | 45 to 199 g/m <sup>2</sup>   |
| <b>Media weights, supported ADF</b>              | 12-53 lb   |
| <b>Memory</b>                                    | 1.5 GB (printer); 1 GB (scanner)   |
| <b>Memory Slots</b>                              | 1 slot; 144pin DDR3 DIMM (E5K48A)  |
| <b>Memory maximum note</b>                       | Standard: 2.5 GB system memory (1.5 GB printer and 1 GB on Scanner); Maximum: upgradeable to 3 GB system memory with the 1 GB Memory DIMM accessory (E5K48A)* *The 1 GB Memory DIMM accessory (E5K48A) is supported, but only 512MB of that is addressable by the system |
| <b>Memory upgrade</b>                            | Expandable to 3 GB through one 144-pin DDR3 DIMM slot  |
| <b>Minimum System Requirements</b>               | 2 GB available hard disk space; OS hardware requirements see microsoft.com   |
| <b>Minimum System Requirements for Macintosh</b> | 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info  |
| <b>Multitasking supported</b>                    | Yes  |
| <b>Native scan file format</b>                   | PDF, JPG, TIF, MTIF  |
| <b>Network ready</b>                             | Standard (built-in Gigabit Ethernet)   |
| <b>Non-Operating Humidity Range</b>              | 10 to 90% RH   |
| <b>Number of print cartridges</b>                | 1 (black)  |
| <b>Number of users</b>                           | 10-30 Users  |
| <b>Operating humidity range</b>                  | 10 to 80% RH   |
| <b>Operating temperature range</b>               | 59 to 86°F   |
| <b>Operating temperature range</b>               | 15 to 30°C   |
| <b>Orderable product number</b>                  | J8J79A#ABO, J8J79A#AB2, J8J79A#ABJ, J8J79A#ACJ, J8J79A#BBU, J8J79A#BGM, J8J79A#ABT, J8J79A#ABY, J8J79A#ACQ, J8J79A#B13, J8J79A#B19, J8J79A#BAZ, J8J79A#AC4, J8J79A#AC8, J8J79A#AKV, J8J79A#BGJ   |
| <b>Orderable supplies</b>                        | HP Staple Cartridge Refill J8J96A, HP LaserJet 110v Maintenance Kit J8J87A, HP LaserJet 220v Maintenance Kit J8J88A, HP 300 ADF Roller Replacement Kit J8J95A  |
| <b>Output capacity</b>                           | up to 1000 sheets  |
| <b>Package dimensions (W x D x H)</b>            | 856 x 760 x 1075 mm  |
| <b>Package dimensions (W x D x H)</b>            | 33.7 x 29.9 x 42.4 in  |
| <b>Package weight</b>                            | 123 lb   |
| <b>Package weight</b>                            | 55.8 kg  |
| <b>Pallet dimensions</b>                         | 33.7 x 29.9 x 85.7 in  |
| <b>Pallet dimensions (W x D x H)</b>             | 856 x 760 x 2177 mm  |
| <b>Paper handling input, optional</b>            | Optional 1 x 550-sheet paper feeder, 1 x 550-sheet feeder with stand and cabinet, 2000-sheet feeder high capacity input with 1 x 550-sheet paper feeder and stand, optional 3 x 550-sheet feeder and stand, optional envelope feeder                                     |

|   |  |
|---|--|
| <b>Paper handling input, standard</b>         | 100-sheet multipurpose feeder, 550-sheet input feeder, 150-sheet automatic document feeder   |
| <b>Paper handling output, standard</b>        | 500-sheet output feeder, 500 sheet output stapler stacker, two-sided printing  |
| <b>Paper trays, maximum</b>                   | 6  |
| <b>Paper trays, standard</b>                  | 2  |
| <b>Ports</b>                                  | 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket  |
| <b>Post warranty repair &amp; maintenance</b> | Please consult website <a href="http://www.hp.com/support">http://www.hp.com/support</a>   |
| <b>Power</b>                                  | Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/-3Hz), 12 A; Input voltage: 220V to 240V nominal, (+/-10%) 50 - 60Hz nominal (+/- 3Hz), 6 A           |
| <b>Print Technology</b>                       | Laser  |
| <b>Print colors</b>                           | No   |
| <b>Print languages</b>                        | HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™                          |
| <b>Print quality black (normal)</b>           | FastRes 1200   |
| <b>Print resolution black (fine lines)</b>    | Up to 1200 x 1200 dpi  |
| <b>Print speed black (Landscape, A5)</b>      | Up to 100 ppm  |
| <b>Print speed black (Portrait, A5)</b>       | Up to 6 ppm  |
| <b>Print speed duplex (A4)</b>                | Up to 50 ppm   |
| <b>Print speed duplex (letter)</b>            | Up to 53 ppm   |
| <b>Print speed footnote number (A5)</b>       | [6]  |
| <b>Print technology</b>                       | Laser  |
| <b>Printer Management</b>                     | HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver |
| <b>Printer black pages (MPV black)</b>        | 6000   |
| <b>Processor speed</b>                        | 1.2GHz   |
| <b>RMN number</b>                             | BOISB-1502-02  |
| <b>Recommended media weight (duplex)</b>      | 60 to 120 g/m <sup>2</sup>   |
| <b>Recommended media weight (duplex)</b>      | 16 to 32 lb  |
| <b>Recommended monthly page volume</b>        | 5000 to 40,000   |
| <b>Recommended monthly page volume note</b>   | HP recommends that the number of scanned pages per month be within the stated range for optimum device performance   |
| <b>Recommended monthly scan volume</b>        | 26,750 to 44,500   |

|  |  |
|--|--|
| <b>Recommended monthly scan volume note</b>    | HP recommends that the number of scanned pages per month be within the stated range for optimum device performance   |
| <b>Recommended operating humidity range</b>    | 30 to 70% RH   |
| <b>Recommended operating temperature range</b> | 17.5 to 25°C   |
| <b>Recommended operating temperature range</b> | 63 to 77°F   |
| <b>Resolution</b>                              | 600 dpi optical sensor   |
| <b>Right margin (A4)</b>                       | 4.3 mm   |
| <b>Safety</b>                                  | IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006+A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2007 / IEC 60825-1:2007 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; Low Voltage Directive 2006/95/EC with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries |
| <b>Scan file format footnote</b>               | Scan software not included in box. HP Scan and TWAIN driver available for download at <a href="http://hp.com/support">http://hp.com/support</a>  |
| <b>Scan resolution, hardware</b>               | 600 x 600 dpi  |
| <b>Scan resolution, optical</b>                | up to 600 dpi  |
| <b>Scan size (ADF), maximum</b>                | 8.5 x 34.0 in  |
| <b>Scan size (ADF), maximum</b>                | 215.9 x 863.6 mm   |
| <b>Scan size (ADF), minimum</b>                | 2.7 x 5.8 in   |
| <b>Scan size (ADF), minimum</b>                | 68 x 147 mm  |
| <b>Scan size, maximum</b>                      | 8.5 x 14 in  |
| <b>Scan size, maximum</b>                      | 216 x 356 mm   |
| <b>Scan size, minimum</b>                      | No Minimum Size  |
| <b>Scan size, minimum</b>                      | No Minimum Size  |
| <b>Scan speed duplex (normal, A4)</b>          | Up to 167 ipm (b&w), up to 167 ipm (color)   |
| <b>Scan speed duplex (normal, letter)</b>      | Up to 180 ipm (b&w), up to 180 ipm (color)   |

|  |   |
|--|---|
| <b>Security management</b>                       | Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs |
| <b>Services</b>                                  | Customers can retain their hard disk drive and keep control of sensitive data.  |
| <b>Services</b>                                  | Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.   |
| <b>Services</b>                                  | Ships a permanent replacement unit overnight via premium airfreight, if hardware issue cannot be resolved remotely. Shipping charges are prepaid by HP.   |
| <b>Services description headline 01</b>          | Next Business Day Onsite with Defective Media Retention:  |
| <b>Services description headline 02</b>          | Same Day Onsite – 4 hour 9x5:   |
| <b>Services description headline 03</b>          | Next Business Day Exchange:   |
| <b>Standard media sizes (duplex)</b>             | A4; A5; RA4; B5 (JIS); Oficio (216 x 340 mm); 16K   |
| <b>Standard media sizes (duplex, imperial)</b>   | Letter; Legal; Executive; Oficio  |
| <b>Standard output capacity (envelopes)</b>      | Up to 75 envelopes  |
| <b>Standard output capacity (transparencies)</b> | Up to 200 sheets  |
| <b>Storage temperature range</b>                 | -20 to 40°C   |
| <b>Storage temperature range</b>                 | -4 to 104°F   |
| <b>Sub-brand name</b>                            | LaserJet  |
| <b>SureSupply supported</b>                      | Yes   |
| <b>Tariff numbers</b>                            | 8443321010 (Nat HTS);8443321090 (EU Base HTS);8443321010 (AM Base HTS);84433230 (AP Base HTS)   |
| <b>Technology logo, print 1</b>                  | Publication logos/AMS_EnergyStar.jpg  |
| <b>Technology logo, print 2</b>                  | Publication logos/AMS_windows_10.jpg  |
| <b>Technology logo, print 3</b>                  | Publication logos/AMS_mac_hires.jpg   |
| <b>Technology logo, print 4</b>                  | Publication logos/AMS_Mopria.jpg  |
| <b>Technology logo, print 5</b>                  | Publication logos/AMS_hp_eprint.jpg   |

|   |   |
|---|---|
| <b>Technology logo, print 6</b>                     | Publication logos/AMS_AirPrint.jpg  |
| <b>Top margin (A4)</b>                              | 4.3 mm  |
| <b>Twain version</b>                                | Version 2.1   |
| <b>Typical electricity consumption (TEC) number</b> | 2.626 kWh/Week (Blue Angel); 0.796 kWh/Week (Energy Star 3.0) <sup>[8]</sup>  |
| <b>UNSPSC code</b>                                  | 43212105  |
| <b>UPC number</b>                                   | 889894196927  |
| <b>Warm-up time</b>                                 | 170 Sec   |
| <b>Web address for additional information</b>       | Solutions: <a href="http://www.hp.com/go/gsc">http://www.hp.com/go/gsc</a> ; Fonts and IPDS Emulation: <a href="http://www.hp.com/go/laserjetfonts">http://www.hp.com/go/laserjetfonts</a> ; HP Web Jetadmin: <a href="http://www.hp.com/go/wja">http://www.hp.com/go/wja</a> ; HP Universal Print Driver: <a href="http://www.hp.com/go/upd">http://www.hp.com/go/upd</a> ; HP JetAdvantage Security Manager: <a href="http://www.hp.com/go/securitymanager">www.hp.com/go/securitymanager</a> ; HP JetAdvantage On Demand Cloud Solutions: <a href="http://www.hp.com/go/JetAdvantageondemand">www.hp.com/go/JetAdvantageondemand</a> |

---

*[1] Cartridges included; yields 11,000 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>*

*[2] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115 V device.*

*[3] Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>*

*[8] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.*

*[9] Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.*

*[11] Scan software not included in box. HP Scan and TWAIN driver available for download at <http://hp.com/support>*

*[12] Original HP LaserJet "A" and "X" toner cartridges are also compatible with this product.*

---

## Ink/Toner/Paper/Printer Supplies

### HP Laser Toner Cartridges and Kits

★ : Recommended

#### HP Laser Printer Supply Kits

|                                   |          |
|-----------------------------------|----------|
| HP 300 ADF Roller Replacement Kit | J8J95A ★ |
| HP LaserJet 110V Maintenance Kit  | J8J87A ★ |
| HP 300 ADF Roller Replacement Kit | J8J95A   |

### HP Business Papers

#### HP Business Papers for laser

|  |        |
|--|--------|
| HP Enhanced Business Paper, Glossy, 150 g/m <sup>2</sup> , A4 (210 x 297 mm), 150 sheets | CG965A |
| HP Everyday Business Paper, Glossy, 32 lb, 11 x 17 in. (279 x 432 mm), 150 sheets        | 4WN07A |
| HP Everyday Business Paper, Glossy, 32 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets       | 4WN08A |
| HP Professional Business Paper, Glossy, 52 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets   | 4WN10A |
| HP Professional Business Paper, Matte, 52 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets    | 4WN05A |

## Accessories

### Network Print Servers

★ : Recommended

#### External Print Servers

|   |          |
|---|----------|
| HP Jetdirect 3000w NFC/Wireless Accessory     | J8030A ★ |
| HP Jetdirect 3100w BLE/NFC/Wireless Accessory | 3JN69A ★ |

### Paper Handling

#### Fax Upgrades

|  |          |
|--|----------|
| HP MFP Analog Fax Accessory 700          | 2EH31A ★ |
| HP LaserJet MFP Analog Fax Accessory 500 | CC487A ★ |

#### Input Trays

|   |          |
|---|----------|
| HP LaserJet 1x550 Paper Feeder and Cabinet                  | J8J91A ★ |
| HP LaserJet 1x550-sheet and 2000-sheet HCI Feeder and Stand | J8J92A ★ |
| HP LaserJet 3x550-sheet Paper Feeder with Cabinet           | J8J93A ★ |
| HP LaserJet 550-sheet Feeder Tray                           | J8J89A ★ |

#### Envelope Feeders

|                             |          |
|-----------------------------|----------|
| HP LaserJet Envelope Feeder | J8J90A ★ |
|-----------------------------|----------|

#### Staple Cartridges

|                            |          |
|----------------------------|----------|
| HP Staple Cartridge Refill | J8J96A ★ |
|----------------------------|----------|

### Memory

#### DDR3 Memory

|   |          |
|---|----------|
| HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM  | E5K48A ★ |
| HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM | E5K49A ★ |
| HP 2GB 144-Pin DDR3 TAA Version DIMM      | 2NR09A   |

### Accessory Bundles

#### Printer Accessibility Accessories

|                      |          |
|----------------------|----------|
| HP Accessibility Kit | 2TD64A ★ |
|----------------------|----------|



## Data Security Accessories

HP Removable Hard Drive Enclosure

2NR12A ★

## Cables/Cable Kits/Cable Adapters

### Printer Cables

HP Foreign Interface Harness

B5L31A ★

### Port Cables and Cable Adapters

HP Internal USB Ports

B5L28A ★

## Security and Protection

### Smart Cards and SmartCard Readers

HP HIP2 Keystroke Reader

Y7C05A ★

HP USB Universal Card Reader

X3D03A ★

### Security Devices

HP Trusted Platform Module Accessory

F5S62A ★

# Solutions

## Imaging and Printing Solutions

★ : Recommended

### Printing SW Solution Licenses

|   |          |
|---|----------|
| HP HID Mobile Access Mifare DES Fire Keystroking Reader | 35H11A ★ |
|---|----------|

## HP Document and Workflow Solutions

### JetAdvantage Printing Security

|   |                    |
|---|--------------------|
| Celiveo Enterprise  | HP3PCELIVEO        |
| HP Access Control Secure Printing and Job Accounting Solution | HPACOLUTION        |
| HP Proximity Card Reader                                      | HPPROXIMTYRDR      |
| HP Secure Print and Insights                                  | HPJETADSECUREPRINT |
| HP Security Manager   | HPJETADSECMGR      |
| Kofax SafeCom Security and Job Accounting Solution            | HPNSAFECOMSOL      |
| Pharos Blueprint  | HP3PHAROSBPRNT     |

### JetAdvantage Printer Workflow

|                      |                |
|----------------------|----------------|
| HP Capture and Route | HPCAPTANDROUTE |
| HP Workpath Apps     | HPJA_AP        |

### JetAdvantage Print Management

|                                |               |
|--------------------------------|---------------|
| HP Universal Print Driver      | HPUNIVPRNTDRV |
| HP Web Jetadmin                | HPWEBJETADMIN |
| Kofax ControlSuite             | HP_CSUITE     |
| LRS VPSX for Output Management | HP3PLRS       |

### JetAdvantage Mobile Printing

|          |              |
|----------|--------------|
| ePRINTit | HP3PEPRINTIT |
|----------|--------------|

## Services

### HP Care Pack Services

★ : Recommended

#### Imaging and Printing Hardware Support Onsite Svc

|  |         |
|--|---------|
| HP 1 year Post Warranty 4 hour 9x5 w/DMR Service for Color LaserJet E625xx E626xx Managed        | U9NN9PE |
| HP 1 year Post Warranty Next Business Day w/DMR Service for Color LaserJet E625xx E626xx Managed | U9NN7PE |
| HP 1 year Print At Your Service NBD w/DMR MKRS Service Renewal for LaserJet Enterprise MFP M63X  | U9UH6PE |
| HP 2 year Post Warranty 4 hour 9x5 w/DMR Service for Color LaserJet E625xx E626xx Managed        | U9NP0PE |
| HP 2 year Post Warranty Next Business Day w/DMR Service for Color LaserJet E625xx E626xx Managed | U9NN8PE |
| HP 3 year 4 hour 9x5 w/DMR Service for Color LaserJet E625xx E626xx Managed                      | U9NN1E  |
| HP 3 year Next Business Day w/DMR Service for Color LaserJet E625xx E626xx Managed               | U9NM8E  |
| HP 4 year 4 hour 9x5 w/DMR Service for Color LaserJet E625xx E626xx Managed                      | U9NN2E  |
| HP 4 year Next Business Day w/DMR Service for Color LaserJet E625xx E626xx Managed               | U9NM9E  |
| HP 5 year 4 hour 9x5 w/DMR Service for Color LaserJet E625xx E626xx Managed                      | U9NN3E  |
| HP 5 year Next Business Day w/DMR Service for Color LaserJet E625xx E626xx Managed               | U9NN0E  |

#### Imaging and Printing Commercial Care Pack Services

|   |         |
|---|---------|
| HP 1 year Print At Your Service Supplies Renewal up to 15000 pages per month LaserJet Service | UC6U5PE |
| HP 1 year Print At Your Service Supplies Renewal up to 20000 pages per month LaserJet Service | UC6U8PE |
| HP 1 year Print At Your Service Supplies Renewal up to 3500 pages per month LaserJet Service  | UC6T9PE |
| HP 1 year Print At Your Service Supplies Renewal up to 7500 pages per month LaserJet Service  | UC6U2PE |
| HP 1 yr Post Wty Parts Exchange SVC for Color LaserJet E625xx E626xx Managed                  | U9NP1PE |
| HP 1y Print At Your Service Supplies Renewal Svc for LaserJet (up to 10000 pages per month)   | U9UJ0PE |
| HP 1y Renewal Subscription Supply Svc for LaserJet (up to 2000 pages per month)               | U9PW5PE |

|  |         |
|--|---------|
| HP 1y Renewal Subscription Supply Svc for LaserJet (up to 5000 pages per month)  | U9PW8PE |
| HP 2 yr Post Wty Parts Exchange SVC for Color LaserJet E625xx E626xx Managed     | U9NP2PE |
| HP 3 year Parts Exchange Service for Color LaserJet E625xx E626xx Managed        | U9NN4E  |
| HP 4 year Parts Exchange Service for Color LaserJet E625xx E626xx Managed        | U9NN5E  |
| HP 5 year Parts Exchange Service for Color LaserJet E625xx E626xx Managed        | U9NN6E  |
| HP Installation Service with network configuration for Workgroup Printer(1 unit) | U9JT2E  |

## Disclaimer — Copyright

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.