

Overview

A quick, capable printer with robust security and innovative toner for more pages.[2]

Printing performance and robust security built for how you work. This capable printer finishes jobs faster and delivers comprehensive security to guard against threats.[1] Original HP Toner cartridges with JetIntelligence give you more pages.[2]

Fast printing. Strong protection.

Grab pages and go—without waiting around. This printer wakes up and prints faster than the competition.[1]

More. Pages, Performance, and Protection.

Get the most prints for your money—with Original HP High Yield Black Toner cartridges with JetIntelligence.[2]

Help save energy and easily manage tasks

Help save energy with HP Auto-On/Auto-Off Technology.[3]

Stay connected with easy mobile printing options

Easily print from a variety of smartphones and tablets—generally no setup or apps required.[6]

Features





Fast wake-up and print^[10]

Fast two-sided printing^[11]



Optional high-yield cartridge^[12]

Compact size





Optional job storage^[13]

Low energy use

- [1] Based on HP internal testing of top three leading competitors' first page out from Sleep mode and duplex print speed completed 8/2015. Subject to device settings. Actual results may vary. For details see http://www.hp.com/go/Ljclaims. Automatic two-sided printing not available for the HP LaserJet Pro M402n.
- [2] Based on cartridge yields for HP 80X compared with HP 26X Original HP LaserJet Toner Cartridges. For more information, see http://www.hp.com/go/learnaboutsupplies
- [3] HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; May require a firmware upgrade.
- [6] Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting
- [10] Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- [11] Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- [12] Declared yield based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.
- [13] Requires purchase of separate USB flash drive with at least 16 GB capacity

Specifications

| Print Resolution Technologies | HP FastRes 1200, HP ProRes 1200, 600 dpi | |
|-----------------------------------|---|--|
| Print quality black (best) | HP FastRes 1200 | |
| Print speed black (ISO, A4) | Up to 38 ppm | |
| Print speed black (ISO, letter) | Up to 40 ppm | |
| Print speed | Print speed up to 38 ppm (black) | |
| Functions | Print | |
| Duplex printing | Automatic(standard) | |
| Duty cycle (monthly, A4) | Up to 80,000 pages | |
| Duty cycle (monthly, letter) | Up to 80,000 pages ^[6] | |
| Printer smart software features | Auto-duplex printing, N-up printing, collation, HP ePrint, Apple AirPrint™, Google Cloud, Print Mopria-certified, Instant-on Technology, HP Auto-On/Auto-Off technology, JetIntelligence Cartridge Technology, Job Storage with PIN printing ^[3] | |
| Energy savings feature technology | HP Auto-On/Auto-Off Technology | |
| Replacement cartridges | HP 26A Black LaserJet Toner Cartridge (~3100 pages), CF226A; HP 26X Black LaserJet Toner Cartridge (~9000 pages), CF226X ^[1] | |
| Supplies feature | HP JetIntelligence Cartridge | |
| Connectivity, standard | 1 Hi-Speed USB 2.0; 1 Host USB; 1 Gigabit Ethernet 10/100/1000T network | |
| Network capabilities | Yes, via built-in 10/100/1000Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X | |
| Wireless capability | No | |
| Mobile printing capability | HP ePrint; Apple AirPrint™; Mopria™-certified; Google Cloud Print 2.0; Mobile Apps | |
| Network protocols, supported | TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, HP ePrint, Apple AirPrint™, Google Cloud Print 2.0, Mopria, FTP Print, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6), SSL Security and Certificate management; management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download | |
| Software included | For Windows 7: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Update, HP Device Toolbox, HP Printer Status and Alerts, HP Product Improvement Study, Reconfigure your HP Device; Warranty and Legal Guide, User Guide; For Windows 8+: HP Software Installer/Uninstaller, HP PCL-6 Printer Driver, HP Device Experience (DXP), Warranty and Legal Guide, User Guide, Reconfigure your HP Device; For Windows XP, Windows Vista and associated servers: HP Software Installer/Uninstaller, HP PCL.6 Printer Driver, Warranty and Legal Guide, User Guide; For Mac OS: Welcome Screen (Directs users to http://www.HP.com or OS App Source for LaserJet Software) | |

Windows OS compatible with In-Box Driver: Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32 & 64-bit editions, Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32 & 64-bit editions (excluding RT OS for Tablets); Windows OS compatible with Universal Print Driver (From HP.com): Windows XP SP3 32 & 64-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32 & 64-bit editions (Home Basic, Premium, Professional, etc), Windows 7 all 32 & 64-bit editions, Windows 8/8.1 all 32 & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32 & 64-bit editions (excluding RT OS for Tablets); Mac OS (HP Print Drivers available from HP.com and Apple Store): OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Mobile OS (In-OS drivers): iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP); Auto install: BOSS (3.0, 5.0), DEBIAN (6.0, 6.0.1, 6.0.2, 6.0.3, 6.0.4, 6.0.5, 6.0.6, 6.0.7, 6.0.8, 6.0.9, 6.0.10, 7.0,7.1, 7.2, 7.3, 7.4, 7.5, 7.6), FEDORA (17, 18, 19, 20), LINUX MINT (13, 14, 15, 16, 17), SUSE LINUX (12.2, 12.3, 13.1), UBUNTU (10.04, 11.10, 12.04,12.10, 13.04, 13.10, 14.04, 14.10); Manual install: MANDRIVA LINUX (2010.0, 2011.0), MEPIS (6.0, 6.5, 7.0, 8.0), PCLINUXOS (2006.0, 2006, 2007.0, 2007, 2008.0, 2008, 2009.0, 2009), RED HAT (8.0, 9.0), RED HAT ENTERPRISE LINUX (5.0, 6.0, 7.0), SLACKWARE LINUX (9.0, 9.1, 10.0, 10.1, 10.2, 11, 12, 12.1), GOS (8.04.1), IGOS (1.0), LINPUS LINUX(9.4, 9.5), LINUX

Compatible Operating Systems

Manufacturer Warranty

| Sustainable impact specifications | Mercury free |
|-----------------------------------|---|
| Energy star certified | Yes |
| Ecolabels | ENERGY STAR® qualified; EPEAT® Silver, Taiwan Green Mark |
| Display area (imperial) | 1.79 x 0.53 in |
| Display area (metric) | 4.55 x 1.35 cm |
| Display | 2-line backlit LCD graphic display |
| Minimum dimensions (W x D x H) | 381 x 357 x 216 mm |
| Minimum dimensions (W x D x H) | 15 x 14.06 x 8.5 in |
| Weight | 8.58 kg ^[10] |
| Weight | 18.92 lb |
| Power consumption | 591 watts (Active Printing), 6.1 watts (Ready), 2.8 watts (Sleep), 0.6 watts (Auto-On/Auto-Off, via USB connectivity), 0.1 watts (Shutdown or Off) ^[14] |
| Power supply type | Internal (built-in) power supply |
| What's in the box | HP LaserJet Pro M402dn; Preinstalled HP 26A Black LaserJet Toner Cartridge (~3100 pages); Getting Started Guide; Setup Poster; Support Flyer; Warranty Guide; Printer documentation and software on CD-ROM; Power cord ^[1] |

One-year warranty, return to HP Authorized Service Provider

FROM SCRATCH (6); Other OS: UNIX^[9]

Additional specifications

| Accessories | HP LaserJet 550-sheet Feeder/Tray D9P29A; HP v222w 16GB Mini USB Drive P0R81AA |
|--|---|
| Acoustic power emissions (active, printing) | 6.8 B(A) |
| Acoustic power emissions (ready) | Inaudible |
| Acoustic pressure emissions bystander (active, printing) | 54 dB(A) |
| Acoustic pressure emissions bystander (ready) | Inaudible |
| Additional information about HP | http://www.hp.com |
| Additional information about HP in the countries | hp.com |
| Automatic paper sensor | No |
| Best technical electricity consumption (TEC) | 1.47 kWh/Week ^[16] |
| Blue Angel (sleep mode) | 1.23 watts |
| Bottom margin (A4) | 5 mm |
| Business filter | cMPS |
| Cable included | No, please purchase USB cable separately |
| Cartons per layer | 9 |

Windows OS compatible with In-Box Driver: Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services); Windows OS compatible with Universal Print Driver (UPD) or Product-Specific drivers from HP.com: Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services); MS Windows Server 2012 R2 Terminal Services: Citrix XenApp 7.5, Citrix XenDesktop 7.0, Citrix XenDesktop 7.5; MS Windows Server 2012 Terminal Services: Citrix XenApp 7.5, Citrix **Compatible Network Operating** XenDesktop 7.0, Citrix XenDesktop 7.5; MS Windows Server 2008 R2 SP1 **Systems** Terminal Services: Citrix XenApp 6.0, Citrix XenApp 6.5, Citrix XenApp 7.5, Citrix XenDesktop 5.6, Citrix XenDesktop 7.0, Citrix XenDesktop 7.5; MS Windows Server 2008 R2 Terminal Services: Citrix XenApp 6.0, Citrix XenApp 6.5, Citrix XenDesktop 5.6; MS Windows Server 2008 Terminal Services: Citrix XenApp 5.0, Citrix XenApp 5.0 Feature Pack 2 & 3; MS Windows Server 2003 Terminal Services: Citrix Presentation Server(TM) 4.5, Citrix Presentation Server 4.0; MS Windows Server 2003 Terminal Services: Citrix Presentation Server 4.5, Citrix Presentation Server 4.0, Citrix MetaFrame® Presentation Server, 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3); Novell Servers (http://www.novell.com/iprint): Novell Open Enterprise Server 11/SP1 /SP2, Novell Open Enterprise Server 2 for Linux; NetWare 6.5/SP8; Novell Clients (http://www.novell.com/iprint): Novell iPrint Client v5.4 for Vista & Win7 & Win8 (32-bit, 64-bit), Novell iPrint Client v5.4 for WinXP (32-bit, 64-bit) Printer Component type 2-line backlit LCD graphic display; Buttons (OK, Menu, Cancel, Back); LED Control panel indicator lights (Attention, Ready) Count of layers in pallet 5 Made in Philippines; Japan (C5F94A#201); Brazil (C5F94A#696, #697, **Country of origin** #AC8) Datasheet photo 1 Publication photos/M402n.jpg **Datasheet publication number** c04730667 From 123.hp.com: HP Easy Start (Guided Software Install for Windows and Mac); From HP.com for Windows OS: Full-solution software and drivers (Same solution as ""Software Included""), HP PCL 6 print driver only (No installer, for ""Add Printer"" installs), HP PCL 6 print driver with installer, Product Documentation and Support; From HP.com for Mac OS: Fullsolution software and drivers; For Mobile OS: See ""HP Mobile Printing"" (http://www8.hp.com/us/en/ads/mobility/overview.html); From In-OS app Downloadable software stores: Gotham (HP AiO Remote for Win 8), HP recommended printer drivers and software; From HP.com for printer administrators; Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator); HP Universal Print Drivers (PCL 6, PCL 5 & PS for Windows); HP ePrint Software (ePrint Mobile Driver for Windows); Linux/Unix Print Drivers; SAP (PCL 5 and PS Print Drivers); HP Web JetAdmin Software; HP Proxy Agent Software; HP Imaging and Printing Security Center; HP Driver Configuration Utility Latest supported operating systems and Print drivers available at

http://www.hp.com/support/ljM402

Driver updates

| Electromagnetic compatibility | CISPR 22:2008/EN 55022:2010 - (Class B1), EN 61000-3-2:2006 +A1:2009 +A2:2009, EN 61000-3-3:2008, EN 55024:2010, FCC Title 47 CFR, Part 15 Class B / ICES-003, Issue 5; GB9254-2008, GB17625.1-2012 |
|--------------------------------------|--|
| Engine life | 100000 |
| Envelope Feeder | No |
| Finished output handling | Sheetfed |
| First page out black (A4, ready) | As fast as 5.7 sec |
| First page out black (A4, sleep) | As fast as 8.1 sec |
| First page out black (letter, ready) | As fast as 5.6 sec |
| First page out black (letter, sleep) | As fast as 8.0 sec |
| Fonts and typefaces | 84 scalable TrueType fonts |
| HP ePrint capability | Yes |
| Input capacity | Up to 350 sheets (Tray 1: up to 100 sheets; Tray 2: up to 250 sheets) |
| Internal Storage | None |
| Left margin (A4) | 4 mm |
| Mac compatible | Yes |
| Maximum Memory | 128MB DRAM |
| Maximum dimensions (W x D x H) | 15 x 25 x 9.5 in |
| Maximum dimensions (W x D x H) | 381 x 634 x 241 mm |
| Maximum input capacity (sheets) | Up to 900 sheets |
| Maximum output capacity (sheets) | Up to 150 sheets |
| Media size, tray 1 | A4; A5; A6; B5 (JIS); Oficio; Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; B6 (JIS) |
| Media size, tray 2 | A4; A5; A6; B5 (JIS); Oficio; Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; B6 (JIS) |
| Media size, tray 3 | A4; A5; A6; B5 (JIS); Oficio; Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; B6 (JIS) |
| Media sizes supported | Tray 1: A4, A5, A6, B5 (JIS), Oficio, Oficio (216 x 340 mm), 16K (195 x 270 mm), 16K (184 x 260 mm), 16K (197 x 273 mm), Japanese Postcard, Double Japan Postcard Rotated, Envelope B5, Envelope C5, Envelope DL, Custom Size, A5-R, B6 (JIS); Tray 2 & Tray 3: A4, A5, A6, B5 (JIS), Oficio, Oficio (216 x 340 mm), 16K (195 x 270 mm), 16K (184 x 260 mm), 16K (197 x 273 mm), Custom Size, A5-R, B6 (JIS) |
| Media sizes supported | Tray 1: Letter, Legal, Executive, Envelope #10, Envelope Monarch, Custom size 4×6 in, 5×8 in, 10×15 in statement; Tray $2 & Tray 3$: Letter, Legal, Executive, Custom Size, 5×8 in, statement |
| Media sizes supported, key | 10 x 15 cm; A4; Envelopes |
| Media sizes supported, key | 4 x 6 in; Letter; Legal; Envelopes |
| Media sizes, custom | Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm |
| Media sizes, custom | Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2 and 3: 4.13 x 5.85 to 8.5 x 14 in |
| | |

| Media type and capacity, tray 1 | Sheets: 100; envelopes: 10 | |
|---|---|--|
| Media type and capacity, tray 2 | Sheets: 250 | |
| Media type and capacity, tray 3 | Sheets: 550 | |
| Media types | Paper (plain, EcoFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; transparencies | |
| Media weight (tray 1) | 60 to 175 g/m² | |
| Media weight (tray 2) | 60 to 120 g/m² | |
| Media weight (tray 3) | 60 to 120 g/m² (optional 550-sheet tray) | |
| Media weight, supported | Tray 1: 60 to 175 g/m²; Tray 2, Optional 550-sheet Tray 3: 60 to 120 g/m² | |
| Media weight, supported | Tray 1: 16 to 46.6 lb; Tray 2 and Optional 550-sheet Tray 3: 16 to 32 lb | |
| Memory | 128MB DRAM | |
| Minimum System Requirements | Windows 10 (32-bit/64-bit), Windows 8.1 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit): 1 GHz processor, 1 GB RAM (32-bit) or 2 GB RAM (64-bit), 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or Network port; Windows Vista (32-bit): 1 GHz 32-bit (x86) processor, 1 GB RAM (32-bit), 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or Network port; Windows XP (32-bit) SP2: Pentium 233 MHz processor, 512 MB RAM 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or Network port; Windows Server 2003 (32-bit) (SP1 or greater), Windows Server 2003 R2 (32-bit), Windows Server 2008 (32-bit) (SP1 or greater): 1 GHz 32-bit (x86) processor, 1 GB RAM (32-bit), 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or Network port; Windows Server 2008 (64-bit) (SP1 or greater), Windows Server 2008 R2 (64-bit), Windows Server 2008 R2 (64-bit) (SP1): 1 GHz 64-bit (x64) processor, 2 GB RAM (64-bit), 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or Network port | |
| Minimum System Requirements for Macintosh | OS X 10.8 Mountain Lion; OS X 10.9 Mavericks; OS X 10.10 Yosemite; Internet; USB; 1 GB available hard disk space; OS compatible hardware (For OS hardware requirements see http://www.apple.com) | |
| Network ready | Standard (built-in Gigabit Ethernet) | |
| Non-Operating Humidity Range | 10 to 90% RH | |
| Number of print cartridges | 1 (black) | |
| Number of users | 3-10 Users | |
| Operating humidity range | 10 to 80% RH | |
| Operating temperature range | 59 to 90.5°F | |
| Operating temperature range | 15 to 32.5℃ | |
| Orderable product number | C5F94A#201, C5F94A#696, C5F94A#697, C5F94A#AB0, C5F94A#ABT, C5F94A#ABY, C5F94A#AC8, C5F94A#ACQ, C5F94A#B19, C5F94A#BAZ, C5F94A#BBU, C5F94A#BGJ, C5F94A#BGM | |
| Output capacity | Up to 150 sheets | |
| Package dimensions (W x D x H) | 443 x 274 x 464 mm | |
| Package dimensions (W x D x H) | 17.44 x 10.78 x 18.26 in | |
| Package weight | 11.36 kg | |

| Package weight | 24.9 lb |
|---|--|
| Pallet dimensions | 47.24 x 39.37 x 97.44 in |
| Pallet dimensions (W x D x H) | 1200 x 1000 x 2475 mm |
| Pallet weight | 533.9 kg |
| Pallet weight | 1174.5 lb |
| Paper handling input, optional | Optional third 550-sheet tray |
| Paper handling input, standard | 100-sheet multipurpose Tray 1, 250-sheet input Tray 2 |
| Paper handling output, standard | 150-sheet output bin |
| Paper trays, maximum | 3 |
| Paper trays, standard | 2 |
| Photo (product photo, jpg, 190x170) | Printers and Multifunction/C5F94A_190x170.jpg |
| Photo (product photo, jpg, 400x400) | Printers and Multifunction/C5F94A_400x400.jpg |
| Ports | 1 Hi-Speed USB 2.0; 1 Host USB; 1 Gigabit Ethernet 10/100/1000T network |
| Post warranty repair & maintenance | http://h10025.www1.hp.com/ewfrf/wc/weInput? cc=us&destPage=weInput&lc=en&tmp_docname= |
| Power | 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual voltage, power supply varies by part number with #option code identifier) |
| | |
| Print Technology | Laser |
| Print Technology Print colors | No No |
| | |
| Print colors | No HP PCL 5, HP PCL 6, HP postscript level 3 emulation, direct PDF (v 1.7) |
| Print colors Print languages | No HP PCL 5, HP PCL 6, HP postscript level 3 emulation, direct PDF (v 1.7) printing, URF, PCLM, PWG |
| Print colors Print languages Print quality black (normal) | No HP PCL 5, HP PCL 6, HP postscript level 3 emulation, direct PDF (v 1.7) printing, URF, PCLM, PWG HP FastRes 1200 |
| Print colors Print languages Print quality black (normal) Print resolution black (fine lines) | No HP PCL 5, HP PCL 6, HP postscript level 3 emulation, direct PDF (v 1.7) printing, URF, PCLM, PWG HP FastRes 1200 Up to 1200 x 1200 dpi |
| Print colors Print languages Print quality black (normal) Print resolution black (fine lines) Print speed black (Landscape, A5) | No HP PCL 5, HP PCL 6, HP postscript level 3 emulation, direct PDF (v 1.7) printing, URF, PCLM, PWG HP FastRes 1200 Up to 1200 x 1200 dpi Up to 63 ppm |
| Print colors Print languages Print quality black (normal) Print resolution black (fine lines) Print speed black (Landscape, A5) Print speed black (Portrait, A5) | No HP PCL 5, HP PCL 6, HP postscript level 3 emulation, direct PDF (v 1.7) printing, URF, PCLM, PWG HP FastRes 1200 Up to 1200 x 1200 dpi Up to 63 ppm Up to 14 ppm |
| Print colors Print languages Print quality black (normal) Print resolution black (fine lines) Print speed black (Landscape, A5) Print speed black (Portrait, A5) Print speed duplex (A4) | No HP PCL 5, HP PCL 6, HP postscript level 3 emulation, direct PDF (v 1.7) printing, URF, PCLM, PWG HP FastRes 1200 Up to 1200 x 1200 dpi Up to 63 ppm Up to 14 ppm Up to 30 ipm |
| Print colors Print languages Print quality black (normal) Print resolution black (fine lines) Print speed black (Landscape, A5) Print speed black (Portrait, A5) Print speed duplex (A4) Print speed duplex (letter) | No HP PCL 5, HP PCL 6, HP postscript level 3 emulation, direct PDF (v 1.7) printing, URF, PCLM, PWG HP FastRes 1200 Up to 1200 x 1200 dpi Up to 63 ppm Up to 14 ppm Up to 30 ipm Up to 32 ipm |
| Print colors Print languages Print quality black (normal) Print resolution black (fine lines) Print speed black (Landscape, A5) Print speed black (Portrait, A5) Print speed duplex (A4) Print speed duplex (letter) Print speed footnote number (A5) | No HP PCL 5, HP PCL 6, HP postscript level 3 emulation, direct PDF (v 1.7) printing, URF, PCLM, PWG HP FastRes 1200 Up to 1200 x 1200 dpi Up to 63 ppm Up to 14 ppm Up to 30 ipm Up to 32 ipm [13] |
| Print colors Print languages Print quality black (normal) Print resolution black (fine lines) Print speed black (Landscape, A5) Print speed black (Portrait, A5) Print speed duplex (A4) Print speed duplex (letter) Print speed footnote number (A5) Print technology | No HP PCL 5, HP PCL 6, HP postscript level 3 emulation, direct PDF (v 1.7) printing, URF, PCLM, PWG HP FastRes 1200 Up to 1200 x 1200 dpi Up to 63 ppm Up to 14 ppm Up to 30 ipm Up to 32 ipm [13] Laser Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator); HP Web JetAdmin Software; HP Proxy Agent Software; HP Imaging and Printing Security |

| Product logos | Energy Star; Blue Angel; EPEAT Gold ; USB; |
|--|---|
| Product long name specifications | HP LaserJet Pro M402dn - Up to 40 ppm (letter) and 38 ppm (A4); autoduplex printing; 2-line LCD; Up to 80,000 pages per month duty cycle; 750-4000 recommended monthly page volume; Network |
| Quantity per pallet | 45 |
| RMN number | SHNGC-1400-00 |
| Recommended media weight (duplex) | 60 to 120 g/m² |
| Recommended media weight (duplex) | 16 to 32 lb |
| Recommended monthly page volume | 750 to 4000 ^[7] |
| Recommended operating humidity range | 30 to 70% RH |
| Recommended operating temperature range | 17.5 to 25℃ |
| Recommended operating temperature range | 63.5 to 77°F |
| Replacement product number | CF278A, CF399A |
| Right margin (A4) | 4 mm |
| Safety | IEC 60950-1:2005 +A1:2009+A2:2013/EN 60950-1:2006 +A11:2009+A1:2010+A12:2011+A2:2013; IEC 60825-1:2007/EN 60825- 1:2007 (Class 1 Laser/LED Product); IEC 62479: 2010/EN 62479: 2010; GB4943-2011 |
| Security management | Embedded Web Server: password-protection, secure browsing via SSL/TLS; Network: enable/disable network ports and features, SNMPv1 & SNMPv2 community password change; HP ePrint: HTTPS with certificate |
| | validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; SNMPv3, 802.1X, Secure Boot |
| Service & support options | |
| | Firewall and ACL; SNMPv3, 802.1X, Secure Boot Free telephone support for basic setup, installation, and troubleshooting in North America, Europe, and Asia Pacific during warranty; Optional HP Supportpack for 4-hour response during standard business hours; Optional HP Supportpack for 24 hours a day, 7 days a week; Optional HP |
| Service & support options Standard input capacity | Firewall and ACL; SNMPv3, 802.1X, Secure Boot Free telephone support for basic setup, installation, and troubleshooting in North America, Europe, and Asia Pacific during warranty; Optional HP Supportpack for 4-hour response during standard business hours; Optional HP Supportpack for 24 hours a day, 7 days a week; Optional HP Supportpack for Comprehensive Technical Support |
| Service & support options Standard input capacity (envelopes) | Firewall and ACL; SNMPv3, 802.1X, Secure Boot Free telephone support for basic setup, installation, and troubleshooting in North America, Europe, and Asia Pacific during warranty; Optional HP Supportpack for 4-hour response during standard business hours; Optional HP Supportpack for 24 hours a day, 7 days a week; Optional HP Supportpack for Comprehensive Technical Support Up to 10 |
| Service & support options Standard input capacity (envelopes) Standard media sizes (duplex) Standard media sizes (duplex, | Firewall and ACL; SNMPv3, 802.1X, Secure Boot Free telephone support for basic setup, installation, and troubleshooting in North America, Europe, and Asia Pacific during warranty; Optional HP Supportpack for 4-hour response during standard business hours; Optional HP Supportpack for 24 hours a day, 7 days a week; Optional HP Supportpack for Comprehensive Technical Support Up to 10 Letter; Legal; Oficio (8.5 x 13 in); A4 |
| Service & support options Standard input capacity (envelopes) Standard media sizes (duplex) Standard media sizes (duplex, imperial) Standard output capacity | Firewall and ACL; SNMPv3, 802.1X, Secure Boot Free telephone support for basic setup, installation, and troubleshooting in North America, Europe, and Asia Pacific during warranty; Optional HP Supportpack for 4-hour response during standard business hours; Optional HP Supportpack for 24 hours a day, 7 days a week; Optional HP Supportpack for Comprehensive Technical Support Up to 10 Letter; Legal; Oficio (8.5 x 13 in); A4 Letter; Legal; Oficio (8.5 x 13 in); A4 |
| Service & support options Standard input capacity (envelopes) Standard media sizes (duplex) Standard media sizes (duplex, imperial) Standard output capacity (envelopes) Standard output capacity | Firewall and ACL; SNMPv3, 802.1X, Secure Boot Free telephone support for basic setup, installation, and troubleshooting in North America, Europe, and Asia Pacific during warranty; Optional HP Supportpack for 4-hour response during standard business hours; Optional HP Supportpack for 24 hours a day, 7 days a week; Optional HP Supportpack for Comprehensive Technical Support Up to 10 Letter; Legal; Oficio (8.5 x 13 in); A4 Up to 10 envelopes |

| Storage device and direct print support | Storage devices not supported | |
|--|--|--|
| Storage temperature range | -4 to 104°F | |
| Storage temperature range | -20 to 40°C | |
| Sub-brand name | LaserJet Pro | |
| SureSupply supported | Yes | |
| Target user and print volume | For teams up to 10 users; Prints up to 4,000 pages/month | |
| Tariff numbers | 8443321090 | |
| Technical support information | http://www.hp.com/support/ljM402 | |
| Technology logo, print 1 | Publication logos/AMS_Windows8_compatible_hp_blue.jpg | |
| Technology logo, print 2 | Publication logos/AMS_ windows_10.jpg | |
| Technology logo, print 3 | Publication logos/AMS_USB_hi speed.jpg | |
| Technology logo, print 4 | Publication logos/AMS_mac_hires.jpg | |
| Technology logo, print 5 | Publication logos/AMS_hp_eprint.jpg | |
| Technology logo, print 6 | Publication logos/AMS_AirPrint.jpg | |
| Technology logo, print 7 | Publication logos/AMS_Mopria.jpg | |
| Top key features | Two-sided printing | |
| Top margin (A4) | 5 mm | |
| Typical electricity consumption (TEC) number | 1.54 kWh/Week (Energy Star); 1.40 kWh/Week (Blue Angel) ^[15] | |
| UNSPSC code | 43212105 | |
| UPC number | (201) 888793328750; (BGJ) 888793328767 | |
| Web address for additional information | Solutions: http://www.hp.com/go/gsc; Fonts and IPDS Emulation: http://www.hp/com/go/laserjetfonts; Services: http://www.hp.com/services/printer; Paper: http://www.hp.com/go/paper | |

- [1] Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies
- [3] Job Storage feature requires a purchase of separate USB flash drive with a minimum of 16 GB capacity.
- [6] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- [7] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- [9] Not all "Compatible Operating Systems" are supported with inbox software; Full solution software available only for Windows 7 and newer; Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print drivers only; Windows RT OS for Tablets (32-bit & 64-bit) uses a simplified HP print driver built into the RT OS; UNIX Modelscripts are available on HP.com (Modelscripts are printer drivers for UNIX operating systems); Linux systems use in-OS HPLIP software; HP Software for Mac is no longer included on the CD, but can be downloaded from http://www.hp.com the Mac driver and Mac Utility are installed for Mac operating systems.

[14] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

[15] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

[16] Best Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). For Best TEC, the product configuration is set with Wi-Fi disabled and with 1 minute sleep delay.

HP Care Pack Services

Imaging and Printing Hardware Support Onsite Svc

| HP 1 year Post Warranty Next Business Day LaserJet M402 Hardware Support | U8TM7PE ★ |
|---|-----------|
| HP 1 year Post Warranty Next Business Day LaserJet M402 Hardware Support | U8TM7PE |
| HP 1 year Renewal Print At Your Service Next Business Day Service for LaserJet M402 | U9PU4PE |

★: Recommended

Imaging and Printing Commercial Care Pack Services

| HP Installation Service with network configuration for Personal Scanner and Printer (1 unit) | U9JT1E ★ |
|--|----------|
| HP 1 year Post Warranty Next Business Day Exchange LaserJet M402 Service | U8TM8PE |
| HP 1 year Print At Your Service Supplies Renewal up to 3500 pages per month LaserJet Service | UC6T9PE |
| HP 1 year Print At Your Service Supplies Renewal up to 500 pages per month LaserJet Service | UC6T6PE |
| HP 1y Renewal Subscription Supply Svc for LaserJet (up to 1000 pages per month) | U9PW2PE |
| HP 1y Renewal Subscription Supply Svc for LaserJet (up to 2000 pages per month) | U9PW5PE |
| HP Print Carbon Neutral Certification Service | U34Y1E |

Accessories

Paper Handling

Input Trays

HP LaserJet Pro 550-sheet Feeder Tray

D9P29A ★

HG283PS

★ : Recommended

Fonts

Barcodes

| HP BarCodes and More Font Card | HG281PS |
|-----------------------------------|---------|
| HP Scalable Barcode Font Set Card | HG282PS |
| MICR | |

PC Drives and Storage

USB Flash Drives

HP MICR Font Card

HP v222w 16GB Mini USB Drive POR81AA

Ink/Toner/Paper/Printer Supplies

HP Laser Toner Cartridges and Kits

HP Black and White Laser Toner Printer Cartridges

| HP 26A 2-pack Black Original LaserJet Toner Cartridges | CF226AD1 |
|---|----------|
| HP 26A Black Original LaserJet Toner Cartridge | CF226A |
| HP 26X 2-pack High Yield Black Original LaserJet Toner Cartridges | CF226XD |
| HP 26X High Yield Black Original LaserJet Toner Cartridge | CF226X |
| HP 26X High Yield Black Original LaserJet Toner Cartridge | CF226XK |

★ : Recommended

HP Paper for Multiple Uses

HP Multi-use Everyday Paper

| HP All-in-One Printing Paper-250 sht/A4/210 x 297 mm | CHP712 |
|--|---------|
| HP All-in-One Printing Paper-500 sht/A4/210 x 297 mm | CHP710 |
| HP Copy Paper 80 gsm-500 sht/A4/210 x 297 mm | CHP910 |
| HP Hi White Everyday Paper-5 reams/A4/210 x 297 mm | Q2400A |
| HP Hi White Everyday Paper-5 reams/Letter/8.5 x 11 in | Q2398A |
| HP Home and Office Paper-500 sht/A4/210 x 297 mm | CHP150 |
| HP Office Paper-10 reams/3-hole punched/Letter/8.5 x 11 in | НРСЗНР |
| HP Office Paper-10 reams/Letter/8.5 x 11 in | HPC8511 |
| HP Office Paper-2500 sht/A4/210 x 297 mm | CHP113 |
| HP Office Paper-500 sht/A4/210 x 297 mm | CHP110 |
| HP Office Quickpack-2500 sht/Letter/8.5 x 11 in | HP2500S |
| HP Premium Choice Paper-500 sht/A4/210 X 297 mm | CHP812 |
| HP Printing Paper 90 gsm-500 sht/A4/210 x 297 mm | CHP235 |
| HP Printing Paper-2500 sht/A4/210 x 297 mm | CHP215 |
| HP Printing Paper-500 sht/A4/210 x 297 mm | CHP210 |

HP Multipurpose Paper

| HP Multipurpose Paper-10 reams/3-hole punched/Letter/8.5 x 11 in | HPM113H |
|--|----------|
| HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in | HPM115R |
| HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in | HPM115RC |
| HP Multipurpose Paper-500 sht/A4/210 x 297 mm | CHP225 |
| HP Multipurpose Paper-500 sht/Letter/8.5 x 11 in | HPM1120 |

HP Recycled Paper

| HP Recycled Paper 80 gsm-500 sht/A4/210 x 297 mm | CHP830 |
|--|---------|
| HP Recycled Paper-10 reams/Letter/8.5 x 11 in | HPE1120 |

HP Business Papers

HP Business Papers for laser

| HP Enhanced Business Paper, Glossy, 150 g/m2, A4 (210 x 297 mm), 150 sheets | CG965A |
|---|--------|
| HP Enhanced Business Paper, Glossy, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets | Q6611A |
| HP Enhanced Business Paper, Matte, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets | Q6543A |
| HP Enhanced Tri-Fold Business Paper, Glossy, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets | Q6612A |
| HP Everyday Business Paper, Glossy, 32 lb, 11 x 17 in. (279 x 432 mm), 150 sheets | 4WN07A |
| HP Everyday Business Paper, Glossy, 32 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets | 4WN08A |
| HP Professional Business Paper, Glossy, 52 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets | 4WN10A |
| HP Professional Business Paper, Matte, 52 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets | 4WN05A |

HP Home & Office Papers

HP Home & Office Papers for laser and inkjet

| HP MultiPurpose20TM, 20 lb, 8.5×11 in. (216 $\times 279$ mm), 500 sheets | HPM1120R |
|---|----------|
| HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets | HPM1420 |
| HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets | HPM1420P |
| HP Premium24(R), 24 lb, 8.5×11 in. (216 $\times 279$ mm), 500 sheets | HPJ1124P |

HP Paper Designed for Laser Printers

HP Laser Everyday Paper

| HP Premium Choice LaserJet Paper-500 sht/Letter/8.5 x 11 in | HPU1132P |
|---|-----------------|
| The free manner choice asserved aper 300 site, accept, 613 x 11 iii | 111 0 1 1 3 2 1 |

Solutions

HP Document and Workflow Solutions

★: Recommended

JetAdvantage Print Management

| HP Universal Print Driver | HPUNIVPRNTDRV |
|---------------------------|---------------|
| HP Web Jetadmin | HPWEBJETADMIN |

Disclaimer — Copyright

© Copyright 2015 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Nov 12, 2022 1:16 AM UTC+0000