



# HP LaserJet Pro MFP M521dn (A8P79A)



## Overview

**Speed your business with fast printing, powerful scanning, cloud access, and touchscreen simplicity.**

Finish jobs faster, produce high-quality documents, and make scanning and sharing simple. Get set up and connected quickly.[3,7] Send quick commands from an intuitive color touchscreen. Easily conserve resources and recycle used cartridges.[11]

### **Quickly create, capture, and deliver documents**

Finish faster—with less standing around—using single-pass, dual-head scanning.

### **Increase efficiency with an easy-to-manage MFP**

Work smarter—access, store, and print business content quickly from the 3.5-inch color touchscreen.[5]

### **Set up fast and stay connected**

### **Improve your energy costs and save resources**

Help save energy with HP Auto-On/Auto-Off Technology, Instant-on Copy, and Instant-on Technology.[10]

## Features



2-sided printing



Prints in a flash, savings that last<sup>[14]</sup>



On-the-go printing with HP ePrint<sup>[15]</sup>



Automatic document feeder



Scan in Color



Scan to email

---

*[5] Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see [hpconnected.com](http://hpconnected.com)*

*[10] HP Auto-On and Auto-Off Technology are subject to printer and settings. Instant-on Technology claim based on comparison with products that use traditional fusing. Instant-on Copy claim based on comparison with fluorescent tubes.*

*[11] Program availability varies. Original HP cartridge return and recycling is currently available in more than 50 countries, territories and regions in Asia, Europe, and North and South America through the HP Planet Partners program. For more information, visit: [hp.com/recycle](http://hp.com/recycle)*

*[14] When compared with fluorescent tubes.*

*[15] Requires an Internet connection to an HP ePrint-enabled printer. Printer requires ePrint account.*

## Specifications

<b>Print Resolution Technologies</b>	HP FastRes 1200 (600 x 600 dpi), HP ProRes 1200 (1200 x 1200 dpi), 600 x 600 dpi
<b>Print quality black (best)</b>	Up to 1200 x 1200 dpi
<b>Print speed black (ISO, A4)</b>	Up to 40 ppm
<b>Print speed black (ISO, letter)</b>	Up to 42 ppm
<b>Print speed</b>	Print speed up to 42 ppm (black)
<b>Functions</b>	Print, copy, scan, fax
<b>Duplex printing</b>	Automatic (standard)
<b>Duty cycle (monthly, A4)</b>	Up to 75,000 pages
<b>Duty cycle (monthly, letter)</b>	75000
<b>Copier smart software features</b>	Automatic document feeding; Reduce/enlarge from scanner glass (25 to 400%); Collate; Two-sided copying; Image adjustments (darkness, background cleanup, sharpness)
<b>Scanner advanced features</b>	Duplex scanning from ADF; Scan to USB flash drive; Scan to network folder; Scan to email; Scan to cloud; Optimize text/picture; Selectable scan resolution 75 to 300 dpi
<b>Fax smart software features</b>	Permanent fax memory backup; Fax forwarding; Fax address book; TAM interface, Speed-dial; Group dial; Auto redial; Block junk faxes; Polling; Send a fax with confirmation; Private fax receive
<b>Energy savings feature technology</b>	HP Auto-on/Auto-off Technology; Instant-on Technology; Instant-on Copy
<b>Replacement cartridges</b>	HP LaserJet Black Cartridge CE255A (~6000 pages based on ISO/IEC 19752); HP LaserJet Black Cartridge CE255X (~12,500 pages based on ISO/IEC 19752) <sup>[3]</sup>
<b>Connectivity, standard</b>	1 Hi-Speed USB 2.0 Device; 1 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet 10/100/1000Base-TX; 1 Telecom; 1 Phone
<b>Connectivity, optional</b>	HP Jetdirect ew2500 802.11b/g Wireless Print Server J8021A
<b>Modem</b>	33.6 kbps
<b>Network capabilities</b>	Yes, via built-in Gigabit Ethernet
<b>Wireless capability</b>	No
<b>Mobile printing capability</b>	HP ePrint; Apple AirPrint™; Mopria™-certified; Mobile Apps
<b>Network protocols, supported</b>	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP Print, FTP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless), SNMPV1/V2/V3; Security: SSL Security and certificate management, 802.1x

**Software included**

Windows: HP Installer/Uninstaller, HP PCL 6 print driver, HP WIA Scan Driver, HP TWAIN Scan Driver, HP Scan, HP Fax Setup Wizard, HP Send Fax, HP Fax Print Driver, Status Alerts, HP Update, DXP; Mac: HP Installer/Uninstaller, HP Postscript driver, HP Scan, HP Setup Assistant, HP Fax Print Driver, HP Utility, HP Alerts, HP Firmware Updater

**Compatible Operating Systems**

Full software installs supported on: Windows 10 32-bit and 64-bit, Windows 8 32-bit and 64-bit, Windows 7 32-bit and 64-bit, Windows Vista 32-bit and 64-bit, Windows XP 32-bit (SP2 or higher); Driver only installs supported on: Windows 2012; Windows Server 2008 32-bit and 64-bit, Windows Server 2003 32-bit (SP3 or higher); Mac OS X v 10.6.8 and later; Linpus Linux (9.4, 9.5), Red Hat Enterprise Linux 5.0 (supported with a pre-built package); SUSE Linux (10.3, 11.0, 11, 11.1, 11.2), Fedora (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), Ubuntu (8.04, 8.04.1, 8.04.2, 8.10, 9.04, 9.10, 10.04), Debian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installer); HPUX 11 and Solaris 8/9

*(Windows 7 / 2008 R2 SP1, Windows XP (64-bit) SP2 and greater, Windows Server 2012, Windows Server 2008 (Standard Edition), Windows Server 2008 Enterprise Edition), Windows Server 2003 (Standard Edition), Windows Server 2003 (Enterprise Edition), Windows Server 2003 (64-bit), SP1 (x86 and x86-64) only support Print driver and Scan driver.)*

**Sustainable impact specifications**

Mercury free

**Energy star certified**

No

**Ecolabels**

CECP; EPEAT® Silver

**Blue Angel compliant**

No; Please refer to the ECI document

**Copy speed (black, normal quality, A4)**

Up to 40 ppm

**Copy speed black (normal, letter)**

Up to 42 ppm

**Fax Resolution Black (best)**

Up to 300 x 300 dpi

**Faxing**

Yes

**Scan speed (normal, A4)**

Up to 19 ppm (black & white), up to 14 ppm (color)

**Scan speed (normal, letter)**

Up to 19 ppm (black & white), up to 15 ppm (color)

**Scan input modes**

From PC: Solution Center Lite (Windows Vista, Windows XP) or Device Stage (Windows 7, 8); TWAIN-compliant or WIA-compliant software

**Scan technology**

Contact Image Sensor (CIS)

**Scanner type**

Flatbed, ADF

**Display**

3.5" (8.89 cm) touchscreen, LCD (color graphics)

**Minimum dimensions (W x D x H)**

465 x 465 x 508 mm

**Minimum dimensions (W x D x H)**

18.3 x 18.3 x 20 in

**Weight**

22.3 kg

**Weight**

52.7 lb

**Power consumption**

760 watts (Printing), 520 watts (Copying from ADF), 18.2 watts (Ready), 4.3 watts (Sleep), 0.3 watts (Off)<sup>[2]</sup>

**Power supply type**

Built-in power supply

**What's in the box**

HP LaserJet Pro MFP M521dn; HP LaserJet Black cartridge (~6000 pages); Printer documentation and software on CDs (Windows/Mac OS installation CD); Installation guide; Support flyer; warranty card; Power cord; Fax Cable<sup>[1]</sup>

**Manufacturer Warranty**

One-year limited hardware warranty; For more info please visit us at <http://support.hp.com>

## Additional specifications

<b>Accessories</b>	HP LaserJet 500-sheet Feeder/Tray CE530A
<b>Acoustic power emissions (active copy)</b>	6.8 B(A)
<b>Acoustic power emissions (active, printing)</b>	6.7 B(A)
<b>Acoustic power emissions (ready)</b>	Inaudible
<b>Acoustic power note</b>	Acoustic values are subject to change. For current information see <a href="http://hp.com/support">hp.com/support</a> . Configuration tested: LaserJet Pro M521dw, simplex printing, A4 paper at an average of 40 ppm. LaserJet Pro M521dw, ADF copy and print simplex using A4 paper.
<b>Acoustic pressure emissions bystander (active copy)</b>	54 dB(A)
<b>Acoustic pressure emissions bystander (active, printing)</b>	54 dB(A)
<b>Acoustic pressure emissions bystander (ready)</b>	Inaudible
<b>Additional information about HP</b>	<a href="http://www.hp.com">http://www.hp.com</a>
<b>Additional information about HP in the countries</b>	<a href="http://hp.com">hp.com</a>
<b>Auto fax reduction supported</b>	Yes
<b>Automatic document feeder capacity</b>	Standard, 50 sheets
<b>Automatic paper sensor</b>	No
<b>Bit depth</b>	24 bit (8 bit for grayscale duplex jobs)
<b>Bottom margin (A4)</b>	5 mm
<b>Business filter</b>	cMPS
<b>Cable included</b>	Yes, 1 USB (AP & Brazil only); No, please purchase USB cable separately (EMEA, Americas except Brazil)
<b>Cartons per layer</b>	2
<b>Color scanning</b>	Yes
<b>Component type</b>	Printer
<b>Control panel</b>	3.5-in intuitive touchscreen control panel with color graphic display; Buttons (Home, Cancel, Help, Right/Left Arrows, Back); LED indicator lights (Ready, Error)
<b>Copier scaling (ADF)</b>	25 to 400%
<b>Copier settings</b>	Number of copies; Reduce/Enlarge; Lighter/Darker; Optimize; Paper; Multi-page copy; Collation; Tray select; Two-sided; Draft mode; Image adjustment; Set as new defaults; Restore defaults
<b>Copies, maximum</b>	Up to 99 copies

<b>Copy reduce / enlarge settings</b>	25 to 400%
<b>Copy resolution (black graphics)</b>	Up to 600 x 600 dpi
<b>Copy resolution (black text)</b>	Up to 600 x 600 dpi
<b>Copy resolution (color text and graphics)</b>	Up to 600 x 600 dpi
<b>Copy speed note</b>	First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <a href="http://hp.com/go/printerclaims">hp.com/go/printerclaims</a> . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
<b>Count of layers in pallet</b>	4 (Ocean/NA); 3 (EMEA/AP)
<b>Country of origin</b>	Made in China
<b>Datasheet photo 1</b>	Publication photos/LaserJet MFP M521dn.jpg
<b>Distinctive ring detection supported</b>	Yes
<b>Downloadable software</b>	Windows Full Software Solution; HP Universal Print Drivers; HP PrintView; HP EcoPrint Console; HP ePrint Mobile Driver; Mac Software Solution; Linux Software Solution; Unix Print Driver
<b>Driver updates</b>	Latest supported operating systems and print drivers available at <a href="http://hp.com/go/support">hp.com/go/support</a>
<b>Duplex ADF scanning</b>	Yes
<b>Duty cycle note</b>	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
<b>Electromagnetic compatibility</b>	CISPR 22: 2008/EN 55022: 2010 Class A, EN 61000-3-2: 2006 +A1:2009 +A2: 2009, EN 61000-3-3: 2008, EN 55024: 1998+A1+A2, FCC Title 47 CFR, Part 15 Class A (USA), ICES-003, Issue 4, (Canada), GB9254-2008, GB17625.1-2003, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries
<b>Engine life</b>	300000
<b>Envelope Feeder</b>	No
<b>FCC Class A emissions</b>	FCC Class A emissions - for use in commercial environments, not residential environments
<b>Fax Auto Redial</b>	Yes
<b>Fax Broadcast Locations</b>	100
<b>Fax PC Interface Supported</b>	Yes, software not included
<b>Fax Polling</b>	Yes
<b>Fax Remote Retrieval</b>	No
<b>Fax Speed Dials, Maximum Number</b>	Up to 100 numbers (each can contain 100 numbers)
<b>Fax Transmission Speed</b>	33.6 kbps
<b>Fax delayed sending</b>	Yes
<b>Fax forwarding</b>	Yes

<b>Fax memory</b>	Up to 250 pages
<b>Fax memory</b>	Up to 250 pages
<b>Fax phone TAM interface supported</b>	Yes
<b>Fax resolution black</b>	203 x 196 dpi, 256 levels of gray
<b>Fax telephone mode supported</b>	Yes
<b>Fax transmission speed (letter)</b>	3 sec per page <sup>[4]</sup>
<b>Finished output handling</b>	Sheetfed
<b>First copy out black (letter)</b>	As fast as 9.0 sec
<b>First page out black (A4, ready)</b>	As fast as 8.0 sec
<b>First page out black (letter, ready)</b>	As fast as 8.0 sec
<b>First page out black (letter, sleep)</b>	As fast as 13.5 sec
<b>Fonts and typefaces</b>	84 scalable TrueType fonts. Additional Font Solutions available at <a href="http://hp.com/go/laserjetfonts">hp.com/go/laserjetfonts</a> .
<b>HP ePrint capability</b>	Yes
<b>Input capacity</b>	Up to 600 sheets
<b>Internal Storage</b>	None
<b>Junk fax barrier</b>	Yes, requires Caller ID
<b>Left margin (A4)</b>	5 mm
<b>Levels of grayscale</b>	256
<b>Mac compatible</b>	Yes
<b>Maximum Input Capacity (envelopes)</b>	Up to 10 envelopes
<b>Maximum Memory</b>	256 MB
<b>Maximum dimensions (W x D x H)</b>	18.3 x 35.4 x 29.5 in
<b>Maximum dimensions (W x D x H)</b>	465 x 900 x 750 mm
<b>Maximum input capacity (sheets)</b>	Up to 1100 sheets
<b>Maximum output capacity (sheets)</b>	Up to 350 sheets
<b>Maximum print area</b>	215.9 x 355.6 mm
<b>Media size (ADF)</b>	127 x 177 to 216 x 356 mm (5 x 7 to 8.5 x 14 in)
<b>Media size, tray 1</b>	A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10x15 cm, 16K, Postcard (JIS), DPostcard (JIS), Envelope (B5, C5, C6, DL); 76 x 127 to 216 x 356 mm
<b>Media size, tray 2</b>	A4; A5; A6; RA4; B5 (JIS), B6 (JIS), 10x15 cm, 16K, Postcard (JIS), DPostcard (JIS); 105 x 148 to 216 x 356 mm
<b>Media size, tray 3</b>	A4; A5; A6; RA4; B5 (JIS), B6 (JIS), 10x15 cm, 16K, Postcard (JIS), DPostcard (JIS); 105 x 148 to 216 x 356 mm (optional 500-sheet tray)
<b>Media sizes supported</b>	Letter, Legal, Statement, 3 x 5 in, 4 x 6 in, 5 x 7 in , 5 x 8 in , Executive, 8.5 x 13 in, Envelope (#9, #10, Monarch, C5, DL, B5, C6); Discrete Custom Sizes: Minimum size 3 x 5 in, Maximum size 8.5 x 14 in



<b>Media sizes supported</b>	A4, RA4, Oficio 216 x 343 mm, Oficio 216 x 347 mm, 10 x 15 cm, B5(JIS), B6(JIS), Postcard(JIS), Double Postcard(JIS), A5, A6, 16K 195 x 270 mm, 16K 184 x 260 mm, 16K 197 x 273 mm
<b>Media sizes supported, key</b>	4 x 6 in; Letter; Legal; Envelopes
<b>Media sizes supported, key</b>	10 x 15 cm; A4; Envelopes
<b>Media sizes, custom</b>	Tray 1: 3 x 5 to 8.5 x 14 in; tray 2, optional 500-sheet tray (3): 4.1 x 5.8 to 8.5 x 14 in
<b>Media sizes, custom</b>	Tray 1: 76 x 127 to 216 x 356 mm; tray 2, optional 500-sheet tray (3): 105 x 148 to 216 x 356 mm
<b>Media type and capacity, tray 1</b>	Sheets (75 g/m <sup>2</sup> ): 100; envelopes: 10
<b>Media type and capacity, tray 2</b>	Sheets (75 g/m <sup>2</sup> ): 500
<b>Media type and capacity, tray 3</b>	Sheets (75 g/m <sup>2</sup> ): 500 (optional tray)
<b>Media types</b>	Paper (bond, color, letterhead, plain, preprinted, prepunched, recycled, rough); envelopes, labels, cardstock, transparencies, user-defined
<b>Media weight (tray 1)</b>	52 to 199 g/m <sup>2</sup>
<b>Media weight (tray 2)</b>	52 to 120 g/m <sup>2</sup>
<b>Media weight (tray 3)</b>	52 to 120 g/m <sup>2</sup>
<b>Media weight, supported</b>	Tray 1: 52 to 199 g/m <sup>2</sup> ; Tray 2, 3: 52 to 120 g/m <sup>2</sup>
<b>Media weight, supported</b>	Tray 1: 14 to 53 lb; Tray 2, 3: 14 to 32 lb
<b>Media weights, supported ADF</b>	60 to 90 g/m <sup>2</sup>
<b>Media weights, supported ADF</b>	16 to 24 lb
<b>Memory</b>	256 MB
<b>Minimum System Requirements</b>	Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit): 1 GHz 32-bit (x86) or 64-bit (x64) processor, 1 GB RAM (32-bit) or 2 GB RAM (64-bit), 400 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port; Windows XP (32-bit) SP2: Pentium® 233 MHz processor, 512 MB RAM 400 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port
<b>Minimum System Requirements for Macintosh</b>	Mac OSX v 10.6; PowerPC G4, G5, or Intel® Core™ Processor; 500 MB hard disk; CD-ROM/DVD-ROM or Internet; USB or Network port
<b>Multitasking supported</b>	Yes
<b>Native scan file format</b>	PDF, JPG
<b>Network ready</b>	Standard (built-in Gigabit Ethernet)
<b>Non-Operating Humidity Range</b>	10 to 90% RH
<b>Number of print cartridges</b>	1 (black)
<b>Number of users</b>	5-15 Users
<b>Operating humidity range</b>	10 to 80% RH
<b>Operating temperature range</b>	10 to 32.5°C
<b>Operating temperature range</b>	50 to 90.5°F
<b>Output capacity</b>	Up to 250 sheets

<b>Package dimensions (W x D x H)</b>	23.03 x 23.39 x 28.86 in
<b>Package dimensions (W x D x H)</b>	585 x 594 x 733 mm
<b>Package weight</b>	29.57 kg
<b>Package weight</b>	65.05 lb
<b>Pallet dimensions</b>	46.77 x 29.53 x 92.13 mm (Ocean Slip Sheet); 47.24 x 31.50 x 97.13 mm (NA Euro Pallet); 47.24 x 31.50 x 75.00 mm (EMEA/AP Euro Pallet)
<b>Pallet dimensions (W x D x H)</b>	1188 x 750 x 2340 mm (Ocean Slip Sheet); 1200 x 800 x 2467 mm (NA Euro Pallet); 1200 x 800 x 1905 mm (EMEA/AP Euro Pallet)
<b>Pallet weight</b>	236.56 kg (Ocean Slip Sheet); 258.56 kg (NA Euro Pallet); 199.42 kg (EMEA/AP Euro Pallet)
<b>Pallet weight</b>	520.43 lb (Ocean Slip Sheet); 68.83 lb (NA Euro Pallet); 438.72 lb (EMEA/AP Euro Pallet)
<b>Paper handling input, optional</b>	Optional 500-sheet tray (add up to 1 trays)
<b>Paper handling input, standard</b>	100-sheet multipurpose tray, 500-sheet input tray 2, 50-sheet Automatic Document Feeder (ADF)
<b>Paper handling output, standard</b>	250-sheet output bin, 100-sheet rear output bin
<b>Paper trays, maximum</b>	3
<b>Paper trays, standard</b>	2
<b>Ports</b>	1 Hi-Speed USB 2.0 Device; 1 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet 10/100/1000Base-TX; 1 Telecom; 1 Phone
<b>Power</b>	Input voltage: 110 to 127 VAC (+/- 10%), 50/60Hz (+/- 3 Hz) and 220V-240 VAC (+/- 10%), 50/60Hz (+/- 3 Hz)
<b>Print Technology</b>	Laser
<b>Print colors</b>	No
<b>Print languages</b>	HP PCL 6, HP PCL 5, HP postscript level 3 emulation, PCLm
<b>Print quality black (normal)</b>	HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi with HP Resolution Enhancement technology
<b>Print speed duplex (A4)</b>	Up to 21 ipm
<b>Print speed duplex (letter)</b>	Up to 21 ppm
<b>Print technology</b>	Laser
<b>Printer Management</b>	Windows: HP Device Toolbox, Status Alerts (default install), SNP Alerts (minimum network install), HP Web Jetadmin (download); Mac: HP Utility
<b>Printer black pages (MPV black)</b>	2000
<b>Processor speed</b>	800 MHz
<b>Product short name specifications</b>	HP LaserJet Pro MFP M521dn, Print, copy, scan, fax, Two-sided printing; 50-sheet ADF; Front-facing USB printing
<b>Quantity per pallet</b>	8 (Ocean/NA); 6 (EMEA/AP)
<b>RMN number</b>	SHNGC-1200-00
<b>Recommended media weight (duplex)</b>	52 to 120 g/m <sup>2</sup>

<b>Recommended media weight (duplex)</b>	14 to 32 lb
<b>Recommended monthly page volume</b>	2000 to 6000
<b>Recommended monthly page volume note</b>	HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
<b>Recommended operating humidity range</b>	30 to 70% RH
<b>Recommended operating temperature range</b>	15 to 32.5°C
<b>Recommended operating temperature range</b>	59 to 90.5°F
<b>Resolution</b>	Up to 1200 dpi
<b>Resolution (black and white, standard mode)</b>	203 x 98 dpi
<b>Resolution (black and white, superfine mode)</b>	300 x 300 dpi (no halftone)
<b>Resolution (black photo grayscale)</b>	300 x 300 dpi (halftone)
<b>Right margin (A4)</b>	5 mm
<b>Safety</b>	IEC 60950-1 +A1 (International), EN 60950-1 +A11 +A1 +A12 (EU), IEC 60825-1, UL/cUL Listed (US/Canada), GS License (Europe), EN 60825-1 (Class 1 Laser/LED Device), Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries
<b>Scan file format footnote</b>	HP Scan software included in the box - file formats supported through software running on a PC
<b>Scan resolution, hardware</b>	Up to 300 x 300 dpi (color, grayscale and mono, ADF); Up to 1200 x 1200 dpi (color, grayscale and mono, flatbed)
<b>Scan resolution, optical</b>	Up to 300, 600, 1200 dpi
<b>Scan size (ADF), maximum</b>	216 x 356 mm
<b>Scan size (ADF), maximum</b>	8.5 x 14 in
<b>Scan size (ADF), minimum</b>	5 x 7 in
<b>Scan size (ADF), minimum</b>	127 x 177 mm
<b>Scan size, maximum</b>	8.5 x 11.7 in
<b>Scan size, maximum</b>	216 x 297 mm
<b>Scan size, minimum</b>	No minimum
<b>Scan size, minimum</b>	No minimum
<b>Scan speed duplex (normal, A4)</b>	Up to 35 ipm (black & white), up to 13 ipm (color)
<b>Scan speed duplex (normal, letter)</b>	Up to 36 ipm (black & white), up to 14 ipm (color)

<b>Security management</b>	Embedded Web Server: password-protection, secure browsing via SSL/TLS; Network: enable/disable network ports and features, SNMPv1 community password change, SNMPv3, 802.1x, Firewall, Access Control List; HP ePrint: HTTPS with certificate validation, HTTP Basic Access authentication, SASL authentication
<b>Software scan file format</b>	Windows: JPG, RAW(BMP), PDF, TIFF, PNG, RTF; Mac: JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT
<b>Standard media sizes (duplex)</b>	A4; RA4
<b>Standard media sizes (duplex, imperial)</b>	Letter; legal; oficio
<b>Standard output capacity (envelopes)</b>	Up to 10 envelopes
<b>Standard output capacity (transparencies)</b>	Up to 75 sheets
<b>Storage device and direct print support</b>	Front-facing USB/Flash drive
<b>Storage temperature range</b>	-20 to 40°C
<b>Storage temperature range</b>	-4 to 104°F
<b>SureSupply supported</b>	Yes
<b>Target user and print volume</b>	For teams up to 15 users; Prints up to 6,000 pages/month
<b>Tariff numbers</b>	8443310000; 8443318000
<b>Technology logo, print 1</b>	Publication logos/AMS_EnergyStar.jpg
<b>Technology logo, print 2</b>	Publication logos/AMS_Compatible with Win7.jpg
<b>Technology logo, print 3</b>	Publication logos/AMS_hp_eprint.jpg
<b>Technology logo, print 4</b>	Publication logos/AMS_mac_hires.jpg
<b>Technology logo, print 5</b>	Publication logos/AMS_USB easy access.jpg
<b>Technology logo, print 6</b>	Publication logos/2 sided printing.jpg
<b>Telecom compliance (fax capability)</b>	Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); FCC Part 68; Industry Canada CS03; NOM-151-SCTI-1999 (Mexico); PTC-200 (New Zealand); other Telecom approvals as required by individual countries
<b>Telephone handset supported</b>	No
<b>Top key features</b>	Two-sided printing; 50-sheet ADF; Front-facing USB printing
<b>Top margin (A4)</b>	5 mm
<b>Twain version</b>	Version 1.9
<b>Typical electricity consumption (TEC) number</b>	2.812 kWh/week
<b>UNSPSC code</b>	43212110
<b>UPC number</b>	(AB1) 887111015761; (BBU) 887111015792; (BGJ) 887111015891
<b>Waste electrical and electronic weight</b>	24.2 kg

**Web address for additional  
information**

<http://www.hpconnected.com>

---

*[1] One CE255A cartridge included and its declared yield is 6000 pages basing on ISO/IEC 19752. Actual yield vary considerably based on images printed and other factors. For details please see <http://www.hp.com/go/learnaboutsupplies>. Pages may vary based on customer printing conditions and usage. And users can also purchase CE255X cartridge for this printer, which declared yield is 12500 pages basing on ISO/IEC 19752.*

*[2] Values subject to change. Power numbers are the highest values measured using all standard voltages. See [hp.com/support](http://hp.com/support) for current information. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.*

*[3] Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on printer platform, content of printed pages and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>*

*[4] Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.*

---

## Services

### HP Care Pack Services

★ : Recommended

#### Imaging and Printing Hardware Support Onsite Svc

HP 3 year Next Business Day w/Defective Media Retention Service for LaserJet Pro M521 MFP

U6Z65E ★

HP 1 year Post Warranty 4 hour 9x5 Laserjet Pro M521 and 435 Multi Function Printer Support

U6Z68PE

HP 1 year Post Wty Next Business Day w/Defective Media Retention Service for LaserJet Pro M521 MFP

U6Z67PE

HP 3 year 4 hour 9X5 Laserjet Pro M521 and 435 Multi Function Printer Hardware Support

U6Z61E

#### Imaging and Printing Commercial Care Pack Services

HP Installation Service with network configuration for Personal Scanner and Printer (1 unit)

U9JT1E

HP Maintenance Kit Replacement LaserJet M521 Multifunction Printer Automatic Document feeder Service

U8C48E

HP Maintenance Kit Replacement LaserJet M521 Multifunction Printer Fuser110 Service

U8C46E

## Accessories

### Accessory Bundles

★ : Recommended

#### Printer Accessibility Accessories

HP Accessibility Kit

2TD64A ★

### Paper Handling

#### Fax Upgrades

HP MFP Analog Fax Accessory 700

2EH31A ★

# Solutions

## HP Document and Workflow Solutions

★ : Recommended

### JetAdvantage Printing Security

Celiveo Enterprise	HP3PCELIVEO
--------------------	-------------

### JetAdvantage Print Management

HP Universal Print Driver	HPUNIVPRNTDRV
---------------------------	---------------

HP Web Jetadmin	HPWEBJETADMIN
-----------------	---------------



# Ink/Toner/Paper/Printer Supplies

## HP Laser Toner Cartridges and Kits

★ : Recommended

### HP Black and White Laser Toner Printer Cartridges

HP 55A Black Original LaserJet Toner Cartridge	CE255A
HP 55A Black Original LaserJet Toner Cartridge for US Government	CE255AG
HP 55X 2-pack High Yield Black Original LaserJet Toner Cartridges	CE255XD
HP 55X High Yield Black Original LaserJet Toner Cartridge	CE255X

## HP Paper for Multiple Uses

### HP Multi-use Everyday Paper

HP All-in-One Printing Paper-250 sht/A4/210 x 297 mm	CHP712
HP All-in-One Printing Paper-500 sht/A4/210 x 297 mm	CHP710
HP Copy Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP910
HP Hi White Everyday Paper-5 reams/A4/210 x 297 mm	Q2400A
HP Hi White Everyday Paper-5 reams/Letter/8.5 x 11 in	Q2398A
HP Home and Office Paper-500 sht/A4/210 x 297 mm	CHP150
HP Office Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	HPC3HP
HP Office Paper-10 reams/Letter/8.5 x 11 in	HPC8511
HP Office Paper-2500 sht/A4/210 x 297 mm	CHP113
HP Office Paper-500 sht/A4/210 x 297 mm	CHP110
HP Office Quickpack-2500 sht/Letter/8.5 x 11 in	HP2500S
HP Premium Choice Paper-500 sht/A4/210 X 297 mm	CHP812
HP Printing Paper 90 gsm-500 sht/A4/210 x 297 mm	CHP235
HP Printing Paper-2500 sht/A4/210 x 297 mm	CHP215
HP Printing Paper-500 sht/A4/210 x 297 mm	CHP210

### HP Multipurpose Paper

HP Multipurpose Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	HPM113H
HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in	HPM115R
HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in	HPM115RC
HP Multipurpose Paper-500 sht/A4/210 x 297 mm	CHP225
HP Multipurpose Paper-500 sht/Letter/8.5 x 11 in	HPM1120

### HP Recycled Paper

HP Recycled Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP830
HP Recycled Paper-10 reams/Letter/8.5 x 11 in	HPE1120

## HP Business Papers

### HP Business Papers for laser

HP Enhanced Business Paper, Glossy, 150 g/m2, A4 (210 x 297 mm), 150 sheets	CG965A
HP Enhanced Business Paper, Glossy, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	Q6611A
HP Enhanced Business Paper, Matte, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	Q6543A
HP Enhanced Tri-Fold Business Paper, Glossy, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	Q6612A
HP Everyday Business Paper, Glossy, 32 lb, 11 x 17 in. (279 x 432 mm), 150 sheets	4WN07A
HP Everyday Business Paper, Glossy, 32 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN08A
HP Professional Business Paper, Glossy, 52 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN10A
HP Professional Business Paper, Matte, 52 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN05A

## HP Home & Office Papers

### HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM, 20 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets	HPM1120R
HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets	HPM1420
HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets	HPM1420P
HP Premium24(R), 24 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets	HPJ1124P

## HP Paper Designed for Laser Printers

### HP Laser Everyday Paper

HP Premium Choice LaserJet Paper-500 sht/Letter/8.5 x 11 in	HPU1132P
---	----------

## Disclaimer — Copyright

© Copyright 2013 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad,

iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. Celeron are trademarks of Intel Corporation in the U.S. and/or other countries.

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Nov 12, 2022 1:19 AM UTC+0000