



HP LaserJet Pro MFP M426fdn (F6W14A)

Overview



A fast, efficient MFP with robust security and innovative toner for more pages.[2]

Fast print, scan, copy, and fax performance plus robust, comprehensive security built for how you work. This MFP finishes key tasks faster and guards against threats.[1] Original HP Toner cartridges with JetIntelligence give you more pages.[2]

Speed through more tasks. Keep data protected.

Scan digital files directly to email, USB, network folders, and the cloud with preloaded business apps.[3]

More. Pages, Performance, and Protection.

Get the most prints for your money—with Original HP High Yield Black Toner cartridges with JetIntelligence.[2]

Easy management. Efficient printing.

Easily manage print jobs directly at the MFP—just tap and swipe the 3-inch (7.6 cm) touchscreen.[6]

Stay connected with easy mobile printing options

Easily print from a variety of smartphones and tablets—generally no setup or apps required.[9]

Features



Fast wake-up and print^[13]



Fast two-sided printing^[14]



One-pass, two-sided scanning



Scan to various destinations



Easy slide-off glass

Optional high-yield cartridge^[15]

[1] Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print and copy speed completed 8/2015. Subject to device settings. Actual results may vary. For details see <http://www.hp.com/go/Ljclaims>

[2] Based on cartridge yields for HP 80X compared with HP 26X Original HP LaserJet Toner Cartridges. For more information, see <http://www.hp.com/go/learnaboutsupplies>

[3] Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see <http://www.hpconnected.com>

[6] Requires a wireless access point and an Internet connection to the printer. Services require registration. App availability varies by country, language, and agreements and requires a firmware upgrade. For details, visit <http://www.hpconnected.com>

[9] Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at <http://www.hp.com/go/mobileprinting>

[13] Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

[14] Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

[15] Declared yield based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.

Specifications

Print Resolution Technologies	HP FastRes 1200, HP ProRes 1200, 600 dpi
Print quality black (best)	HP FastRes 1200
Print speed black (ISO, A4)	Up to 38 ppm
Print speed black (ISO, letter)	Up to 40 ppm
Print speed	Print speed up to 38 ppm (black)
Functions	Print, Copy, Fax, Scan
Duplex printing	Automatic (standard)
Duty cycle (monthly, A4)	Up to 80,000 pages
Duty cycle (monthly, letter)	Up to 80,000 pages
Printer smart software features	Auto-duplex printing, N-up printing, collation, HP ePrint, Apple AirPrint™, Mopria certified, Google Cloud Print, HP Auto-On/Auto-Off Technology, Intuitive 3" touchscreen control panel, Print from Cloud using business apps on the control panel, Job Storage with PIN printing, Print from USB, JetIntelligence Cartridge Technology ^[3]
Copier smart software features	Instant-on copy; Duplex copy; up to 99 multiple copies; Scan once print many; Collation; Reduce/enlarge from 25 to 400% (with page size presets); Fit to page; Customizable copy presets (two or four pages to one page); Contrast (lighter/darker); Resolution (copy quality); Network protocols supported; ID copy; Optimize copy selection (with presets: autoselect, mixed, printed picture, photograph, text), 50-page automatic document feeder with dual-head scanner
Scanner advanced features	Scan-to-E-mail; Scan-to-cloud; Scan-to-USB; Scan-to-network folder; LDAP e-mail lookup; One-pass two-sided scanning ADF (50-sheet)
Fax smart software features	Permanent fax memory backup; Auto fax reduction; Auto redialing; Delayed sending; Fax forwarding; TAM interface; Polling; Junk barrier; Distinctive ring detection; Cover page wizard; Block fax; Billing codes; Save and load; Poll receive; Fax activity reports; Dial prefix setting; Print fax log; Digital Fax Setup Wizard; Fax Setup Wizard; HP Send Fax
Energy savings feature technology	Instant-on Technology; HP Auto-On/Auto-Off Technology
Replacement cartridges	HP 26A Black LaserJet Toner Cartridge (~3100 pages), CF226A; HP 26X Black LaserJet Toner Cartridge (~9000 pages), CF226X ^[1]
Supplies feature	HP JetIntelligence Cartridge
Connectivity, standard	1 Hi-Speed USB 2.0; 1 host USB at rear side; Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE) 802.11b/g/n / 2.4 / 5 GHZ Wi-Fi radio
Modem	33.6 kbps
Network capabilities	Yes, via built-in Gigabit Ethernet
Wireless capability	No
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™-certified; Google Cloud Print 2.0; Mobile Apps

Network protocols, supported

TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, HP ePrint, Apple AirPrint™, Google Cloud Print 2.0, Mopria, FTP Print, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download

Software included

Windows 7: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Update, HP Device Toolbox, HP Printer Status and Alerts, HP Product Improvement Study, HP Scan App and Driver, Reconfigure your HP Device, Scan to E-mail Wizard, Scan to Network Folder Wizard, Warranty and Legal Guide, User Guide; Windows 8+: HP Software Installer/Uninstaller, HP PCL-6 Printer Driver, HP Device Experience (DXP), HP Scan App and Driver, Warranty and Legal Guide, User Guide, Reconfigure your HP Device; Windows XP, Windows Vista and associated servers: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Scan App and Driver, Warranty and Legal Guide, User Guide; Mac OS: Welcome Screen (Directs users to <http://www.HP.com> or OS App Source for LaserJet Software)

Compatible Operating Systems

Windows OS compatible with In-Box Driver; Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.); Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32- & 64-bit editions; Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets); Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); Windows OS compatible with Universal Print Driver (From <http://www.HP.com>); Windows XP SP3 32- & 64-bit editions (XP Home, XP Pro, etc.); Windows Vista all 32- & 64-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32- & 64-bit editions; Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets); Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); Mac OS (HP Print Drivers available from <http://www.HP.com> and Apple Store); OS X 10.8 Mountain Lion; OS X 10.9 Mavericks; OS X 10.10 Yosemite; Mobile OS (In-OS drivers); iOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP; Auto install; BOSS (3.0, 5.0); DEBIAN (6.0, 6.0.1, 6.0.2, 6.0.3, 6.0.4, 6.0.5, 6.0.6, 6.0.7, 6.0.8, 6.0.9, 6.0.10, 7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6); FEDORA (17, 18, 19, 20); LINUX MINT (13, 14, 15, 16, 17); SUSE LINUX (12.2, 12.3, 13.1); UBUNTU (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10); Manual install; MANDRIVA LINUX (2010.0, 2011.0); MEPIS (6.0, 6.5, 7.0, 8.0); PCLINUXOS (2006.0, 2006, 2007.0, 2007, 2008.0, 2008, 2009.0, 2009); RED HAT (8.0, 9.0); RED HAT ENTERPRISE LINUX (5.0, 6.0, 7.0); SLACKWARE LINUX (9.0, 9.1, 10.0, 10.1, 10.2, 11, 12, 12.1); GOS (8.04.1); IGOS (1.0); LINPUS LINUX (9.4, 9.5); LINUX FROM SCRATCH(6); Other OS; UNIX^[11]

Sustainable impact specifications

Mercury free

Energy star certified

Yes

Ecolabels

ENERGY STAR® qualified; EPEAT® Silver

Copy speed (black, normal quality, A4)

Up to 38 cpm

Copy speed black (normal, letter)

Up to 40 cpm

Copy speed black duplex (A4)

Up to 30 cpm

Copy speed black duplex (Letter)

Up to 32 cpm

Digital sending standard features

Scan-to-E-mail; Scan-to-network folder; Scan-to-Cloud

Fax Resolution Black (best)

Up to 300 x 300 dpi (halftone enabled)

Faxing	Yes
Scan speed (normal, A4)	Up to 26 ppm/47 ipm (b&w), up to 21 ppm/30 ipm (color)
Scan speed (normal, letter)	Up to 26 ppm/47 ipm (b&w), up to 21 ppm/30 ipm (color)
Scan input modes	For Scan software (included in the box) support: Windows [JPG, RAW(BMP), PDF, TIFF, PNG, RTF] and Mac [JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT]; Front-panel scan, copy, email, fax, or file buttons; HP Scan software; and user application via TWAIN or WIA
Scan technology	Contact Image Sensor (CIS)
Scanner type	Flatbed, ADF
Display area (imperial)	2.76 x 2.19 in
Display area (metric)	7 x 5.56 cm
Display	3" (7.6 cm) intuitive color touchscreen (CGD)
Minimum dimensions (W x D x H)	420 x 390 x 323 mm <i>(Without optional 550-sheet tray; Dimensions with optional 550-sheet tray: 420 x 390 x 452 mm)</i>
Minimum dimensions (W x D x H)	16.54 x 15.35 x 12.72 in
Weight	12.86 kg ^[12]
Weight	28.35 lb
Power consumption	583 watts (Print/Copy), 9.1 watts (Ready), 2.7 watts (Sleep), 0.7 watts (Auto-On/Auto-Off, via USB connectivity), 0.1 watts (Shutdown or Off) <i>([17])</i>
Power supply type	Internal (Built-in) power supply
What's in the box	HP LaserJet Pro M426fdn; Preinstalled HP 26A Black LaserJet Toner Cartridge (~3100 pages); Getting Started Guide; Setup Poster; Support Flyer; Warranty Guide; Printer documentation and software on CD-ROM; Power cord; Phone cord ^[1]
Manufacturer Warranty	One-year warranty, return to HP Authorized Service Provider

Additional specifications

Accessories	HP LaserJet 550-sheet Feeder Tray D9P29A; HP v222w 16GB Mini USB Drive POR81AA
Acoustic power emissions (active copy)	6.9 B(A) (copying with ADF running)
Acoustic power emissions (active scan)	6.3 B(A) (scanning with ADF running)
Acoustic power emissions (active, printing)	6.8 B(A) (printing at 38 ppm)
Acoustic power emissions (ready)	Inaudible
Acoustic pressure emissions bystander (active copy)	55 dB(A)
Acoustic pressure emissions bystander (active scan)	48 dB(A) (scanning with ADF running)
Acoustic pressure emissions bystander (active, printing)	55 dB(A)
Acoustic pressure emissions bystander (ready)	Inaudible
Additional information about HP	http://www.hp.com
Additional information about HP in the countries	hp.com
Auto fax reduction supported	Yes
Automatic document feeder capacity	Standard, 50 sheets
Automatic paper sensor	No
Best technical electricity consumption (TEC)	1.432 kWh/Week ^[19]
Bit depth	24-bit
Blue Angel (sleep mode)	1.36 watts
Bottom margin (A4)	5 mm
Business filter	cMPS
Cable included	Yes, 1 USB cable (AP only); No, please purchase USB cable separately (EMEA, Americas)
Cartons per layer	6
Color scanning	Yes

Compatible Network Operating Systems

Windows OS compatible with In-Box Driver; Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services); Windows Server 2008 32-/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services); Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services); Windows OS compatible with Universal Print Driver (UPD) or Product-Specific drivers from <http://www.HP.com>; Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services); MS Windows Server 2012 R2 Terminal Services; Citrix XenApp 7.5; Citrix XenDesktop 7.0; Citrix XenDesktop 7.5 MS Windows Server 2012 Terminal Services; Citrix XenApp 7.5; Citrix XenDesktop 7.0; Citrix XenDesktop 7.5; MS Windows Server 2008 R2 SP1 Terminal Services; Citrix XenApp 6.0; Citrix XenApp 6.5; Citrix XenApp 7.5; Citrix XenDesktop 5.6; Citrix XenDesktop 7.0; Citrix XenDesktop 7.5; MS Windows Server 2008 R2 Terminal Services; Citrix XenApp 6.0; Citrix XenApp 6.5; Citrix XenDesktop 5.6; MS Windows Server 2008 Terminal Services; Citrix XenApp 5.0; Citrix XenApp 5.0 Feature Pack 2 & 3; MS Windows Server 2003 Terminal Services; Citrix Presentation; ServerTM 4.5; Citrix Presentation Server 4.0; MS Windows Server 2003 Terminal Services; Citrix Presentation Server 4.5; Citrix Presentation Server 4.0; Citrix MetaFrame® Presentation; Server, 3.0; Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3); Novell Servers (<http://www.novell.com/iprint>); Novell Open Enterprise Server 11/SP1 /SP2; Novell Open Enterprise Server 2 for Linux; NetWare 6.5/SP8; Novell Clients (<http://www.novell.com/iprint>); Novell iPrint Client v5.4 for Vista & Win7 & Win8 (32bit, 64bit); Novell iPrint Client v5.4 for WinXP (32bit, 64bit)

Component type

Printer

Control panel

3" (7.6 cm) touchscreen Color Graphic Display (CGD)

Copier scaling (ADF)

25 to 400%

Copier settings

Light/Darker; Two Sided; ID copy; Optimize; Draft Mode

Copies, maximum

Up to 99 copies

Copy reduce / enlarge settings

25 to 400%

Copy resolution (black graphics)

600 x 600 dpi

Copy resolution (black text)

600 x 600 dpi

Copy resolution (color text and graphics)

600 x 600 dpi

Count of layers in pallet

5

Country of origin

Made in Philippines

Datasheet photo 1

Publication photos/M426fdw.jpg

Datasheet publication number

c04742242

Distinctive ring detection supported

Yes

From <http://123.hp.com>: HP Easy Start (Guided Software Install for Windows and Mac); From <http://www.HP.com> for Windows OS: Full-solution software and drivers (Same solution as ""Software Included""); HP PCL6 print driver only (No installer; for ""Add Printer"" installs); HP PCL6 print driver with installer; Product Documentation and Support; From <http://www.HP.com> for Mac OS: Full-solution software and drivers; For Mobile OS See ""HP Mobile Printing""

Downloadable software

(<http://www8.hp.com/us/en/ads/mobility/overview.html>) From In-OS app stores; Gotham (HP AiO Remote for Win 8); HP recommended printer drivers and software; From <http://www.HP.com> for printer administrators; Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator); HP Universal Print Drivers (PCL6, PCL5 & PS for Windows); HP ePrint Software (ePrint Mobile Driver for Windows); Linux/Unix Print Drivers; SAP (PCL5 and PS Print Drivers); HP Web JetAdmin Software; HP Proxy Agent Software; HP Imaging and Printing Security Center; HP Driver Configuration Utility; ReadIris Software

Driver updates	Latest supported operating systems and Print drivers available at http://www.hp.com/support/ljM426MFP
Duplex ADF scanning	Yes
Electromagnetic compatibility	CISPR 22:2008/EN 55022:2010 - Class B, EN 61000-3-2:2006 +A1:2009 +A2:2009, EN 61000-3-3:2008, EN 55024:2010, FCC Title 47 CFR, Part 15 Class B / ICES-003, Issue 5, GB9254-2008, GB17625.1-2012
Email addresses stored	50
Engine life	200000
Enhanced scanning resolution	Up to 1200 x 1200 dpi
Envelope Feeder	No
Fax Auto Redial	Yes
Fax Broadcast Locations	119 locations
Fax PC Interface Supported	Yes
Fax Polling	Yes (poll to receive only)
Fax Remote Retrieval	No
Fax Speed Dials, Maximum Number	Up to 120 numbers (119 group dials)
Fax Transmission Speed	33.6 kbps (4.2 kB/s)
Fax delayed sending	Yes
Fax forwarding	Yes
Fax memory	4 MB (250 slerexe pages at standard resolution)
Fax memory	4 MB (250 slerexe pages at standard resolution)
Fax phone TAM interface supported	Yes
Fax resolution black	203 x 196 dpi
Fax telephone mode supported	Yes
Fax transmission speed (letter)	3 sec per page ^[9]

File Format Supported	Scan to USB device and scan from the front panel to a network folder both only support: JPG, PDF
Finished output handling	Sheetfed
First copy out black (A4)	As fast as 7.2 sec
First copy out black (A4, sleep)	As fast as 9.7 sec
First copy out black (letter)	As fast as 6.8 sec
First copy out black (letter, sleep)	As fast as 9.1 sec
First page out black (A4, ready)	As fast as 5.6 sec ; As fast as 13.2 sec (100 V)
First page out black (A4, sleep)	As fast as 8.0 sec
First page out black (letter, ready)	As fast as 5.4 sec
First page out black (letter, sleep)	As fast as 7.4 sec ; As fast as 13.7 sec (100 V)
Fonts and typefaces	84 scalable TrueType fonts
HP ePrint capability	Yes
Input capacity	Up to 350 sheets (Tray 1: up to 100 sheets; Tray 2: up to 250 sheets)
Internal Storage	No
Junk fax barrier	Yes
Left margin (A4)	4 mm
Levels of grayscale	256
Mac compatible	Yes
Maximum Input Capacity (envelopes)	Up to 10 envelopes
Maximum Memory	256 MB
Maximum dimensions (W x D x H)	16.93 x 25 x 12.8 in
Maximum dimensions (W x D x H)	430 x 634 x 325 mm
Maximum input capacity (sheets)	Up to 900 sheets
Maximum output capacity (sheets)	Up to 150 sheets
Maximum print area	215.9 x 355.6 mm
Media size (ADF)	A4; Letter; Legal; 127 x 127 to 216 x 355.6 mm
Media size, tray 1	Letter; Legal; Executive; Oficio (8.5 x 13 in); A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; 5 x 8 in; B6 (JIS); Statement
Media size, tray 2	Letter; Legal; Executive; Oficio (8.5 x 13 in); A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; 5 x 8 in; B6 (JIS); Statement
Media size, tray 3	Letter; Legal; Executive; Oficio (8.5 x 13 in); A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; 5 x 8 in; B6 (JIS); Statement

Media sizes supported	Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope Monarch; Envelope B5; Envelope C5; Envelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; 4 x 6 in; B6 (JIS)
Media sizes supported	Tray 1: Letter; Legal; Executive; Oficio (8.5 x 13 in); 16K; Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope Monarch; Envelope B5; Envelope C5; Envelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: Letter; Legal; Executive; Oficio (8.5 x 13 in); Custom Size; 5 x 8 in; Statement
Media sizes supported, key	4 x 6 in; Letter; Legal; Envelopes
Media sizes supported, key	10 x 15 cm; A4; Envelopes
Media sizes, custom	Tray 1: 3 x 5 to 8.5 x 14 in, Tray 2, 3: 4.13 x 5.85 to 8.5 x 14 in
Media sizes, custom	Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm
Media type and capacity, ADF	Sheets: 50 (A4/letter)
Media type and capacity, tray 1	Sheets: 100; Envelopes: 10
Media type and capacity, tray 2	Sheets: 250
Media type and capacity, tray 3	Sheets: 550 (optional)
Media types	Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels; transparencies
Media weight (tray 1)	60 to 175 g/m ²
Media weight (tray 2)	60 to 120 g/m ²
Media weight (tray 3)	60 to 120 g/m ² (optional 550-sheet tray)
Media weight, supported	Tray 1: 16 to 46.6 lb; tray 2, optional 550-sheet tray 3: 16 to 32 lb
Media weight, supported	Tray 1: 60 to 175 g/m ² ; tray 2, optional 550-sheet tray 3: 60 to 120 g/m ²
Media weights, supported ADF	60 to 90 g/m ²
Media weights, supported ADF	16 to 24 lb
Memory	256 MB
Minimum System Requirements	Windows 10 (32-bit/64-bit), Windows 8.1 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit): 1 GHz processor, 1 GB RAM (32-bit) or 2 GB RAM (64-bit), 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or Network port; Windows Vista (32-bit): 1 GHz 32-bit (x86) processor, 1 GB RAM (32-bit), 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or Network port; Windows XP (32-bit) (SP2): Pentium 233 MHz processor, 512 MB RAM 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or Network port; Windows Server 2003 (32-bit) (SP1 or greater), Windows Server 2003 R2 (32-bit), Windows Server 2008 (32-bit) (SP1 or greater): 1 GHz 32-bit (x86) processor, 1 GB RAM (32-bit), 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or Network port; Windows Server 2008 (64-bit) (SP1 or greater), Windows Server 2008 R2 (64-bit), Windows Server 2008 R2 (64-bit) (SP1): 1 GHz 64-bit (x64) processor, 2 GB RAM (64-bit), 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or Network port

Minimum System Requirements for Macintosh

OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Internet; USB; 1 GB HD; OS compatible hardware (For OS hardware requirements see <http://www.apple.com>)

Multitasking supported	Yes
Native scan file format	PDF, JPG
Network ready	Standard (Built-in Gigabit Ethernet)
Non-Operating Humidity Range	10 to 90% RH
Number of print cartridges	1 (black)
Number of users	3-10 Users
Operating humidity range	10 to 80% RH
Operating temperature range	59 to 90.5°F
Operating temperature range	15 to 32.5°C
Orderable product number	F6W14A#AB0, F6W14A#ABT, F6W14A#ABY, F6W14A#ACQ, F6W14A#B13, F6W14A#B19, F6W14A#BAZ, F6W14A#BBU, F6W14A#BGJ, F6W14A#BGM
Output capacity	Up to 150 sheets
Package dimensions (W x D x H)	19.56 x 15.66 x 19.29 in
Package dimensions (W x D x H)	497 x 398 x 490 mm
Package weight	15.5 kg
Package weight	34.1 lb
Pallet dimensions	47.24 x 39.37 x 102.56 in (NA), 47.24 x 39.37 x 83.27 in (EMEA, APJ)
Pallet dimensions (W x D x H)	1200 x 1000 x 2605 mm (NA), 1200 x 1000 x 2115 mm(EMEA, APJ)
Pallet weight	1072.9 lb (NA), 868.7 lb (EMEA, APJ)
Pallet weight	487.7 kg (NA), 394.87 kg(EMEA, APJ)
Paper handling input, optional	Optional third 550-sheet tray
Paper handling input, standard	100-sheet tray 1, 250-sheet input tray 2
Paper handling output, standard	150-sheet output bin
Paper trays, maximum	3
Paper trays, standard	2
Photo (product photo, jpg, 190x170)	Printers and Multifunction/F6W14A_190x170.jpg
Photo (product photo, jpg, 400x400)	Printers and Multifunction/F6W14A_400x400.jpg
Ports	1 Hi-Speed USB 2.0; 1 Host USB; 1 Gigabit Ethernet 10/100/1000T network; Easy-access USB
Post warranty repair & maintenance	http://h10025.www1.hp.com/ewfrf/wc/welInput?cc=us&destPage=welInput&lc=en&tmp_docname=

Power	110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual voltage, product varies by part number with # Option code identifier). Not dual voltage, power supply varies by part number with # Option code identifier.
Print Technology	Laser
Print colors	No
Print languages	HP PCL 5, HP PCL 6, HP postscript level 3 emulation, direct PDF (v 1.7) printing, URF, PCLM, PWG, Native Office
Print quality black (normal)	HP FastRes 1200
Print resolution black (fine lines)	Up to 1200 x 1200 dpi
Print speed black (Landscape, A5)	Up to 63 ppm
Print speed black (Portrait, A5)	Up to 14 ppm
Print speed duplex (A4)	Up to 30 ipm
Print speed duplex (letter)	Up to 32 ipm
Print speed footnote number (A5)	[6]
Print technology	Laser
Printer Management	Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator); HP Web JetAdmin Software; HP Proxy Agent Software; HP Imaging and Printing Security Center; HP Utility (Mac); HP Device Toolbox
Printer black pages (MPV black)	1200
Processor speed	1200 MHz
Product logos	Energy Star; Blue Angel; USB
Product long name specifications	HP LaserJet Pro MFP M426fdn - Print, Copy, Scan and Fax; Up to 40 ppm (letter) and 38 ppm (A4); Scan to email, network folder, USB, and cloud; Up to 80,000 pages per month duty cycle; 750-4,000 recommended monthly page volume; Network; Auto-duplex printing; One-pass two-sided scanning
Quantity per pallet	30
RMN number	SHNGC-1401-00
Recommended media weight (duplex)	16 to 32 lb
Recommended media weight (duplex)	60 to 120 g/m ²
Recommended monthly page volume	750 to 4000 ^[5]
Recommended monthly page volume note	HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
Recommended monthly scan volume	750 to 4000

Recommended operating humidity range	30 to 70% RH
Recommended operating temperature range	17.5 to 25°C
Recommended operating temperature range	63.5 to 77°F
Replacement product number	CF286A
Resolution	1200 dpi
Resolution (black and white, standard mode)	203 x 98 dpi
Resolution (black and white, superfine mode)	300 x 300 dpi (no halftone)
Resolution (black photo grayscale)	300 x 300 dpi (halftone enabled)
Right margin (A4)	4 mm
Safety	IEC 60950-1:2005 +A1:2009+A2:2013/EN 60950-1:2006 +A11:2009 +A1:2010+A12:2011+A2:2013; IEC 60825-1:2007/EN 60825-1:2007 (Class 1 Laser/LED Product); IEC 62479:2010/EN 62479:2010; GB4943-2011
Scan resolution, hardware	Up to 1200 x 1200 dpi
Scan resolution, optical	Up to 1200 x 1200 dpi
Scan size (ADF), maximum	8.5 x 14 in
Scan size (ADF), maximum	216 x 355.6 mm
Scan size (ADF), minimum	4 x 6 in
Scan size (ADF), minimum	102 x 152 mm
Scan size, maximum	11.7 x 8.5 in
Scan size, maximum	297 x 216 mm
Scan size, minimum	1.92 x 1.92 in
Scan size, minimum	48.8 x 48.8 mm
Scan speed duplex (normal, A4)	Up to 47 ipm (b&w), up to 30 ipm (color)
Scan speed duplex (normal, letter)	Up to 47 ipm (b&w), up to 30 ipm (color)
Security management	Embedded Web Server: password-protection, secure browsing via SSL/TLS; Network: enable/disable network ports and features, SNMPv1 & SNMPv2 community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; LDAP authentication and authorization; Firewall and ACL; SNMPv3, 802.1X, Secure Boot
Software scan file format	JPEG, RAW (BMP), PNG, TIFF, PDF
Standard media sizes (duplex, imperial)	Letter; Legal; Oficio (8.5 x 13 in)
Standard output capacity (envelopes)	Up to 10 envelopes
Standard output capacity (transparencies)	Up to 75 sheets

Storage	Optional Job storage, via external rear host USB port (minimum 16 GB) ^[3]
Storage device and direct print support	USB printing
Storage temperature range	-4 to 104°F
Storage temperature range	-20 to 40°C
Sub-brand name	LaserJet Pro
SureSupply supported	Yes
Target user and print volume	For teams up to 10 users; Prints up to 4,000 pages/month
Tariff numbers	(AM) 8443310000; (EU) 8443318000; (AP) 84433130
Technology logo, print 1	Publication logos/AMS_windows_10.jpg
Technology logo, print 2	Publication logos/AMS_Windows8_compatible_hp_blue.jpg
Technology logo, print 3	Publication logos/AMS_EnergyStar.jpg
Technology logo, print 4	Publication logos/AMS_Epeat silver.jpg
Technology logo, print 5	Publication logos/AMS_USB_hi speed.jpg
Technology logo, print 6	Publication logos/AMS_mac_hires.jpg
Technology logo, print 7	Publication logos/AMS_Mopria.jpg
Telecom compliance (fax capability)	Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); FCC Part 68; Industry Canada CS03; NOM-151-SCTI-1999 (Mexico); PTC-200 (New Zealand); Other Telecom approvals as required by individual countries.
Telephone handset supported	No
Top key features	Two-sided printing; 50-sheet ADF; Scan to email/PDF
Top margin (A4)	5 mm
Twain version	Version 1.9 (Legacy OS); Version 2.1 (Windows 7 or higher)
Typical electricity consumption (TEC) number	1.432 kWh/Week (Blue Angel), 1.621 kWh/Week (Energy Star) ^[18]
UNSPSC code	43212110
UPC number	888793340561
Web address for additional information	Solutions: http://www.hp.com/go/gsc ; Fonts and IPDS Emulation: http://www.hp.com/go/laserjetfonts ; Services: http://www.hp.com/services/printer ; Paper: http://www.hp.com/go/paper ; HP ePrint center for business apps: http://www.hp.com/go/ePrintCenter

[1] Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit <http://www.hp.com/go/learnaboutsupplies>

[3] Job Storage feature requires a purchase of separate USB flash drive with a minimum of 16 GB capacity.

[5] HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

[9] Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will increase the transmission time.

[11] Not all "Compatible Operating Systems" are supported with inbox software; Full solution software available only for Windows 7 and newer; Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print drivers only; Windows RT OS for Tablets (32-bit & 64-bit) uses a simplified HP print driver built into the RT OS; UNIX Modelscripts are available on HP.com (Modelscripts are printer drivers for UNIX operating systems); Linux systems use in-OS HPLIP software; HP Software for Mac is no longer included on the CD, but can be downloaded from <http://www.hp.com> - the Mac driver and Mac Utility are installed for Mac operating systems.

[18] Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

[19] Best Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). For Best TEC, the product configuration is Wi-Fi disabled, 1 minute sleep delay, and connected to LAN.

Ink/Toner/Paper/Printer Supplies

HP Laser Toner Cartridges and Kits

★ : Recommended

HP Black and White Laser Toner Printer Cartridges

HP 26X High Yield Black Original LaserJet Toner Cartridge	CF226X ★
HP 26A 2-pack Black Original LaserJet Toner Cartridges	CF226AD1
HP 26A Black Original LaserJet Toner Cartridge	CF226A
HP 26X 2-pack High Yield Black Original LaserJet Toner Cartridges	CF226XD
HP 26X High Yield Black Original LaserJet Toner Cartridge	CF226XK

HP Paper for Multiple Uses

HP Multi-use Everyday Paper

HP All-in-One Printing Paper-250 sht/A4/210 x 297 mm	CHP712
HP All-in-One Printing Paper-500 sht/A4/210 x 297 mm	CHP710
HP Copy Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP910
HP Hi White Everyday Paper-5 reams/A4/210 x 297 mm	Q2400A
HP Hi White Everyday Paper-5 reams/Letter/8.5 x 11 in	Q2398A
HP Home and Office Paper-500 sht/A4/210 x 297 mm	CHP150
HP Office Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	HPC3HP
HP Office Paper-10 reams/Letter/8.5 x 11 in	HPC8511
HP Office Paper-2500 sht/A4/210 x 297 mm	CHP113
HP Office Paper-500 sht/A4/210 x 297 mm	CHP110
HP Office Quickpack-2500 sht/Letter/8.5 x 11 in	HP2500S
HP Premium Choice Paper-500 sht/A4/210 X 297 mm	CHP812
HP Printing Paper 90 gsm-500 sht/A4/210 x 297 mm	CHP235
HP Printing Paper-2500 sht/A4/210 x 297 mm	CHP215
HP Printing Paper-500 sht/A4/210 x 297 mm	CHP210

HP Multipurpose Paper

HP Multipurpose Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	HPM113H
HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in	HPM115R
HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in	HPM115RC
HP Multipurpose Paper-500 sht/A4/210 x 297 mm	CHP225
HP Multipurpose Paper-500 sht/Letter/8.5 x 11 in	HPM1120

HP Recycled Paper

HP Recycled Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP830
HP Recycled Paper-10 reams/Letter/8.5 x 11 in	HPE1120

HP Business Papers

HP Business Papers for laser

HP Enhanced Business Paper, Glossy, 150 g/m ² , A4 (210 x 297 mm), 150 sheets	CG965A
HP Enhanced Business Paper, Glossy, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	Q6611A
HP Enhanced Business Paper, Matte, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	Q6543A
HP Enhanced Tri-Fold Business Paper, Glossy, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	Q6612A
HP Everyday Business Paper, Glossy, 32 lb, 11 x 17 in. (279 x 432 mm), 150 sheets	4WN07A
HP Everyday Business Paper, Glossy, 32 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN08A
HP Professional Business Paper, Glossy, 52 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN10A
HP Professional Business Paper, Matte, 52 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN05A

HP Home & Office Papers

HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM, 20 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets	HPM1120R
HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets	HPM1420
HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets	HPM1420P
HP Premium24(R), 24 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets	HPJ1124P

HP Paper Designed for Laser Printers

HP Laser Everyday Paper

HP Premium Choice LaserJet Paper-500 sht/Letter/8.5 x 11 in	HPU1132P
---	----------

Solutions

Imaging and Printing Solutions

★ : Recommended

Printing SW Solution Licenses

HP HID Mobile Access Mifare DES Fire Keystroking Reader

35H11A ★

HP Document and Workflow Solutions

JetAdvantage Printing Security

Celiveo Enterprise

HP3PCELIVE0

HP Proximity Card Reader

HPPROXIMTYRDR

JetAdvantage Print Management

HP Universal Print Driver

HPUNIVPRNTDRV

HP Web Jetadmin

HPWEBJETADMIN

Accessories

Paper Handling

★ : Recommended

Input Trays

HP LaserJet Pro 550-sheet Feeder Tray

D9P29A ★

Security and Protection

Smart Cards and SmartCard Readers

HP USB Universal Card Reader

X3D03A ★

PC Drives and Storage

USB Flash Drives

HP v222w 16GB Mini USB Drive

P0R81AA

Services

HP Care Pack Services

★ : Recommended

Imaging and Printing Commercial Care Pack Services

HP Installation Service with network configuration for Personal Scanner and Printer (1 unit)	U9JT1E ★
HP 1 year Post Warranty Next Business Day Exchange LaserJet M42x Multi Function Service	U8TR5PE
HP 1 year Print At Your Service Supplies Renewal up to 3500 pages per month LaserJet Service	UC6T9PE
HP 1 year Print At Your Service Supplies Renewal up to 500 pages per month LaserJet Service	UC6T6PE
HP 1y Renewal Subscription Supply Svc for LaserJet (up to 1000 pages per month)	U9PW2PE
HP 1y Renewal Subscription Supply Svc for LaserJet (up to 2000 pages per month)	U9PW5PE
HP Print Carbon Neutral Certification Service	U34Y1E

Imaging and Printing Hardware Support Onsite Svc

HP 1 year Post Warranty Next Business Day LaserJet M42x Multi Function Hardware Support	U8TR4PE
HP 1 year Renewal Print At Your Service Next Business Day Service for LaserJet M426 MFP	U9PU6PE

Disclaimer — Copyright

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.