

Overview

Drive growth with rapid scanning performance and professional quality color.

Finish jobs faster, produce high-impact color, and get set up and connected quickly.[3,9] Easily print from your smartphone, tablet, or notebook at home, work, or on the go.[2] Conserve resources and recycle used cartridges.[8]

Expand your performance potential

Increase productivity and finish scanning jobs faster with single-pass, dual-head scanning.

Set up in a snap and stay connected

Show off with powerful color

Simplify workflows—access, store, and print business content quickly with a 3.5-inch color touchscreen.[5]

Help reduce environmental impact

Help save energy with HP Auto-On/Auto-Off Technology, Instant-on Copy, and Instant-on Technology.[6]

[3] HP LaserJet 507X Black Toner Cartridge not included; please purchase separately.

[5] Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see hp.com/go/eprintcenter). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP LaserJet printers may require firmware upgrades.

[6] HP Auto-On and Auto-Off Technology are subject to printer and settings. Instant-on Technology claim based on comparison with products that use traditional fusing. Instant-on Copy claim based on comparison with fluorescent tubes.

Specifications

Print Resolution Technologies	HP ImageREt 3600	
Print quality black (best)	Up to 600 x 600 dpi	
Print quality color (best)	Up to 600 x 600 dpi	
Print speed black (ISO, A4)	Up to 30 ppm	
Print speed black (ISO, letter)	Up to 31 ppm	
Print Speed Color (ISO)	Up to 30 ppm	
Print speed color (ISO)	Up to 31 ppm	
Print speed	Print speed up to 31 ppm (black) and 31 ppm (color)	
Functions	Print, copy, scan, fax	
Duplex printing	Automatic (standard)	
Duty cycle (monthly, A4)	Up to 75,000 pages	
Duty cycle (monthly, letter)	Up to 75,000 pages ^[11]	
Printer smart software features	HP ePrint, Apple AirPrint™, Mopria-certified, HP Auto-On/Auto-Off technology, Simplified control panel, Compact design, Clear and sharp Chinese and India fonts (China and India only)	
Scanner advanced features	Scan-to-E-mail; Scan-to-network folder (stand alone solution); Scan to Cloud; Scan to USB	
Fax smart software features	Permanent fax memory backup, auto fax reduction, auto redialing, delayed sending, fax forwarding, TAM interface, polling, junk barrier, distinctive ring detection, cover page wizard, block fax, billing codes, save and load, poll receive, fax activity reports, dial prefix setting, print fax log	
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy	
Replacement cartridges	HP 507A Black LaserJet Toner Cartridge (yield ~5500 pages) CE400A; HP 507X Black LaserJet Toner Cartridge (yield ~11,000 pages) CE400X; HP 507A Cyan LaserJet Toner Cartridge (yield ~6000 pages) CE401A; HP 507A Yellow LaserJet Toner Cartridge (yield ~6000 pages) CE402A; HP 507A Magenta LaserJet Toner Cartridge (yield ~6000 pages) CE403A ^[4]	
Connectivity, standard	1 Hi-Speed USB 2.0; 1 Host USB; 1 Gigabit 10/100/1000T Ethernet; 1 RJ-11 (Fax); 1 RJ-11 (Phone only)	
Modem	33.6 kbps	
Network capabilities	Yes, via built-in Gigabit 10/100/1000T Ethernet	
Wireless capability	No	
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™-certified	
Network protocols, supported	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP Print, FTP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless); Security: SSL Security and certificate management, 802.1x	

Software included	Windows: HP Installer/Uninstaller, HP PCL 6 print driver, HP WIA Scan Driver, HP TWAIN Scan Driver, HP Scan, HP Fax Setup Wizard, HP Send Fax, HP Fax Print Driver, Status Alerts, HP Update, DXP; Mac: HP Installer/Uninstaller, HP Postscript driver, HP Scan, HP Setup Assistant, HP Fax Print Driver, HP Utility, HP Firmware Updater	
Compatible Operating Systems	Full software installs supported on: Windows 10 (32-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows 7 (32-bit and 64-bit), Windows Vista (32-bit and 64-bit), Windows XP (32-bit) (SP2 or higher), and Windows Server 2012; Driver only installs supported on: Windows Server 2008 (32-bit and 64-bit), Windows Server 2008 R2, Windows Server 2003 (32-bit) (SP3 or higher); Mac OS X v 10.6, OS X Lion (10.7) & OS X Mountain Lion (10.8); Linpus Linux (9.4, 9.5), Red Hat Enterprise Linux 5.0 (supported with a pre-built package), SuSE Linux (10.3, 11.0, 11, 11.1, 11.2), Fedora (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), Ubuntu (8.04, 8.04.1, 8.04.2, 8.10, 9.04, 9.10, 10.04), Debian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installer); HPUX 11 and Solaris 8/9 ^[16] (For Windows Server 2003 32-bit and 2008 32-bit and 64-bit only the printer driver and scanner driver are installed.)	
Energy star certified	No	
Ecolabels	CECP; EPEAT® Silver	
Copy speed (black, normal quality, A4)	Up to 30 cpm	
Copy speed (color, normal quality, A4)	Up to 30 cpm	
Copy speed black (normal, letter)	Up to 31 cpm	
Copy speed color (normal, letter)	Up to 31 cpm	
Digital sending standard features	Scan-to-E-mail with LDAP e-mail address lookup	
Fax Resolution Black (best)	Up to 300 x 300 dpi	
Faxing	Yes	
Scan speed (normal, A4)	Up to 19.5 ppm (b&w), up to 14 ppm (color)	
Scan speed (normal, letter)	Up to 20.5 ppm (b&w), up to 15 ppm (color)	
Scan input modes	From PC: Solution Center Lite (Windows Vista®, Windows® XP) or Device Stage (Windows® 7); TWAIN-compliant or WIA-compliant software	
Scan technology	Contact Image Sensor (CIS)	
Scanner type	Flatbed, ADF	
Display	3.5" (8.89 cm) touchscreen, LCD (color graphics)	
Minimum dimensions (W x D x H)	515 x 500 x 538 mm	
Weight	40.8 kg	
Power consumption	605 watts (Printing), 440 watts (Copying), 52 watts (Ready), 8.1 watts (Sleep), 0.3 watts (Off) ^[3] (Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.)	
Power supply type	Internal (Built-in) power supply	

|--|

Manufacturer Warranty One-year, on-site limited warranty

Additional specifications

Accessories	HP Color LaserJet 500-sheet Paper and Heavy Media Tray CF084A, HP LaserJet Printer Cabinet CF085A, HP Color LaserJet CE254A Toner Collection Unit CE254A, 110-volt Fuser Kit CE484A, 220-volt Fuser Kit CE506A	
Acoustic power emissions (active copy)	6.7 B(A)	
Acoustic power emissions (active, printing)	6.6 B(A)	
Acoustic power emissions (ready)	4.7 B(A)	
Acoustic power note	Values are subject to change. For current information see Product Support page at hp.com/support. Configuration tested for printing: simplex, mono and simplex, color. Configuration tested for copying: duplex, color.	
Acoustic pressure emissions bystander (active copy)	53 dB(A)	
Acoustic pressure emissions bystander (active, printing)	52 dB(A)	
Acoustic pressure emissions bystander (ready)	33 dB(A)	
Additional information about HP	http://www.hp.com	
Additional information about HP in the countries	hp.com	
Auto fax reduction supported	Yes	
Automatic document feeder capacity	Standard, 50 sheets	
Automatic paper sensor	No	
Bit depth	24-bit (8-bit for color duplex jobs)	
Bottom copy margin	4.2 mm	
Bottom margin (A4)	5 mm	
Business filter	cMPS	
Cable included	No, please purchase USB cable separately	
Cartons per layer	1 (EMEA); 2 (AMS, APJ)	
Color scanning	Yes	
Component type	Printer	
Control panel	3.5-in intuitive touchscreen control panel with color graphic display; Buttons (Home, Cancel, Help, Right/Left Arrows, Back); LED indicator lights (Ready, Error, Wireless)	
Copier scaling (ADF)	25 to 400%	

Copier settings	Number of copies; Reduce/Enlarge; Ligher/Darker; Optimize; Paper; Multipage copy; Collation; Tray select; Two-sided; Draft mode; Image adjustment; Set as new defaults; Restore defaults	
Copies, maximum	Up to 99 copies	
Copy margin left	4.2 mm	
Copy margin right	4.2 mm	
Copy margin top	4.2 mm	
Copy reduce / enlarge settings	25 to 400%	
Copy resolution (black graphics)	Up to 300 x 300 dpi	
Copy resolution (black text)	Up to 300 x 300 dpi	
Copy resolution (color text and graphics)	Up to 300 x 300 dpi	
Copy speed note	First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration and document.	
Count of layers in pallet	1 (EMEA); 3 (AMS, APJ)	
Country of origin	Made in China	
Datasheet photo 1	Publication photos/M570dn.jpg	
Distinctive ring detection supported	Yes	
Downloadable software	Windows Full Software Solution; HP Universal Print Drivers; HP PrintView; HP EcoPrint Console; HP ePrint Mobile Driver; Mac Software Solution; Linux Software Solution; Unix Print Driver	
Driver updates	Latest supported operating systems and print drivers available at hp.com/go/support	
Duplex ADF scanning	Yes, dual head duplexing, color scan	
Duty cycle note	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.	
Electromagnetic compatibility	CISPR 22: 2008/EN 55022: 2010 Class A, EN 61000-3-2: 2006+A1:2009+A2:2009, EN 61000-3-3:2008, EN 55024: 1998+A1+A2, FCC Title 47 CFR, Part 15 Class A (USA), ICES-003, Issue 4, (Canada), GB9254-2008, GB17625.1-2003, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries	
Engine life	300000	
Envelope Feeder	No	
FCC Class A emissions	FCC Class A emissions - for use in commercial environments, not residential environments	
Fax Auto Redial	Yes	
Fax Broadcast Locations	120	

Fax PC Interface Supported	Yes, PC fax send only	
Fax Polling	Yes (receive only)	
Fax Remote Retrieval	No	
Fax Speed Dials, Maximum Number	Up to 120 numbers	
Fax Transmission Speed	33.6 kbps	
Fax Transmission Speed Note	Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.	
Fax delayed sending	Yes	
Fax forwarding	Yes	
Fax memory	Up to 250 pages	
Fax memory	Up to 250 pages	
Fax phone TAM interface supported	Yes	
Fax resolution black	203 x 196 dpi	
Fax telephone mode supported	Yes	
Fax transmission speed (letter)	3 sec per page ^[8]	
Finished output handling	Sheetfed	
First copy out black (letter)	As fast as 10 sec	
First copy out color (letter)	As fast as 14 sec	
First page out black (A4, ready)	As fast as 10.5 sec	
First page out black (letter, ready)	As fast as 10.5 sec	
First page out color (A4, ready)	As fast as 10.5 sec	
First page out color (letter, ready)	As fast as 10.5 sec	
First page out color (letter, sleep)	As fast as 15 sec	
First page out footnote	Exact speed varies depending on the system configuration, software application, driver and document complexity.	
Fonts and typefaces	84 scalable TrueType fonts	
HP ePrint capability	Yes	
Input capacity	Up to 350 sheets	
Junk fax barrier	Yes	
Left margin (A4)	5 mm	
Levels of grayscale	256	
Mac compatible	Yes	
Maximum Input Capacity (envelopes)	Up to 10 envelopes	
Maximum Memory	256 MB	
Maximum dimensions (W \times D \times H)	825 x 915 x 948 mm	

Maximum input capacity (sheets)	Up to 850 sheets
Maximum output capacity (sheets)	Up to 250 sheets
Maximum print area	210.9 x 350.6 mm
Media size (ADF)	Letter; legal; executive; A4; A5; B5 (JIS); statement; 4 x 6; custom sizes 127 x 127 to 216 x 356 mm
Media size, tray 1	A4; A5; A6; B5 (JIS); B6 (JIS); 16K; 10 x 15 cm; postcards (JIS single, JIS double); envelopes (ISO DL, ISO C5, ISO B5)
Media size, tray 2	A4; A5; B5 (JIS); 16K
Media size, tray 3	A4; A5; B5 (JIS); 16K
Media sizes supported	Tray 1: A4; A5; A6; B5 (JIS); B6 (JIS); 16K; 10 x 15 cm; postcards (JIS single, JIS double); envelopes (ISO DL, ISO C5, ISO B5); Tray 2, optional Tray 3: A4; A5; B5 (JIS); 16K; Automatic two-sided printing unit: A4; A5; B5 (JIS)
Media sizes supported	Tray 1: Letter, legal, executive, 8.5×13 in, 4×6 in, 5×8 in, envelopes (No 10, Monarch); Tray 2: letter, executive; Optional tray 3: letter, legal, executive, 8.5×13 in; Automatic two-sided printing unit: letter, legal, executive, 8.5×13 in
Media sizes supported, key	4 x 6 in; Letter; Legal; Envelopes
Media sizes supported, key	10 x 15 cm; A4; Envelopes
Media sizes, custom	Tray 1: 76×127 to 216×356 mm; Tray 2: 148×210 to 216×297 mm; Optional 500-sheet tray 3: 148×210 to 216×356 mm; Automatic two-sided printing unit: 148×210 to 216×356 mm
Media sizes, custom	Tray 1: 3×5 in to 8.5×14 in; Tray 2: 5.8×8.3 in to 8.5×11.7 in; Optional Tray 3: 5.8×8.3 in to 8.5×14 in; Automatic two-sided printing unit: 5.8×8.3 in to 8.5×14 in
Media type and capacity, ADF	Sheets: 50
Media type and capacity, tray 1	Sheets (75 g/m²): 100; labels, transparencies, cardstock (163 g/m²): 50; cardstock (216 g/m²): 30; envelopes: 10
Media type and capacity, tray 2	Sheets (75 g/m²): 250; cardstock (163 g/m²), labels, transparencies: 100
Media type and capacity, tray 3	Sheets (75 g/m²): 500; cardstock (163 g/m²), labels, transparencies: 200 (optional tray)
Media types	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, transparencies, labels, envelopes
Media weight (tray 1)	60 to 216 g/m² (plain paper), 105 to 220 g/m² (glossy paper)
Media weight (tray 2)	60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper)
Media weight (tray 3)	60 to 176 g/m 2 (plain paper), 105 to 220 g/m 2 (glossy paper) (optional 500-sheet tray)
Media weight, supported	Tray 1: 60 to 216 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Tray 3: 60 to 176 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automatic two-sided printing unit: 60 to 163 g/m² (plain paper), 105 to 220 g/m² (glossy paper)
Media weight, supported	Tray 1: 16 to 58 lb (plain paper); 28 to 58 lb (glossy paper); Tray 2: 16 to 43 lb (plain paper); 28 to 58 lb (glossy paper); Optional Tray 3: 16 to 47 lb (plain paper); 28 to 58 lb (glossy paper)

Media weights, supported ADF	60 to 90 g/m ²	
Memory	256 MB	
Memory upgrade	Not expandable	
Minimum System Requirements	Windows 8, Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit): 1 GHz 32-bit (x86) or 64-bit (x64) processor, 1 GB RAM (32-bit) or 2 GB RAM (64-bit), 400 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port; Windows XP (32-bit) SP2: Pentium® 233 MHz processor, 512 MB RAM 400 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port	
Minimum System Requirements for Macintosh	Mac OS X Mountain Lion (v 10.8), OS X Lion (10.7x), 10.6x; 1 GB hard disk, CD-ROM/DVD-ROM or Internet, USB	
Multitasking supported	Yes	
Native scan file format	PDF, JPG	
Network ready	Standard (built-in Gigabit 10/100/1000T Ethernet)	
Non-Operating Humidity Range	10 to 90% RH	
Number of print cartridges	4 (1 each black, cyan, magenta, yellow)	
Number of users	5-15 Users	
Operating humidity range	10 to 70% RH	
Operating temperature range	50 to 81ºF	
Operating temperature range	10 to 30°C	
Output capacity	Up to 250 sheets	
Package dimensions (W x D x H)	733 x 644 x 730 mm	
Package weight	101.2 lb	
Package weight	45.9 kg	
Page yield footnote	Declared yield value in accordance with ISO/IEC 19798 in continuous printing. Actual yields vary considerably based on images printed and other factors. For more information visit: hp.com/go/learnaboutsupplies	
Pallet dimensions (W x D x H)	756 x 680 x 869 mm (EMEA); 1325 x 756 x 2190 mm (AMS, APJ)	
Pallet weight	608 lb	
Pallet weight	276.4 kg	
Paper handling input, optional	Optional 500-sheet paper tray 3	
Paper handling input, standard	100-sheet multipurpose tray, 250-sheet input tray 2, 50-sheet automatic document feeder	
Paper handling output, standard	250-sheet face-down output bin	
Paper trays, maximum	3	
Paper trays, standard	2	
Ports	1 Hi-Speed USB 2.0; 1 Host USB; 1 Gigabit 10/100/1000T Ethernet; 2 RJ-11	
Power	Input voltage 110 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 12 A	
Print Technology	Laser	

Print colors	Yes	
Print languages	HP PCL 6, HP PCL 5, HP postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible	
Print quality black (normal)	Up to 600 x 600 dpi	
Print speed duplex (A4)	Up to 27 ipm	
Print speed duplex (letter)	Up to 29 ipm	
Print technology	Laser	
Printer Management	Windows: HP Device Toolbox, Status Alerts (default install), SNP Alerts (minimum network install), HP Web Jetadmin (download); Mac: HP Utility	
Printer black pages (MPV black)	1050	
Printer color pages (MPV color)	700	
Processor speed	800 MHz	
Product short name specifications	HP LaserJet Pro 500 color MFP M570dn, Print, copy, scan, fax, 50-sheet ADF; Scan to email/PDF; Two-sided printing	
Quantity per pallet	1 (EMEA); 6 (AMS, APJ)	
RMN number	B0ISB-1200-00	
Recommended media weight (duplex)	16 to 43 lb	
Recommended media weight (duplex)	60 to 163 g/m ²	
Recommended monthly page volume	1500 to 4000 ^[12]	
Recommended monthly page volume note	HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.	
Recommended operating humidity range	20 to 60% RH	
Recommended operating temperature range	59 to 80.6ºF	
Recommended operating temperature range	15 to 27ºC	
Replacement cartridges footnote	Note: ships with preinstalled standard toner cartridges (yield ~5500 black, ~6000 cyan, magenta, and yellow pages)	
Resolution	Up to 300 x 300 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (mono, flatbed)	
Resolution (black and white, standard mode)	203 x 98 dpi	
Resolution (black and white, superfine mode)	300 x 300 dpi (no halftone)	
Resolution (black photo grayscale)	300 x 300 dpi	
,		
Right margin (A4)	5 mm	

Safety	IEC 60950-1+A1 (International), EN 60950-1+A11 +A1+A12 (EU), IEC 60825-1, UL/cUL Listed (US/Canada), GS License (Europe), EN 60825-1 (Class 1 Laser/LED Device), Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries	
Scan file format footnote	HP Scan software included in the box - file formats supported through software running on a PC	
Scan resolution, hardware	Up to 300 x 300 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (mono, flatbed)	
Scan resolution, optical	Up to 300 x 300 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (mono, flatbed)	
Scan size (ADF), maximum	216 x 356 mm	
Scan size (ADF), maximum	8.5 x 14 in	
Scan size (ADF), minimum	5 x 7 in	
Scan size (ADF), minimum	127 x 177 mm	
Scan size, maximum	216 x 297 mm	
Scan size, maximum	8.5 x 11.7 in	
Scan size, minimum	Any size smaller than A4	
Scan size, minimum	Any size smaller than A4	
Scan speed duplex (normal, A4)	Up to 35.5 ipm (b&w), up to 13.5 ipm (color)	
Scan speed duplex (normal, letter)	Up to 36 ipm (b&w), up to 13.5 ipm (color)	
Scan speed footnote	Scan speed measured from ADF with default settings (save to PDF). Exact speed varies depending on the system configuration and document complexity.	
Security management	Embedded Web Server: password-protection, secure browsing via SSL/TLS; Network: enable/disable network ports and features, SNMPv1 community password change, SNMPv3, 802.1x, Firewall, Access Control List; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication	
Software scan file format	Windows: JPG, BMP, PDF, TIFF, PNG, RTF; Mac: JPG, TIFF, PNG, PDF, Searchable PDF, RTF, TXT	
Standard media sizes (duplex)	A4; A5; B5 (JIS)	
Standard media sizes (duplex, imperial)	Letter; legal; executive; 8.5 x 13 in	
Standard output capacity (envelopes)	Up to 10 envelopes	
Standard output capacity (transparencies)	Up to 100 sheets	
Storage device and direct print support	Storage devices not supported	
Storage temperature range	0 to 35ºC	
Storage temperature range	32 to 95ºF	
SureSupply supported	Yes	

Target user and print volume	For teams up to 15 users; Prints up to 4,000 pages/month	
Tariff numbers	8443310000 (AM); 8443318000 (EU)	
Technology logo, print 1	Publication logos/AMS_EnergyStar.jpg	
Technology logo, print 2	Publication logos/AMS_Compatible with Win7.jpg	
Technology logo, print 3	Publication logos/AMS_hp_eprint.jpg	
Technology logo, print 4	Publication logos/AMS_USB_hi speed.jpg	
Technology logo, print 5	Publication logos/AMS_mac_hires.jpg	
Technology logo, print 6	Publication logos/AMS_AirPrint.jpg	
Telecom compliance (fax capability)	Fax Telecom: ES 203 021; FCC Part 68; Industry Canada CS03; NOM-151-SCTI-1999 (Mexico); other Telecom approvals as required by individual countries	
Telephone handest supported	No	
Telephone handset supported	NU	
Top key features	50-sheet ADF; Scan to email/PDF; Two-sided printing	
Top key features	50-sheet ADF; Scan to email/PDF; Two-sided printing	
Top key features Top margin (A4)	50-sheet ADF; Scan to email/PDF; Two-sided printing 5 mm	
Top key features Top margin (A4) Twain version Typical electricity consumption	50-sheet ADF; Scan to email/PDF; Two-sided printing 5 mm Version 1.9	
Top key features Top margin (A4) Twain version Typical electricity consumption (TEC) number	50-sheet ADF; Scan to email/PDF; Two-sided printing 5 mm Version 1.9 3.259 kWh/Week	
Top key features Top margin (A4) Twain version Typical electricity consumption (TEC) number UNSPSC code	50-sheet ADF; Scan to email/PDF; Two-sided printing 5 mm Version 1.9 3.259 kWh/Week 43212110 (201) 886112935283; (696) 886112935252; (ABJ) 887111302854; (BGJ)	

[3] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

[4]Note: ships with preinstalled standard toner cartridges (yield ~5500 black, ~6000 cyan, magenta, and yellow pages)

[8]Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.

[11]Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

[12]HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

Ink/Toner/Paper/Printer Supplies

HP Laser Toner Cartridges and Kits

HP Color Laser Toner Printer Cartridges

HP Color LaserJet CE977A 110V Fuser Kit	CE977A ★
HP Color LaserJet CE980A Toner Collection Unit	CE980A ★
HP 507A Black Original LaserJet Toner Cartridge	CE400A
HP 507A Cyan Original LaserJet Toner Cartridge	CE401A
HP 507A Magenta Original LaserJet Toner Cartridge	CE403A
HP 507A Yellow Original LaserJet Toner Cartridge	CE402A
HP 507X High Yield Black Original LaserJet Toner Cartridge	CE400X
HP Color LaserJet CE254A Toner Collection Unit	CE254A
HP Color LaserJet CE484A 110V Fuser Kit	CE484A
HP Color LaserJet CE506A 220V Fuser Kit	CE506A
UD Lacor Drintor Cumply Vite	

★: Recommended

HP Laser Printer Supply Kits

HP LaserJet CE516A Transfer Kit	CE516A ★
---------------------------------	----------

HP Maintenance Kits

HP ScanJet Maintenance Kits

HP 100 ADF Roller Replacement Kit	L2718A
-----------------------------------	--------

HP Business Papers

HP Business Papers for laser

HP Enhanced Business Paper, Glossy, 150 g/m2, A4 (210 x 297 mm), 150 sheets	CG965A
HP Everyday Business Paper, Glossy, 32 lb, 11 x 17 in. (279 x 432 mm), 150 sheets	4WN07A
HP Everyday Business Paper, Glossy, 32 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN08A
HP Professional Business Paper, Glossy, 52 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN10A
HP Professional Business Paper, Matte, 52 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN05A

Services

Printer (1 unit)

HP Care Pack Services

Imaging and Printing Hardware Support Onsite Svc

HP Installation Service with network configuration for Personal Scanner and

HP 3 year Next business day Color LaserJet M570 MultiFunction Printer Hardware Support	U6Y78E ★
HP 1 year Post Warranty 4 hour 9x5 Color LaserJet M570 MultiFunction Printer Hardware Support	U6Y92PE
HP 1 year Post Warranty Next business day Color LaserJet M570 MultiFunction Printer Hardware Support	U6Y90PE
HP 3 year 4 hour 13x5 Color LaserJet M570 MultiFunction Printer Hardware Support	U6Y82E
HP 3 year 4 hour 9x5 Color LaserJet M570 MultiFunction Printer Hardware Support	U6Y81E
Imaging and Printing Commercial Care Pack Services	

★: Recommended

U9JT1E

Accessories

Paper Handling ★: Recommended

Input Trays

HP Color LaserJet 3x500-sheet Paper Feeder and Stand	CE725A ★
HP Color LaserJet 500-sheet Paper Tray	CE860A ★
HP LaserJet 1x500-sheet Paper Feeder and Stand	CE792A ★

Solutions

HP Document and Workflow Solutions

★: Recommended

JetAdvantage Printing Security

Celiveo Enterprise	HP3PCELIVEO
HP Access Control Secure Printing and Job Accounting Solution	HPACSOLUTION
JetAdvantage Print Management	
HP Universal Print Driver	HPUNIVPRNTDRV
HP Web Jetadmin	HPWEBJETADMIN

Disclaimer — Copyright

© Copyright 2015 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Nov 12, 2022 1:26 AM UTC+0000