



HP LaserJet Enterprise 700 Printer M712xh (CF238A)



Overview

Get fast black-and-white printing up to A3—with energy-saving features and security controls.

Enable high-volume, black-and-white printing on paper sizes up to A3—and capacity up to 4600 sheets.[1] Control costs with energy-saving features and two-sided printing. Protect sensitive business data and centrally manage printing policies.

Upsize and accelerate—fast A3 printing

Save time and keep business moving with blazing-fast printing from this black-and-white A3 workgroup printer.

Conserve resources and help control costs

Save energy—Auto On/Auto Off turns your printer on when you need it, and off when you don't.[6]

Simplify IT management and safeguard data

Boost printing and imaging safeguards and help protect business data with fleet-level security solutions.

Invest in a forward-thinking, easy-to-use solution

Extend the value of your investment—easily update and expand device capabilities with HP FutureSmart Firmware.

Features



A3 support



2-sided printing



Only the power you need^[11]



Prints in a flash, savings that last^[12]



On-the-go printing with HP ePrint^[13]



Ethernet (printer)

[1] The base paper capacity of the HP LaserJet Enterprise 700 printer M712xh is 1100 sheets (2 x 250-sheet trays, 1 x 100-sheet multipurpose tray, and 1 x 500-sheet tray). With optional accessories, the maximum capacity is 4600 sheets.

[6] HP Auto-On and Auto-Off capabilities subject to printer and settings.

[11] HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

[12] When compared with fluorescent tubes.

[13] Requires an Internet connection to an HP ePrint-enabled printer. Printer requires ePrint account registration. App or software may be required. Wireless operations are compatible with 2.4 GHz operations only. Print times and connection speeds may vary. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. Learn more at <http://www.hp.com/go/mobileprinting>

Specifications

Print Resolution Technologies	HP ProRes 1200, HP FastRes 1200, HP REt, 600 dpi, 300 dpi
Print quality black (best)	Up to 1200 x 1200 dpi
Print speed black (ISO, A4)	Up to 41 ppm
Print speed black (ISO, letter)	Up to 40 ppm
Print speed	Print speed up to 41 ppm (black)
Functions	Print
Duplex printing	Automatic (standard)
Duty cycle (monthly, A4)	Up to 100,000 pages
Duty cycle (monthly, letter)	Up to 100,000 pages ^[2]
Printer smart software features	HP ePrint, Apple AirPrint™, Mopria-certified, HP Auto On/Auto Off technology, FutureSmart Firmware, Hardware Integration Pocket, Easy Access USB
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology
Replacement cartridges	HP 14A Black LaserJet Toner Cartridge (~10,000 yield) CF214A; HP 14X Black LaserJet Toner Cartridge (~17,500 yield) CF214X
Connectivity, standard	2 Hi-Speed USB 2.0; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000 Base-T; 1 Hi-Speed USB 2.0 Easy Access Walkup Port; 1 Hardware Integration Pocket (HIP)
Connectivity, optional	802.11b/g/n wireless LAN (station mode), other networking accessories, HP Jetdirect 2700w USB Wireless Print Server
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard); 802.11b/g/n wireless networking (optional)
Wireless capability	Optional, enabled with purchase of a hardware accessory
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™-certified
Network protocols, supported	IPv4/IPv6: Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print
Software included	Windows Installer, HP PCL 6 discrete driver, Mac Installer, HP Postscript emulation driver

Compatible Operating Systems

Windows 10, Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008 (32 and 64-bit), Windows Server 2008 R2 (64-bit); Mac OS X v10.6, 10.7; For the latest operating system support see: Citrix and Windows Terminal Services (<http://www.hp.com/go/upd>); Novell (<http://www.novell.com/iprint>); Linux (<http://www.hplip.net>); UNIX (<http://www.hp.com/go/unix>, <http://www.hp.com/go/unixmodelscripts>, http://www.hp.com/go/jetdirectunix_software); SAP device types (<http://www.hp.com/go/sap/drivers>, <http://www.hp.com/go/sap/print>); HP ePrint Mobile Driver (<http://www.hp.com/go/eprintmobiledriver>)

(Windows Installer has the same Operating System support as the driver except the following: Windows XP® SP2+ (32-bit only); Windows® Server 2003 SP1+ (32-bit only); Windows Vista® Starter not supported in Driver nor Installer)

Energy star certified

Yes

Ecolabels

ENERGY STAR® qualified; EPEAT® Silver; Taiwan Green Mark

Blue Angel compliant

Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies

Display

2-in, 4-line LCD (color text and graphics)

Minimum dimensions (W x D x H)

568 x 596 x 517 mm

Minimum dimensions (W x D x H)

22.4 x 23.4 x 20.4 in

Weight

49.8 kg

Weight

109.8 lb

Power consumption

786 watts (Printing), 22.1 watts (Ready), 6.1 watts (Sleep), 0.21 watts (Off)

(Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages; this will damage the printer and void the product warranty. Values subject to change, see hp.com/support for current information.)

Power supply type

Built-in power supply

What's in the box

HP LaserJet Enterprise 700 M712xh Printer (includes built-in automatic two-sided printing, HP Jetdirect Gigabit Ethernet embedded print server, and High-Performance Secure 250 GB Hard Disk); HP Black LaserJet Toner Cartridge (~10,000 pages); Getting Started Guide; CD containing drivers and electronic documentation; Power cord; 500-sheet input tray

Manufacturer Warranty

One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to <http://www.hp.com/support> to learn about HP award winning service and support options in your region.

Additional specifications

Accessories	HP LaserJet 3500-sheet HCI Feeder and Stand CF245A, HP LaserJet Duplex Printing Assembly CF240A, HP LaserJet 110V Maintenance/Fuser Kit CF249A, HP LaserJet 220V Maintenance/Fuser Kit CF254A, HP 512 MB 144-pin x32 DDR2 DIMM CE483A
Acoustic power emissions (active, printing)	6.8 B(A)
Acoustic power emissions (ready)	Inaudible
Acoustic power note	Acoustic values are subject to change. For current information see hp.com/support . Configuration tested: M712dn model, simplex printing, A4 paper at an average of 41 ppm.
Acoustic pressure emissions bystander (active, printing)	54 dB(A)
Acoustic pressure emissions bystander (ready)	Inaudible
Additional information about HP	http://www.hp.com
Additional information about HP in the countries	hp.com
Automatic paper sensor	No
Bottom margin (A4)	2 mm
Business filter	cMPS
Cable included	No, please purchase USB cable separately
Capacity	250 GB
Cartons per layer	1
Component type	Printer
Control panel	2-in, 4-line LCD (color text and graphics); job control buttons; LED status indicators; 10-button keypad, Hardware Integration Pocket; easy access USB
Count of layers in pallet	2 (Americas, AP); 1 (EMEA)
Country of origin	Made in China
Datasheet photo 1	Publication photos/CF238A.jpg
Datasheet photo 4	Publication photos/LJ Ent 700 M712 wkp.jpg
Driver updates	Current HP printer drivers and software for all supported operating systems can be obtained from HP Support Web site, hp.com/go/lj700M712_software
Duty cycle note	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
Eco label	ENERGY STAR® qualified

Electromagnetic compatibility

CISPR 22:2008 / EN 55022:2010 (Class A); EN 61000-3-2 :2006 +A1:2009 +A2:2009; EN 61000-3-3 :2008;EN 55024:1998 +A1 +A2; FCC Title 47 CFR, Part 15 Class A(USA); ICES-003, Issue 4 (Canada); other EMC approvals as required by individual countries

Engine life	900000
Envelope Feeder	No
FCC Class A emissions	FCC Class A emissions - for use in commercial environments, not residential environments
Finished output handling	Sheetfed
First page out black (A4, ready)	As fast as 10.5 sec
First page out black (letter, ready)	As fast as 10.5 sec
First page out black (letter, sleep)	As fast as 23.5 sec
HP ePrint capability	Yes
Input capacity	Up to 1100 sheets
Internal Storage	Standard, High-Performance Secure Hard Disk, 500 GB
Left margin (A4)	2 mm
Mac compatible	Yes
Maximum Memory	1 GB
Maximum dimensions (W x D x H)	858 x 989 x 517 mm
Maximum dimensions (W x D x H)	33.8 x 38.9 x 20.4 in
Maximum input capacity (sheets)	Up to 4600 sheets (CF239A (1x) and CF243A can be installed together; no other input accessories can be combined)
Maximum metric depth	989
Maximum metric height	517
Maximum metric width	858
Maximum output capacity (sheets)	Up to 250 sheets
Media size, tray 1	A3; A4; A5; B4 (JIS); B5 (JIS); 76.2 x 127 to 312 x 469.9 mm
Media size, tray 2	A4; A5; B4 (JIS); B5 (JIS); 148 x 210 to 297 x 363 mm
Media size, tray 3	A3; A4; A5; B4 (JIS); B5 (JIS); 148 x 210 to 297 x 431 mm
Media sizes supported	Tray 1: Letter, legal, executive, 8.5 x 13 in, 11 x 17 in; Tray 2: Letter, legal, executive, 8.5 x 13 in; Tray 3: letter, legal, executive, 8.5 x 13 in, 11 x 17 in; Tray 4: letter, letter-R, legal, executive, 8.5 x 13 in, 11 x 17 in, 16K
Media sizes supported	Tray 1, 2: A3; A4; A5; B4 (JIS); B5 (JIS); Tray 3: A3; A4; A5; B4 (JIS); B5 (JIS); Tray 4: A3; A4; A4-R; A5; B5 (JIS)
Media sizes supported, key	A4; A3
Media sizes supported, key	Letter; Legal; 11 x 17 in
Media sizes, custom	Tray 1: 76.2 x 127 to 312 x 469.9 mm; Tray 2: 148 x 210 to 297 to 363 mm; Tray 3, 4: 148 x 210 to 297 to 431 mm
Media sizes, custom	Tray 1: 3 x 5 to 12.3 x 18.5 in; Tray 2: 5.8 x 8.3 to 11.7 to 14.3 in; Tray 3, 4: 5.8 x 8.3 to 11.7 to 17 in

Media type and capacity, tray 1	Sheets: 100; envelopes: 10; labels: 100; transparencies: 100; postcards: 10
Media type and capacity, tray 2	Sheets: 250
Media type and capacity, tray 3	sheets: 250; sheets: 500 (tray 4)
Media types	Paper (color, letterhead, light, plain, preprinted, prepunched, recycled, rough, tough paper), bond, cardstock, envelope, labels, transparency, vellum
Media weight (tray 1)	60 to 199 g/m ²
Media weight (tray 2)	60 to 120 g/m ²
Media weight (tray 3)	60 to 120 g/m ²
Media weight, supported	Tray 1: 16 to 53 lb; Tray 2, 3, 4: 16 to 32 lb
Media weight, supported	Tray 1: 60 to 199 g/m ² ; Tray 2, 3, 4: 60 to 120 g/m ²
Memory	512 MB
Memory Slots	One 144 pin DDR2 DIMM slot
Memory upgrade	Expandable to 1 GB through 1 industry-standard DIMM slot
Metric depth	596
Metric height	517
Metric width	568
Minimum System Requirements	Windows 10, Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008, Windows Server 2008 R2; 200 MB available hard disk space; operating system compatible hardware system requirements, see http://www.microsoft.com
Minimum System Requirements for Macintosh	Mac OS X v10.6, 10.7; 200 MB available hard disk space; operating system compatible hardware system requirements, see apple.com
Network ready	Standard (built-in Gigabit Ethernet)
Non-Operating Humidity Range	10 to 90% RH
Number of print cartridges	1 (black)
Number of users	10-30 Users
Operating humidity range	20 to 80% RH
Operating temperature range	10 to 32.5°C
Operating temperature range	50 to 91°F
Output capacity	Up to 250 sheets
Package dimensions (W x D x H)	810 x 785 x 924 mm (Americas, AP); 825 x 800 x 1074 mm (EMEA)
Package dimensions (W x D x H)	31.9 x 30.9 x 36.4 in (Americas, AP); 32.5 x 31.5 x 42.3 in (EMEA)
Package weight	62.7 kg (Americas, AP); 83.2 kg (EMEA)
Package weight	137.9 lb
Page yield footnote	Declared yield value for black cartridge in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit hp.com/go/learnaboutsupplies
Pallet dimensions	32.5 x 31.5 x 78.7 in (Americas, AP); 32.5 x 31.5 x 42.3 in (EMEA)

Pallet dimensions (W x D x H)	825 x 800 x 1998 mm (Americas, AP); 825 x 800 x 1074 mm (EMEA)
Pallet weight	275.8 lb (Americas, AP); 183 lb (EMEA)
Pallet weight	125.4 kg. (Americas, AP); 83.2 kg (EMEA)
Paper handling input, optional	Optional 3500-sheet high capacity input tray with stand
Paper handling input, standard	100-sheet multipurpose tray, 2 x 250-sheet input trays, 500-sheet input tray
Paper handling output, standard	250-sheet output bin
Paper trays, maximum	6
Paper trays, standard	4
Ports	1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000 Base-T; 1 Hi-Speed USB 2.0 Easy Access USB; 1 Hardware Integration Pocket (HIP)
Power	Input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz)
Print Technology	Laser
Print colors	No
Print languages	HP PCL 6, HP PCL 5, HP postscript 3 emulation, native PDF printing (v 1.4)
Print quality black (normal)	HP FastRes 1200 (1200 dpi effective quality), 600 dpi with HP Resolution Enhancement technology
Print speed black (normal, A3)	Up to 20 ppm
Print speed black (normal, tabloid)	Up to 20 ppm
Print speed duplex (A4)	Up to 26 ipm
Print speed duplex (letter)	Up to 26 ipm
Print technology	Laser
Printer Management	HP Web Jetadmin, HP Utility (Mac)
Printer black pages (MPV black)	4000
Processor speed	800 MHz
Product short name specifications	HP LaserJet Enterprise 700 Printer M712xh, Print, Front-facing USB printing; Two-sided printing
Quantity per pallet	2 (Americas, AP); 1 (EMEA)
RMN number	BOISB-1105-00
Recommended media weight (duplex)	16 to 32 lb
Recommended media weight (duplex)	60 to 120 g/m ²
Recommended monthly page volume	5000 to 20,000 ^[3]
Recommended monthly page volume note	HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

Recommended operating humidity range	30 to 70% RH
Recommended operating temperature range	50 to 91°F
Recommended operating temperature range	10 to 32.5°C
Right margin (A4)	2 mm
Safety	IEC 60950-1:2005 +A1; EN60950-1: 2006 +A11:2009 +A1:2010 +A12:2011; IEC 60825-1:2007 (Class 1 Laser/Led Product); EN 60825-1:2007 (Class 1 Laser/LED Product); UL/cUL Listed (USA/Canada); IEC 62479:2010; EN 62479:2010; other safety approvals as required by individual countries
Security management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in
Services	Onsite support within four hours after a service call received within the coverage window
Services	Assembly, network configuration, and basic administrator familiarization
Services	Onsite replacement of your printer's maintenance kit including parts, materials, and labor
Services	Onsite service the next business day after the service call is received
Services description headline 01	Onsite Support:
Services description headline 02	Next Business Day Onsite Support:
Services description headline 03	Maintenance Kit Replacement Service:
Services description headline 04	Installation with Network Configuration Service:
Standard input capacity (envelopes)	Up to 10 envelopes
Standard media sizes (duplex)	A3; A4; A5; B4 (JIS); B5 (JIS)
Standard media sizes (duplex, imperial)	Letter; legal; executive; 8.5 x 13 in; 11 x 17 in; 16K
Standard output capacity (envelopes)	Up to 50 envelopes
Standard output capacity (transparencies)	Up to 250 sheets
Storage device and direct print support	Front-facing USB/Flash drive
Storage temperature range	32 to 140°F
Storage temperature range	0 to 60°C
SureSupply supported	Yes
Target user and print volume	For teams over 25 users; Prints up to 20,000 pages/month
Tariff numbers	8443321010
Top key features	Front-facing USB printing; Two-sided printing

Top margin (A4)	2 mm
Tray capacity	1100
Typical electricity consumption (TEC) number	3.289 kWh/Week
UNSPSC code	43212105
UPC number	886112999841

[2] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

[3] HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

Ink/Toner/Paper/Printer Supplies

HP Laser Toner Cartridges and Kits

★ : Recommended

HP Laser Printer Supply Kits

HP LaserJet CF249A 110V Maintenance/Fuser Kit	CF249A ★
HP LaserJet CF249A 110V Maintenance/Fuser Kit	CF249A ★
HP LaserJet CF254A 220V Maintenance/Fuser Kit	CF254A ★

HP Black and White Laser Toner Printer Cartridges

HP 14A Black Original LaserJet Toner Cartridge	CF214A ★
HP 14X High Yield Black Original LaserJet Toner Cartridge	CF214X ★

HP Paper for Multiple Uses

HP Multi-use Everyday Paper

HP All-in-One Printing Paper-250 sht/A4/210 x 297 mm	CHP712
HP All-in-One Printing Paper-500 sht/A3/297 x 420 mm	CHP715
HP All-in-One Printing Paper-500 sht/A4/210 x 297 mm	CHP710
HP Copy Paper 80 gsm-500 sht/A3/297 x 420 mm	CHP920
HP Copy Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP910
HP Hi White Everyday Paper-5 reams/A3/297 x 420 mm	Q2399A
HP Hi White Everyday Paper-5 reams/A4/210 x 297 mm	Q2400A
HP Hi White Everyday Paper-5 reams/Letter/8.5 x 11 in	Q2398A
HP Home and Office Paper-500 sht/A4/210 x 297 mm	CHP150
HP Office Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	HPC3HP
HP Office Paper-10 reams/Letter/8.5 x 11 in	HPC8511
HP Office Paper-2500 sht/A4/210 x 297 mm	CHP113
HP Office Paper-500 sht/A3/297 x 420 mm	CHP120
HP Office Paper-500 sht/A4/210 x 297 mm	CHP110
HP Office Quickpack-2500 sht/Letter/8.5 x 11 in	HP2500S
HP Premium Choice Paper-500 sht/A4/210 X 297 mm	CHP812
HP Printing Paper 90 gsm-500 sht/A4/210 x 297 mm	CHP235
HP Printing Paper-2500 sht/A4/210 x 297 mm	CHP215
HP Printing Paper-500 sht/A3/297 x 420 mm	CHP220
HP Printing Paper-500 sht/A4/210 x 297 mm	CHP210

HP Multipurpose Paper

HP Multipurpose Paper-10 reams/3-hole punched/Letter/8.5 x 11 in	HPM113H
HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in	HPM115R
HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in	HPM115RC
HP Multipurpose Paper-500 sht/A4/210 x 297 mm	CHP225
HP Multipurpose Paper-500 sht/Letter/8.5 x 11 in	HPM1120

HP Recycled Paper

HP Recycled Paper 80 gsm-500 sht/A3/297 x 420 mm	CHP840
HP Recycled Paper 80 gsm-500 sht/A4/210 x 297 mm	CHP830
HP Recycled Paper-10 reams/Letter/8.5 x 11 in	HPE1120

HP Business Papers

HP Business Papers for laser

HP Enhanced Business Paper, Glossy, 150 g/m ² , A4 (210 x 297 mm), 150 sheets	CG965A
HP Enhanced Business Paper, Glossy, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	Q6611A
HP Enhanced Business Paper, Matte, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	Q6543A
HP Enhanced Tri-Fold Business Paper, Glossy, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	Q6612A
HP Everyday Business Paper, Glossy, 32 lb, 11 x 17 in. (279 x 432 mm), 150 sheets	4WN07A
HP Everyday Business Paper, Glossy, 32 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN08A
HP Professional Business Paper, Glossy, 52 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN10A
HP Professional Business Paper, Matte, 52 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN05A

HP Home & Office Papers

HP Home & Office Papers for laser and inkjet

HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets	HPM1720
HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets	HPM1720P
HP MultiPurpose20TM, 20 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets	HPM1120R
HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets	HPM1420
HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets	HPM1420P

HP Premium24(R), 24 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets

HPJ1124P

HP Paper Designed for Laser Printers

HP Laser Everyday Paper

HP Premium Choice Laser Paper-250 sht/A3/297 x 420 mm	Q2396A
HP Premium Choice LaserJet Paper-500 sht/Letter/8.5 x 11 in	HPU1132P

Services

HP Care Pack Services

★ : Recommended

Imaging and Printing Hardware Support Onsite Svc

HP 1 year Post Warranty 4 hour 9x5 LaserJet M712 printer Hardware Support	U6Z22PE ★
HP 1 year Post Warranty Next Business Day w/Defective Media Retention Service for LaserJet M712	U6Z24PE ★
HP 2 year Post Warranty Next business day LaserJet M712 printer Hardware Support	U6Z21PE ★
HP 3 year 4 hour 9x5 LaserJet M712 printer Hardware Support	U6Y99E ★
HP 3 year Next business day and Defective Media Retention LaserJet M712 Hardware Support	U6Z05E ★
HP 3 year Next business day and Defective Media Retention LaserJet M712 Hardware Support	U6Z05E ★
HP 4 year 4 hour 9x5 LaserJet M712 printer Hardware Support	U6Z01E ★
HP 4 year Next Business Day w/Defective Media Retention Service for LaserJet M712	U6Z06E ★
HP 5 year 4 hour 9x5 LaserJet M712 printer Hardware Support	U6Z03E ★
HP 5 year Next Business Day w/Defective Media Retention Service for LaserJet M712	U6Z07E ★
HP 1 year Post Warranty 4 hour 13x5 LaserJet M712 printer Hardware Support	U6Z23PE
HP 1 year Post Warranty 4 hour 9x5 LaserJet M712 printer Hardware Support	U6Z22PE
HP 1 year Post Warranty Next Business Day w/Defective Media Retention Service for LaserJet M712	U6Z24PE
HP 2 year Post Warranty Next business day LaserJet M712 printer Hardware Support	U6Z21PE
HP 3 year 4 hour 13x5 LaserJet M712 printer Hardware Support	U6Z00E
HP 3 year 4 hour 9x5 LaserJet M712 printer Hardware Support	U6Y99E
HP 4 year 4 hour 13x5 LaserJet M712 printer Hardware Support	U6Z02E
HP 4 year 4 hour 9x5 LaserJet M712 printer Hardware Support	U6Z01E
HP 4 year Next Business Day w/Defective Media Retention Service for LaserJet M712	U6Z06E
HP 5 year 4 hour 13x5 LaserJet M712 printer Hardware Support	U6Z04E
HP 5 year 4 hour 9x5 LaserJet M712 printer Hardware Support	U6Z03E
HP 5 year Next Business Day w/Defective Media Retention Service for LaserJet M712	U6Z07E

Imaging and Printing Commercial Care Pack Services

HP 1 year Post Warranty Parts Exchange Service for LaserJet M712	U4TH1PE ★
HP 3 year Parts Exchange Service for LaserJet M712	U4TG8E ★
HP 4 year Parts Exchange Service for LaserJet M712	U4TG9E ★
HP 5 year Parts Exchange Service for LaserJet M712	U4TH0E ★
HP 1 year Post Warranty Parts Exchange Service for LaserJet M712	U4TH1PE
HP 3 year Parts Exchange Service for LaserJet M712	U4TG8E
HP 4 year Parts Exchange Service for LaserJet M712	U4TG9E
HP 5 year Parts Exchange Service for LaserJet M712	U4TH0E
HP Installation Service with network configuration for Personal Scanner and Printer (1 unit)	U9JT1E
HP Maintenance Kit Replacement LaserJet M712 Fuser 110V Service	U6W94E

Accessories

Memory

★ : Recommended

DDR Memory

HP 512 MB 144-pin x32 DDR2 DIMM

CE483A ★

Network Print Servers

Wireless Print Servers

HP Jetdirect 2700w USB Wireless Print Server

J8026A ★

External Print Servers

HP Jetdirect 2800w NFC/Wireless Direct Accessory

J8029A ★

Paper Handling

Input Trays

HP LaserJet 1x500-sheet Feeder with Cabinet and Stand

CF243A ★

HP LaserJet 3500-sheet High-capacity Input Tray Feeder and Stand

CF245A ★

HP LaserJet 500-sheet Feeder and Tray

CF239A ★

HP LaserJet 3x500-sheet Feeder and Stand

CF242A

Duplex Units

HP LaserJet Duplex Printing Assembly

CF240A

Security and Protection

Smart Cards and SmartCard Readers

HP USB Universal Card Reader

X3D03A ★

HP SmartCard NIPRNet Solution for US Government

CC543B

HP SmartCard SIPRNet Solution for US Government

F8B30A

Fonts

Barcodes

HP BarCode Printing Solution

HG271TT

HP Barcodes and More Printing Solution for USB version 2 slot based LaserJet

HG281TS

HP Scalable Barcodes Printing Solution for USB version 2 slot based LaserJet

HG282TT

MICR

HP MICR Printing Solution - USB

HG277TT

Solutions

Imaging and Printing Solutions

★ : Recommended

Printing SW Solution Licenses

HP HID Mobile Access Mifare DES Fire Keystroking Reader	35H11A ★
---------------------------------------------------------	----------

HP Document and Workflow Solutions

JetAdvantage Printing Security

Celiveo Enterprise	HP3PCELIVEO
HP Access Control Secure Printing and Job Accounting Solution	HPACOLUTION
HP Proximity Card Reader	HPPROXIMTYRDR
HP Secure Print and Insights	HPJETADSECUREPRINT
HP Security Manager	HPJETADSECMGR
Kofax SafeCom Security and Job Accounting Solution	HPNSAFECOMSOL
Pharos Blueprint	HP3PHAROSBPRNT

JetAdvantage Print Management

HP Universal Print Driver	HPUNIVPRNTDRV
HP Web Jetadmin	HPWEBJETADMIN
Kofax ControlSuite	HP_CSUITE
LRS VPSX for Output Management	HP3PLRS

JetAdvantage Mobile Printing

ePRINTit	HP3PEPRINTIT
----------	--------------

Disclaimer — Copyright

© Copyright 2012 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.