

Overview

This HP LaserJet MFP with JetIntelligence combines performance, energy efficiency, and security.[1]

This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.[1]

The world's most secure printing[1]

With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.

High-speed performance meets energy efficiency

Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.

Pages, Performance, and Protection.

Produce sharp text, bold blacks, and crisp graphics with precision black toner.

Features

Consumable Access Control	Fixed-size Cassette Guides
Data logger & Print Engine Failure Sensor	LLC Life Optimization
Jaca togger at time Engine ratione Jenson	and the optimization
HP Sure Start	Run-time Intrusion detection

[1] Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims

Specifications

Print Resolution Technologies	FastRes 1200; 1200 x 1200 dpi
Print quality black (best)	Up to 1200 x 1200 dpi
Print speed black (ISO, A4)	Up to 52 ppm
Print speed black (ISO, letter)	Up to 55 ppm
Print speed	Print speed up to 55 ppm (black)
Functions	Print, Copy, Scan and optional Fax
Duplex printing	Automatic (standard)
Duty cycle (monthly, A4)	Up to 450,000 pages
Duty cycle (monthly, letter)	Up to 450,000 pages ^[7]
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB
Copier smart software features	Auto scale; Reduce/enlarge from scanner glass (25 to 400 percent); Collate; Auto color detection; Two-sided copying; Image adjustments (darkness, background cleanup, sharpness); Job build
Scanner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy
Replacement cartridges	HP Black Managed LaserJet Toner (50,000 yield) W9004MC. This printer uses newer generation HP cartridges identifiable by a "P" at the end of the cartridge lot number. More at www.hp.com/go/learnaboutsupplies ^[5]
Supplies feature	HP JetIntelligence Cartridge
Connectivity, standard	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket
Connectivity, optional	HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000w NFC/Wireless Accessory J8030A; HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).
Wireless capability	Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A
Mobile printing capability	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; Roam capable for easy printing

Network protocols, supported	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x
Software included	No software solutions are included in the Box, only on http://hp.com, http://123.hp.com
Compatible Operating Systems	Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave
Sustainable impact specifications	Mercury free
Energy star certified	Yes
Ecolabels	ENERGY STAR® qualified; EPEAT® Silver; CECP
Copy speed (black, normal quality, A4)	Up to 52 cpm
Copy speed black (normal, letter)	Up to 55 cpm
Copy speed black duplex (A4)	Up to 50 cpm
Copy speed black duplex (Letter)	Up to 53 cpm
Digital sending standard features	Scan to E-mail; Scan-to-Sharepoint; Save-to-Network Folder; Save-to-USB drive; Send to SharePoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF
Digital sending optional features	Authentication; Digital fax (send to LAN, Internet); Local Address Book; OCR; Send-to-printer; Send-to-workflow; Optional via HP Digital Sending Software (HP DSS); Send to folder
Faxing	No
Scan speed (normal, A4)	Up to 69 ppm/111 ipm (b&w), up to 69 ppm/111 ipm (color)
Scan speed (normal, letter)	Up to 75 ppm/120 ipm (b&w), up to 75 ppm/120 ipm (color)
Scan file format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)
Scan input modes	Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications, HP Scan or user application via TWAIN
Scan technology	Charge Coupled Device (CCD); Contact Image Sensor (CIS)
Scanner type	Flatbed, ADF
Display area (imperial)	6.37 x 4.78 in
Display area (metric)	16.2 x 12.1 cm
Display	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)
	512 x 558 x 640 mm

Minimum dimensions (W \times D \times H)	20.15 x 22 x 25.2 in
Weight	33.18 kg ^[3] (With print cartridges)
Weight	73.75 lb (With print cartridges)
Power consumption	740 watts (printing/copying), 29.0 watts (ready), 3.3 watts (sleep), <0.1 watts (Auto Off/Manual On), <0.1 watts (Manual Off) ^[4]
Power supply type	Built-in 115V or 220V Power Supply
What's in the box	HP Color LaserJet Managed E62655dn MFP; HP Original LaserJet Toner Cartridge (~11,000 pages); Documentation (Hardware Install Guide); Power cord; Fixed-Size Cassette Guides ^[2]
Manufacturer Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region. (wty code 4G)

Additional specifications

ADF Capacity	150
Accessories	HP LaserJet 550 sheet paper feeder J8J89A, HP LaserJet 1x550-sheet paper feeder with stand and cabinet J8J91A, HP LaserJet 1x550-sheet and 2,000-sheet HCI feeder and stand J8J92A, HP LaserJet 3x550-sheet paper feeder with stand J8J93A, HP LaserJet Envelope Feeder J8J90A, HP Internal USB Ports B5L28A, HP Secure High Performance Hard Disk Drive B5L29A, HP Foreign Interface Harness B5L31A, HP Jetdirect 2900nw Print Server J8031A, HP 1 GB DDR3 x32 144-Pin 800 MHz S0DIMM E5K48A, HP 2 GB DDR3x32 144-Pin 800 MHz S0DIMM Accessory E5K49A, Accessibility Assistant 2MU47A, HP Accessibility Kit 2TD64A, HP JetDirect 3100w BLE/NFC/Wireless Accessory 3JN69A, HP MFP Analog 700 Fax Accessory 2EH31A, HP USB Universal Card Reader X3D03A, HP HIP2 Keystroke Reader Y7C05A, HP Legic Reader 4QL32A
Acoustic power emissions (active scan)	7.3 B(A)
Acoustic power emissions (active, printing)	7.0 B(A)
Acoustic power emissions (ready)	3.5 B(A)
Acoustic pressure emissions bystander (active scan)	57 dB(A)
Acoustic pressure emissions bystander (active, printing)	56 dB(A)
Acoustic pressure emissions bystander (ready)	Inaudible
Additional information about HP	http://www.hp.com
Additional information about HP in the countries	hp.com
Automatic document feeder capacity	Standard, 150 sheets
Automatic paper sensor	No
Best technical electricity consumption (TEC)	2.219 kWh/week
Bit depth	24-bit
Bottom margin (A4)	4.3 mm
Business filter	cMPS
Cable included	No, please purchase (USB) cable separately
Capacity	16 GB eMMC by default; Optional 500 GB Hard Disk
Cartons per layer	2 (APJ/AMS); 1 (EMEA)
Certifications and compliances	CSA (Canada), RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), KCC (South Korea), NOM (Mexico), Nemko, Fimko, Demko, Semko (Nordic), Eastern European approvals, CE Marking, FCC approval, Energy Star, UL listed

Color scanning	Yes
Compatible Network Operating Systems	Windows 11; Windows Server; Linux; Citrix; UNIX; Novell
Component type	Printer
Control panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)
Copier scaling (ADF)	25 to 200%
Copier settings	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy (different media sizes)
Copies, maximum	Up to 9999 copies
Copy reduce / enlarge settings	25 to 400%
Copy resolution (black text)	Up to 600 x 600 dpi
Copy resolution (color text and graphics)	Up to 600 x 600 dpi
Count of layers in pallet	3 (APJ/AMS); 2 (EMEA)
Country of origin	Made in China (APJ options); Made in the Netherlands (EMEA options); Made in Mexico (AMS options)
Datasheet photo 1	Publication photos/3GY14A.jpg
Datasheet photo 4	Publication photos/E62655_Walkaround.jpg
Datasheet publication number	4AA7-4687
Downloadable software	From http://123.hp.com, HP Easy Start (Guided Software Install for Windows and Mac), From http://hp.com for Windows OS, Full-solution software and drivers, Basic-solution software and drivers, HP PCL6 XPS Discrete Print Driver, Product Documentation and Support, From http://hp.com for Mac OS, HP Easy Start (Guided Software Install), HP Mac PS Print Driver, HP Easy Admin, For Mobile OS, iOS For more information see http://hp.com/go/businessmobileprinting, Android For more information see http://hp.com/go/businessmobileprinting, From http://hp.com for printer administrators, Printer Administrator Resource Kit (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator), HP Universal Print Drivers PCL6 GDI & PS GDI for Windows, HP ePrint Software (Mobile Driver for Windows), SAP Print Drivers for more information see http://support.hp.com/us-en/document/c05051702, HP Web JetAdmin, HP JetAdvantage Security Manager, HP Roam, HPLIP Linux Printer Driver for more information see http://hplipopensource.com/hplip-web/index.html, Unix Model Script Printer Driver for more information see http://hp.com/go/unixmodelscripts, ReadIris
Driver updates	Current HP printer drivers and software can be obtained from the HP Customer Care Web site: In the US, go to http://www.hp.com/support/ljE62655MFP; Outside the US, go to http://www.hp.com/support 1 Select the country/region 2 Select Software and Drivers 3 Select Printer 4 Enter a product name/number 5 The operating system is automatically detected 6 Select a driver or other software 7 Then select DOWNLOAD

Duplex ADF scanning	Yes, single pass duplex scanning
Duty cycle note	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
Dynamic security	Dynamic security enabled printer
Electromagnetic compatibility	CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032: 2012 (EU) - Class A, EN 61000-3-2: 2014, EN 61000-3-3: 2013, EN 55024: 2010, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A/ICES-003, Issue 6 Class A. Other EMC approvals as required by individual countries.
Engine life	1350000
Enhanced scanning resolution	Up to 600 dpi
Envelope Feeder	Yes, 75
FCC Class A emissions	FCC Class A emissions - for use in commercial environments, not residential environments
Fax telephone mode supported	No
File Format Supported	Hi-Compression PDF; MTIFF; PDF; PDF/A; TIFF; XPS
Finished output handling	Sheetfed
First copy out black (A4)	As fast as 4.9 sec
First copy out black (A4, sleep)	As fast as 10.4 sec
First copy out black (letter)	As fast as 4.8 sec
First copy out black (letter, sleep)	As fast as 10.3 sec
First page out black (A4, ready)	As fast as 5.3 sec
First page out black (A4, sleep)	As fast as 7.9 sec
First page out black (letter, ready)	As fast as 5.1 sec
First page out black (letter, sleep)	As fast as 7.8 sec
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts
Input capacity	Up to 650 sheets
Internal Storage	16 GB EMMC Standard. 500 GB Encrypted HDD Accessory Optional.
Left margin (A4)	4.3 mm
Levels of grayscale	256
Mac compatible	Yes
Maximum Input Capacity (envelopes)	Up to 160 envelopes
Maximum Memory	4 GB

Maximum dimensions (W x D x H) door open, all feeders open and extended, ADF open)		
Maximum input capacity (sheets) Maximum metric depth 808 Maximum metric depth 808 Maximum metric height 865 Maximum metric width 1030 Maximum output capacity (sheets) Up to 500 sheets Media size (ADF) Media size (ADF) Media size, tray 1 Media size, tray 2 Media size, tray 2 Media size, tray 3 Media size, tray 4 Media size, tray 5 Media size, tray 6 Media size, tray 7 Media size, tray 8 Media size, tray 9 Media size, tray 1 Media size, tray 9 Media size, tray 9 Media size, tray 1 Media type and capacity, ADF Sheet: 150, Tray 1: 77 s. 75 s. 7	Maximum dimensions (W x D x H)	$1030 \times 808 \times 865$ mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open)
Maximum metric depth 808 Maximum metric height 865 Maximum metric width 1030 Maximum output capacity (sheets) Up to 500 sheets Maximum print area 212 x 352 mm Media size (ADF) Letter; legal: oficio; executive; statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS) Postcard (JIS); DPostcard (JIS); 4 x 6 in; 5 x 7 in; 5 x 8 in; 68 x 147 mm to 215.9 x 86.35 mm; 2.68 x 5.79 in to 8.46 x 34 in Media size, tray 1 44; A5; A6; RA4; B5 (JIS); B6 (JIS); 10 x 15 cm; Oficio (216 x 340 mm); 16K; envelopes (B5, C5, C6, DL); Postcard (JIS single and double); 76 x 127 to 216 x 356 mm Media size, tray 2 A4; A5; A6; B5 (JIS); B6 (JIS); B6 (JIS); 10 x 15 cm; 16K; Postcard (JIS single and double); 99 x 148 to 216 x 297 mm Media size, tray 3 Optional 550-sheet tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, Postcard (JIS single and double); 99 x 148 to 216 x 336 mm; Optional 2000-sheet tray: A4, Optional 75-envelope feeder B5, C5, C6, DL, Postcard (JIS single and double); 77 xy 2: A4, A5, A6, B18 (SIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (B5, C5, C6, DL), Postcard (JIS single and double); 78 x 12 x A4, A5, A6, B18 (SIS), B6 (JIS), D1 x 15 cm, B1 CP, Postcard (JIS single and double); 78 x 2: A4, A5, A6, B18 (SIS), B6 (JIS), D1 x 15 cm, B1 CP, Postcard (JIS single and double); 78 x 2: A4, A5, A6, B18 (SIS), B6 (JIS), D1 x 15 cm, B1 CP, Postcard (JIS single and double); 78 x 12 x A3, A6, B18 (SIS), B1 x 15 cm, D1 x 15 cm, B1 CP, Postcard (JIS single and double); 78 x 15 cm, D1 x 15 cm, B1 cm, D1 x 15 cm, B1 cm, D1 x 15 cm, B1 cm,	Maximum dimensions (W x D x H)	
Maximum metric vidth 1030 Maximum output capacity (sheets) Up to 500 sheets Maximum print area 212 x 352 mm Media size (ADF) Letter; legal; oficio; executive; statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard (JIS); DPostcard (JIS); N x 5 in; 5 x 7 in; 5 x 8 in; 68 x 147 mm to 215, 9 x 863.3 mm; 2.68 x 5.79 in to 8.46 x 34 in Media size, tray 1 A4; A5; A6; RA4; B5 (JIS); B6 (JIS); 10 x 15 cm; 0ficio (216 x 340 mm); 16K; envelopes (B5, C5, C6, DL); Postcard (JIS single and double); 76 x 127 to 216 x 356 mm Media size, tray 2 A4; A5; A6; B5 (JIS); B6 (JIS); 10 x 15 cm; 16K; Postcard (JIS single and double); 99 x 148 to 216 x 297 mm Media size, tray 3 Oficio (216 x 340 mm), 16K, Postcard (JIS single and double), 99 x 148 to 216 x 254 mm Media sizes supported Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, 0ficio (216 x 340 mm), 16K, Postcard (JIS single and double); 7ray 2: A4, A5, A6, B6, B5 (JIS), B6 (JIS), 10 x 15 cm, 0ficio (216 x 340 mm), 16K, envelopes (B5, C5, C6, DL), Postcard (JIS single and double); 7ray 2: A4, A5, A6, B6, B5 (JIS), B6 (JIS), 10 x 15 cm, 0ficio (216 x 340 mm), 16K, envelopes (B5, C5, C6, DL), Postcard (JIS single and double); 7ray 2: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, 16K, Postcard (JIS single and double); 7ray 2: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, 0ficio (216 x 340 mm), 16K, envelopes (B6, C5, C6, DL), Postcard (JIS single and double); 7ray 2: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, 0ficio (216 x 340 mm), 16K, envelopes (B6, C5, C6, DL), Postcard (JIS single and double); 7ray 2: A4, A5, A6, RA4, B5 (JIS), B6 (JIS),	Maximum input capacity (sheets)	Up to 3,750 sheets
Maximum metric width 1030 Maximum output capacity (sheets) Up to 500 sheets Maximum print area 212 x 352 mm Media size (ADF) Letter; legal; offcio; executive; statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard (JIS); DPostcard (JIS); N x 5 in; 5 x 7 in; 5 x 8 in; 68 x 147 mm to 215, 9 x 863.3 mm; 2.68 x 5.79 in to 8.46 x 34 in Media size, tray 1 A4; A5; A6; RA4; B5 (JIS); B6 (JIS); 10 x 15 cm; Offcio (216 x 340 mm); 16K; envelopes (B5, C5, C6, DL); Postcard (JIS single and double); 76 x 127 to 216 x 356 mm Media size, tray 2 A4; A5; A6; B5 (JIS); B6 (JIS); 10 x 15 cm; 16K; Postcard (JIS single and double); 99 x 148 to 216 x 297 mm Media size, tray 3 Optional 550-sheet tray. A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, 0ffcio (216 x 340 mm), 16K, Postcard (JIS single and double); 99 x 148 to 216 x 356 mm; Optional 2000-sheet tray. A4; Optional 75-envelope feeder B5, C5, C6, D1, Postcard (JIS single and double); mm), 16K, envelopes (B5, C5, C6, D1), Postcard (JIS single and double); Tray 2: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Offcio (216 x 340 mm), 16K, envelopes (B5, C5, C6, D1), Postcard (JIS single and double); Optional 2500-sheet tray. A4; Optional 75-envelope feeder: B5, C5, C6, D1, Automatic Duplexer: A4, A5, A6, RA4, B5 (JIS), D6 (JIS), 10 x 15 cm, Offcio (216 x 340 mm), 16K, Postcard (JIS single and double); Optional 2000-sheet tray: A4; D9 (JIS), D6 (JIS), D7 (JIS), D8	Maximum metric depth	808
Maximum print area 212 x 352 mm Media size (ADF) Letter; legal; oficio; executive; statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS) Postcard (JIS); DPostcard (JIS); 0 x x 6 in; 5 x 7 in; 5 x 8 in; 68 x 147 mm to 215.9 x 863.6 mm; 2.68 x 5.79 in to 8.46 x 34 in Media size, tray 1 A4; A5; A6; RA4; B5 (JIS); B6 (JIS); 10 x 15 cm; 0ficio (216 x 340 mm); 16K; envelopes (B5, C5, C6, DL); Postcard (JIS single and double); 76 x 127 to 216 x 336 mm Media size, tray 2 A4; A5; A6; B5 (JIS); B6 (JIS); 10 x 15 cm; 16K; Postcard (JIS single and double); 99 x 148 to 216 x 297 mm Media size, tray 3 Optional 550-sheet tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, 0ficio (216 x 340 mm), 16K, Postcard (JIS single and double); 76 x 127 to 216 x 336 mm; 0ptional 2000-sheet tray: A4; Optional 75-envelope feeder B5, C5, C6, DL, 90 x 148 to 178 x 254 mm Media sizes supported Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, 0ficio (216 x 340 mm), 16K, envelopes (B5, C5, C6, DL), Postcard (JIS single and double); Tray 2: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, 16K, Postcard (JIS single and double); Optional 2000-sheet tray: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, 16K, Postcard (JIS single and double); Optional 2000-sheet tray: A5, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, 16K, Postcard (JIS single and double); Optional 2000-sheet tray: A5, A5, A6, B5 (JIS), B6 (JIS	Maximum metric height	865
Maximum print area 212 x 352 mm Media size (ADF) Letter; legal; officio; executive; statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS; Postcard (JIS); DPostcard (JIS); 4 x 6 in; 5 x 7 in; 5 x 8 in; 68 x 147 mm to 215,9 x 863,8 mm; 2.68 x 5.79 in to 8.46 x 34 in Media size, tray 1 A4; A5; A6; RA4; B5 (JIS); B6 (JIS); 10 x 15 cm; Officio (216 x 340 mm); 16K; envelopes (B5, C5, C6, DL); Postcard (JIS single and double); 76 x 127 to 216 x 356 mm Media size, tray 2 A4; A5; A6; B5 (JIS); B6 (JIS); 10 x 15 cm; 16K; Postcard (JIS single and double); 99 x 148 to 216 x 297 mm Media size, tray 3 Optional 550-sheet tray; A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Officio (216 x 340 mm), 16K, Postcard (JIS single and double); 99 x 148 to 216 x 356 mm; Optional 2000-sheet tray: A4; Optional 75-envelope feeder B5, C5, C6, DL, 90 x 148 to 178 x 254 mm Media sizes supported Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Officio (216 x 340 mm), 16K, envelopes (B5, C5, C6, DL), Postcard (JIS single and double); Tray 2: A4, A5, A6, B5, UIS), B6 (JIS), 10 x 15 cm, Officio (216 x 340 mm), 16K, envelopes (B5, C5, C6, DL), Postcard (JIS single and double); Optional 2500-sheet tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Officio (216 x 340 mm), 16K, Postcard (JIS single and double); Optional 2500-sheet tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Officio (216 x 340 mm), 16K, Postcard (JIS single and double); Optional 2500-sheet tray: A4, A5, A6, B5, UIS), B6 (JIS), D6 (JIS), 10 x 15 cm, D6	Maximum metric width	1030
Media size (ADF) Letter; legal; officio; executive; statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS, Postcard (JIS); DPostcard (JIS); 4 x 6 in; 5 x 7 in; 5 x 8 in; 68 x 147 mm to 215,9 x 863.6 mm; 2.68 x 5.79 in to 8.46 x 34 in Media size, tray 1 A4; A5; A6; RA4; B5 (JIS); B6 (JIS); 10 x 15 cm; 0ficio (216 x 340 mm); 16K; envelopes (BS, CS, C6, DL); Postcard (JIS single and double); 76 x 127 to 216 x 356 mm Media size, tray 2 A4; A5; A6; B5 (JIS); B6 (JIS); 10 x 15 cm; 16K; Postcard (JIS single and double); 99 x 148 to 216 x 297 mm Media size, tray 3 Optional 550-sheet tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, 0ficio (216 x 340 mm), 16K, Postcard (JIS single and double), 99 x 148 to 216 x 356 mm; Optional 2000-sheet tray: A4; Optional 75-envelope feeder B5, C5, C6, DL, 90 x 148 to 178 x 254 mm Media sizes supported Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, 0ficio (216 x 340 mm), 16K, envelopes (B5, C5, C6, DL), Postcard (JIS single and double); Tray 2: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, 0ficio (216 x 340 mm), 16K, envelopes (B5, C5, C6, DL), Postcard (JIS single and double); Tray 2: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, 16K, Postcard (JIS single and double); Optional 2000-sheet tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, 16K, Postcard (JIS single and double); Tray 2: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, 16K, Postcard (JIS single and double); Optional 2000-sheet tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, 16K, Postcard (JIS single and double); Tray 1: letter, legal, executive, statement, 3 x 5 in, 5 x 7 in, 5 x 8 in; B5 (JIS), B6	Maximum output capacity (sheets)	Up to 500 sheets
Media size (ADF) Postcard (JIS); DPostcard (JIS); 4 x 6 in; 5 x 7 in; 5 x 8 in; 68 x 147 mm to 215.9 x 863.6 mm; 2.68 x 5.79 in to 8.46 x 34 in Media size, tray 1 A4; A5; A6; RA4; B5 (JIS); B6 (JIS); 10 x 15 cm; Oficio (216 x 340 mm); 16K; envelopes (B5, C5, C6, DL); Postcard (JIS single and double); 76 x 127 to 216 x 356 mm Media size, tray 2 A4; A5; A6; B5 (JIS); B6 (JIS); 10 x 15 cm; 16K; Postcard (JIS single and double); 99 x 148 to 216 x 297 mm Media size, tray 3 Optional 550-sheet tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, Postcard (JIS single and double), 99 x 148 to 216 x 326 mm; Optional 2000-sheet tray: A4; Optional 75-envelope feeder B5, C5, C6, DL, 90 x 148 to 178 x 254 mm Media sizes supported Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (B5, C5, C6, DL), Postcard (JIS single and double); Tray 2: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (B5, C5, C6, DL), Postcard (JIS single and double); Optional 2000-sheet tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (B5, C5, C6, DL), Postcard (JIS single and double); Optional 2000-sheet tray: A4, A5, A6, A8, B5 (JIS), Oficio (216 x 340 mm), 16K Media sizes supported Tray 1: letter, legal, executive, statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, 5 x 7	Maximum print area	212 x 352 mm
Media size, tray 1envelopes (B5, C5, C6, DL); Postcard (JIS single and double); 76 x 127 to 216 x 356 mmMedia size, tray 2A4; A5; A6; B5 (JIS); B6 (JIS); 10 x 15 cm; 16K; Postcard (JIS single and double); 99 x 148 to 216 x 297 mmMedia size, tray 3Optional 550-sheet tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Officio (216 x 340 mm), 16K, Postcard (JIS single and double), 99 x 148 to 216 x 356 mm; Optional 2000-sheet tray: A4; Optional 75-envelope feeder B5, C5, C6, DL, 90 x 148 to 178 x 254 mmMedia sizes supportedTray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Officio (216 x 340 mm), 16K, envelopes (B5, C5, C6, DL), Postcard (JIS single and double); Tray 2: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, 16K, Postcard (JIS single and double); Optional 2000-sheet tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), B6 (JIS), 10 x 15 cm, 16K, Postcard (JIS single and double); Optional 2500-sheet tray: A4, B5 (JIS), Officio (216 x 340 mm), 16KMedia sizes supportedTray 1: letter, legal, executive, statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 75-envelope feeder: B5, C5, C6, DL, Optional 250-sheet tray: Letter, legal, executive, statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 550-sheet tray: Letter, legal, executive, statement, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 550-sheet tray: Letter, legal, executive, 8.5x13Media sizes, customTray 1: 3 x 5 to 8.5 x 14 in; Tray 2 3.9 x 5.8 to 8.5 x 13 in; Optional 2000-sheet tray: 2.9 x 5.8 to 8.5 x 1.7 in; Optional 550-sheet tray: 3.9 x 5.8 to 8.5 x 14 in; Optional 2000-sheet tray: custom size not supported; Optional 75-envelope feeder: 3.55 x 5.83 to 7 x 10 inMedia sizes, customTray 1: 76 x 127 to 216 x 356 mm; Tray 2: 99 x 148 to 216 x 297 mm; Optional 550-sheet tray: 99 x 148 to 216 x 356 mm; Optional 2000-sheet tray: custom sizes not supported; Optional 75-en	Media size (ADF)	
Media size, tray 2 double); 99 x 148 to 216 x 297 mm	Media size, tray 1	envelopes (B5, C5, C6, DL); Postcard (JIS single and double); 76×127 to
Media size, tray 3Oficio (216 x 340 mm), 16K, Postcard (JIS single and double), 99 x 148 to 216 x 356 mm; Optional 2000-sheet tray: A4; Optional 75-envelope feeder B5, C5, C6, DL, 90 x 148 to 178 x 254 mmMedia sizes supportedTray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, envelopes (B5, C5, C6, DL), Postcard (JIS single and double); Tray 2: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, 16K, Postcard (JIS single and double); Optional 550-sheet tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, Postcard (JIS single and double); Optional 2000-sheet tray: A4; Optional 75-envelope feeder: B5, C5, C6, DL Automatic Duplexer: A4, A5, RA4, B5 (JIS), Oficio (216 x 340 mm), 16KMedia sizes supportedTray 1: letter, legal, executive, statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, 8.5 x 13 in, envelopes (No. 9, No. 10, Monarch); Tray 2: letter, executive, statement, 4 x 6 in, 5 x 7 in, 5 x 8 in, 90 trional 550-sheet tray: letter, legal; Optional 75-envelope feeder: No. 9, No. 10, Monarch; Automatic Duplexer: letter, legal, executive, 8.5x13Media sizes, customTray 1: 3 x 5 to 8.5 x 14 in; Tray 2 3.9 x 5.8 to 8.5 x 11.7 in; Optional 550-sheet tray: 3.9 x 5.8 to 8.5 x 14 in; Optional 2000-sheet tray: custom sizes not supported; Optional 75-envelope feeder: 90 x 148 to 178 x 254 mmMedia sizes, customTray 1: 76 x 127 to 216 x 356 mm; Tray 2: 99 x 148 to 216 x 297 mm; Optional 550-sheet tray: 99 x 148 to 216 x 356 mm; Optional 2000-sheet tray: custom sizes not supported; Optional 75-envelope feeder: 90 x 148 to 178 x 254 mmMedia type and capacity, ADFSheets: 150Media type and capacity, tray 1Sheets: 150; Transparencies: 50; Envelopes: 10Media type and capacity, tray 2Sheets: 550; labels: 50	Media size, tray 2	-
Media sizes supportedmm), 16K, envelopes (B5, C5, C6, DL), Postcard (JIS single and double); Tray 2: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, 16K, Postcard (JIS single and double); Optional 550-sheet tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, Postcard (JIS single and double); Optional 2000-sheet tray: A4; Optional 75-envelope feeder: B5, C5, C6, DL Automatic Duplexer: A4, A5, RA4, B5 (JIS), Oficio (216 x 340 mm), 16KMedia sizes supportedTray 1: letter, legal, executive, statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in 8.5 x 13 in, envelopes (No. 9, No. 10, Monarch); Tray 2: letter, executive, statement, 4 x 6 in, 5 x 7 in, 5 x 8 in, 00 ptional 550-sheet tray: letter, legal, executive, statement, 4 x 6 in, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional 2000- sheet tray: letter, legal; Optional 75-envelope feeder: No. 9, No. 10, Monarch; Automatic Duplexer: letter, legal, executive, 8.5x13Media sizes, customTray 1: 3 x 5 to 8.5 x 14 in; Tray 2 3.9 x 5.8 to 8.5 x 11.7 in; Optional 550- sheet tray: 3.9 x 5.8 to 8.5 x 14 in; Optional 2000-sheet tray: custom sizes not supported; Optional 75-envelope feeder: 3.55 x 5.83 to 7 x 10 inMedia sizes, customTray 1: 76 x 127 to 216 x 356 mm; Tray 2: 99 x 148 to 216 x 297 mm; Optional 550-sheet tray: 99 x 148 to 216 x 356 mm; Optional 2000-sheet tray: custom sizes not supported; Optional 75-envelope feeder: 90 x 148 to 178 x 254 mmMedia type and capacity, ADFSheets: 150Media type and capacity, tray 1Sheets: 150; Insels: 50Media type and capacity, tray 2Sheets: 550; labels: 50	Media size, tray 3	Oficio (216 x 340 mm), 16K, Postcard (JIS single and double), 99 x 148 to 216 x 356 mm; Optional 2000-sheet tray: A4; Optional 75-envelope feeder:
Media sizes supported8.5 x 13 in, envelopes (No. 9, No. 10, Monarch); Tray 2: letter, executive, statement, 4 x 6 in, 5 x 7 in, 5 x 8 in; Optional 550-sheet tray: letter, legal, executive, statement, 4 x 6 in, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional 2000-sheet tray: letter, legal; Optional 75-envelope feeder: No. 9, No. 10, Monarch; Automatic Duplexer: letter, legal, executive, 8.5x13Media sizes, customTray 1: 3 x 5 to 8.5 x 14 in; Tray 2 3.9 x 5.8 to 8.5 x 11.7 in; Optional 550-sheet tray: 3.9 x 5.8 to 8.5 x 14 in; Optional 2000-sheet tray: custom size not supported; Optional 75-envelope feeder: 3.55 x 5.83 to 7 x 10 inMedia sizes, customTray 1: 76 x 127 to 216 x 356 mm; Tray 2: 99 x 148 to 216 x 297 mm; Optional 550-sheet tray: 99 x 148 to 216 x 356 mm; Optional 2000-sheet tray: custom sizes not supported; Optional 75-envelope feeder: 90 x 148 to 178 x 254 mmMedia type and capacity, ADFSheets: 150Media type and capacity, tray 1Sheets: 100; Transparencies: 50; Envelopes: 10Media type and capacity, tray 2Sheets: 550; labels: 50	Media sizes supported	mm), 16K, envelopes (B5, C5, C6, DL), Postcard (JIS single and double); Tray 2: A4, A5, A6, B5 (JIS), B6 (JIS), 10 x 15 cm, 16K, Postcard (JIS single and double); Optional 550-sheet tray: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio (216 x 340 mm), 16K, Postcard (JIS single and double); Optional 2000-sheet tray: A4; Optional 75-envelope feeder: B5, C5, C6, DL;
sheet tray: 3.9 x 5.8 to 8.5 x 14 in; Optional 2000-sheet tray: custom sizes not supported; Optional 75-envelope feeder: 3.55 x 5.83 to 7 x 10 in Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 99 x 148 to 216 x 297 mm; Optional 550-sheet tray: 99 x 148 to 216 x 356 mm; Optional 2000-sheet tray: custom sizes not supported; Optional 75-envelope feeder: 90 x 148 to 178 x 254 mm Media type and capacity, ADF Sheets: 150 Media type and capacity, tray 1 Sheets: 50; Envelopes: 10 Media type and capacity, tray 2 Sheets: 550; labels: 50	Media sizes supported	statement, 4×6 in, 5×7 in, 5×8 in; Optional 550-sheet tray: letter, legal, executive, statement, 4×6 in, 5×7 in, 5×8 in, 8.5×13 in; Optional 2000-sheet tray: letter, legal; Optional 75-envelope feeder: No. 9, No. 10,
Media sizes, customOptional 550-sheet tray: 99 x 148 to 216 x 356 mm; Optional 2000-sheet tray: custom sizes not supported; Optional 75-envelope feeder: 90 x 148 to 178 x 254 mmMedia type and capacity, ADFSheets: 150Media type and capacity, tray 1Sheets: 100; Transparencies: 50; Envelopes: 10Media type and capacity, tray 2Sheets: 550; labels: 50	Media sizes, custom	sheet tray: 3.9 x 5.8 to 8.5 x 14 in; Optional 2000-sheet tray: custom sizes
Media type and capacity, tray 1 Sheets: 100; Transparencies: 50; Envelopes: 10 Media type and capacity, tray 2 Sheets: 550; labels: 50	Media sizes, custom	Optional 550-sheet tray: 99 x 148 to 216 x 356 mm; Optional 2000-sheet tray: custom sizes not supported; Optional 75-envelope feeder: 90 x 148
Media type and capacity, tray 2 Sheets: 550; labels: 50	Media type and capacity, ADF	Sheets: 150
	Media type and capacity, tray 1	Sheets: 100; Transparencies: 50; Envelopes: 10
Media type and capacity, tray 3 Sheets: 550; labels: 50	Media type and capacity, tray 2	Sheets: 550; labels: 50
	Media type and capacity, tray 3	Sheets: 550; labels: 50

Media types	Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre- printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope
Media weight (tray 1)	60 to 200 g/m ²
Media weight (tray 2)	60 to 120 g/m ²
Media weight, supported	Feeder 1: 60 to 200 g/m 2 ; feeder 2: 60 to 120 g/m 2 ; Automatic Duplexer: 60 to 120 g/m 2
Media weight, supported	Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2: 16 to 32 lb bond (plain); Automatic Duplexer: 16 to 32 lb
Media weights, supported ADF	12 to 53 lb
Media weights, supported ADF	45 to 199 g/m ²
Memory	1.5 GB (printer); 512 MB (scanner)
Memory Slots	1 slot, 144-pin, DDR3 DIMM
Memory upgrade	Expandable to 3 GB through one 144-pin DDR3 DIMM slot
Metric depth	558
Metric height	640
Metric width	512
Minimum System Requirements	2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com
Minimum System Requirements for Macintosh	2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com
Native scan file format	PDF; JPG; TIFF; MTIFF
Number of print cartridges	1 (black)
Number of users	10-30 Users
Operating humidity range	10 to 80% RH
Operating temperature range	59 to 86°F
Operating temperature range	15 to 30℃
Orderable supplies	HP LaserJet 110 v Maintenance Kit J8J87A, HP LaserJet 220 v Maintenance Kit J8J88A, HP 300 ADF Roller Replacement Kit J8J95A
Output capacity	Up to 500 sheets
Package dimensions (W x D x H)	27.6 x 25.2 x 30.9 in
Package dimensions (W x D x H)	700 x 639 x 785 mm
Package weight	38 kg
Package weight	83.8 lb
Pallet dimensions	52.2 x 29.8 x 97.7 in (APJ/AMS); 29.8 x 26.8 x 66.7 in (EMEA)
Pallet dimensions (W x D x H)	1325 x 756 x 2482 mm (AMS/APJ); 756 x 680 x 1695 mm (EMEA)
Pallet weight	534.6 lb (APJ/AMS); 187.4 lb (EMEA)
Pallet weight	242.5 kg (APJ/AMS); 85 kg (EMEA)

Paper handling input, optional	Optional 550-sheet paper feeder, 550-sheet feeder with stand and cabinet, 2000-sheet feeder high capacity input with 550-sheet paper feeder and stand, optional 3 x 550-sheet feeder and stand, optional envelope feeder
Paper handling input, standard	100-sheet multipurpose feeder, 550-sheet input feeder, 150-sheet automatic document feeder
Paper handling output, standard	500-sheet ouput feeder, two-sided printing
Paper trays, maximum	6
Paper trays, standard	2
Plug and play	HP Smart Install
Power	Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/-3Hz), 12 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 6 A. Not dual voltage, power supply varies by part number with # Option code identifier.
Print Technology	Laser
Print colors	No
Print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™
Print quality black (normal)	FastRes1200
Print resolution black (fine lines)	Up to 1200 x 1200 dpi
Print speed black (Landscape, A5)	Up to 80 ppm
Print speed black (Portrait, A5)	Up to 6 ppm
Print speed duplex (A4)	Up to 50 ipm
Print speed duplex (letter)	Up to 53 ipm
Print speed footnote number (A5)	[14]
Print technology	Laser
Printer Management	HP Printer Assistant; HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)
Printer black pages (MPV black)	6000
Processor speed	1.2 GHz
Product short name specifications	HP LaserJet Managed MFP E62655dn, Print, Copy, Scan and optional Fax, Scan to email; Two-sided printing; Two-sided scanning; 150-sheet ADF
Quantity per pallet	6 (APJ/AMS); 2 (EMEA)
RMN number	B0ISB-1502-02
Recommended media weight (duplex)	60 to 120 g/m ²
Recommended media weight (duplex)	16 to 32 lb

Recommended monthly page volume	5000 to 40,000
Recommended monthly scan volume	14,250 to 23,750
Recommended monthly scan volume note	HP recommends that the number of scanned pages per month be within the stated range for optimum device performance
Recommended operating humidity range	30 to 70% RH
Recommended operating temperature range	63.5 to 77°F
Recommended operating temperature range	17.5 to 25℃
Resolution	Up to 600 dpi
Right margin (A4)	4.3 mm
Safety	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries.
Scan resolution, hardware	Up to 600 x 600 dpi
Scan resolution, optical	Up to 600 dpi
Scan size (ADF), maximum	8.5 x 34.0 in
Scan size (ADF), maximum	216 x 864 mm
Scan size (ADF), minimum	68 x 148 mm
Scan size (ADF), minimum	2.7 x 5.8 in
Scan size, maximum	216 x 356 mm
Scan size, maximum	8.5 x 14 in
Scan size, maximum Scan speed duplex (normal, A4)	8.5 x 14 in Up to 111 ipm (b&w), up to 111 ipm (color)

Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs
Standard media sizes (duplex)	A4; A5; 16K; Oficio; RA3; B5 (JIS)
Standard media sizes (duplex, imperial)	Letter; Legal; Executive; 8.5 x 13 in
Standard output capacity (envelopes)	Up to 75 envelopes
Standard output capacity (transparencies)	Up to 200 sheets
Storage device and direct print support	USB Printing; Front-facing USB/Flash drive
Storage temperature range	-20 to 40°C
Storage temperature range	-4 to 104°F
SureSupply supported	No
Target user and print volume	For teams over 25 users; Prints up to 40,000 pages/month
lariπ numbers	8443310000(AM-Base-HTS); 8443310000(EU-Base-HTS); 84433120(AP-Base-HTS)
Technology logo, print 1	Publication logos/AMS_EnergyStar.jpg
Technology logo, print 2	Publication logos/AMS_ windows_10.jpg
Technology logo, print 3	Publication logos/AMS_mac_hires.jpg
Technology logo, print 4	Publication logos/AMS_AirPrint.jpg
Technology logo, print 5	Publication logos/AMS_Mopria.jpg
Technology logo, print 6	Publication logos/AMS_Epeat silver.jpg
Technology logo, print 7	Publication logos/AMS_Epeat silver.jpg
Top key features	Scan to email; Two-sided printing; Two-sided scanning; 150-sheet ADF
Top margin (A4)	4.3 mm
Turn con a situ	800
Tray capacity	
	Version 2.1

UNSPSC code	43212110
UPC number	193015237346
Warm-up time	170 sec
Web address for additional information	Solutions: http://www.hp.com/go/gsc; Fonts and IPDS Emulation: http://www.hp.com/go/laserjetfonts; HP Web Jetadmin: http://www.hp.com/go/wja; HP Universal Print Driver: http://www.hp.com/go/upd; HP JetAdvantage Security Manager: http://www.hp.com/go/securitymanager; HP JetAdvantage On Demand Cloud Solutions: http://www.hp.com/go/JetAdvantageondemand

[2] Standard cartridges included; yields 11,000 black pages. Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.

[3] With print cartridges

- [4] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.
- [5] Average black declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.
- [7] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- [8] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

HP Care Pack Services

Imaging and Printing Hardware Support Onsite Svc

HP 3 year Next Business Day w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NM8E ★
HP 1 year Post Warranty 4 hour 9x5 w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NN9PE ★
HP 1 year Post Warranty Next Business Day w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NN7PE ★
HP 2 year Post Warranty 4 hour 9x5 w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NPOPE ★
HP 2 year Post Warranty Next Business Day w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NN8PE ★
HP 3 year 4 hour 9x5 w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NN1E ★
HP 3 year Next Business Day w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NM8E ★
HP 4 year 4 hour 9x5 w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NN2E ★
HP 4 year Next Business Day w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NM9E ★
HP 5 year 4 hour 9x5 w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NN3E ★
HP 5 year Next Business Day w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NN0E ★
HP 3 year 4 hour 9x5 w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NN1E ★
HP 1 year Post Warranty 4 hour 9x5 w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NN9PE
HP 1 year Post Warranty Next Business Day w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NN7PE
HP 1 year Print At Your Service NBD w/DMR MKRS Service Renewal for LaserJet Enterprise MFP M63X	U9UH6PE
HP 2 year Post Warranty 4 hour 9x5 w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NP0PE
HP 2 year Post Warranty Next Business Day w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NN8PE
HP 4 year 4 hour 9x5 w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NN2E
HP 4 year Next Business Day w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NM9E

★: Recommended

HP 5 year 4 hour 9x5 w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NN3E
HP 5 year Next Business Day w/DMR Service for Color LaserJet E625xx E626xx Managed	U9NN0E

Imaging and Printing Commercial Care Pack Services

HP 1 yr Post Wty Parts Exchange SVC for Color LaserJet E625xx E626xx Managed	U9NP1PE ★
HP 2 yr Post Wty Parts Exchange SVC for Color LaserJet E625xx E626xx Managed	U9NP2PE ★
HP 3 year Parts Exchange Service for Color LaserJet E625xx E626xx Managed	U9NN4E ★
HP 4 year Parts Exchange Service for Color LaserJet E625xx E626xx Managed	U9NN5E ★
HP 5 year Parts Exchange Service for Color LaserJet E625xx E626xx Managed	U9NN6E ★
HP Installation Service with network configuration for Workgroup Printer(1 unit)	U9JT2E ★
HP 1 year Print At Your Service Supplies Renewal up to 15000 pages per month LaserJet Service	UC6U5PE
HP 1 year Print At Your Service Supplies Renewal up to 20000 pages per month LaserJet Service	UC6U8PE
HP 1 year Print At Your Service Supplies Renewal up to 3500 pages per month LaserJet Service	UC6T9PE
HP 1 year Print At Your Service Supplies Renewal up to 7500 pages per month LaserJet Service	UC6U2PE
HP 1 yr Post Wty Parts Exchange SVC for Color LaserJet E625xx E626xx Managed	U9NP1PE
HP 1y Print At Your Service Supplies Renewal Svc for LaserJet (up to 10000 pages per month)	U9UJ0PE
HP 1y Renewal Subscription Supply Svc for LaserJet (up to 2000 pages per month)	U9PW5PE
HP 1y Renewal Subscription Supply Svc for LaserJet (up to 5000 pages per month)	U9PW8PE
HP 2 yr Post Wty Parts Exchange SVC for Color LaserJet E625xx E626xx Managed	U9NP2PE
HP 3 year Parts Exchange Service for Color LaserJet E625xx E626xx Managed	U9NN4E
HP 4 year Parts Exchange Service for Color LaserJet E625xx E626xx Managed	U9NN5E
HP 5 year Parts Exchange Service for Color LaserJet E625xx E626xx Managed	U9NN6E
HP MKRS LJ M63x E62xxx ADF SVC	U9QZ4E
HP MKRS LJ M63x E62xxx Fuser 110V SVC	U9PS6E
HP MKRS LJ M63x E62xxx Fuser 220V SVC	U9PS7E
HP Print Carbon Neutral Certification Service	U34Y1E

Ink/Toner/Paper/Printer Supplies

HP Laser Toner Cartridges and Kits

HP Laser Printer Supply Kits

HP 300 ADF Roller Replacement Kit	J8J95A ★
HP 300 ADF Roller Replacement Kit	J8J95A ★
HP LaserJet 110V Maintenance Kit	J8J87A ★
HP LaserJet 110V Maintenance Kit	J8J87A ★
HP LaserJet 220V Fuser Kit	P1B92A
HP LaserJet 220V Maintenance Kit	J8J88A
HP LaserJet Image Transfer Belt Kit	P1B93A
HP Laser Jet Toner Collection Unit	P1B94A

★ : Recommended

HP Business Papers

HP Business Papers for laser

HP Enhanced Business Paper, Glossy, 150 g/m2, A4 (210 x 297 mm), 150 sheets	CG965A
HP Everyday Business Paper, Glossy, 32 lb, 11 x 17 in. (279 x 432 mm), 150 sheets	4WN07A
HP Everyday Business Paper, Glossy, 32 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN08A
HP Professional Business Paper, Glossy, 52 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN10A
HP Professional Business Paper, Matte, 52 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets	4WN05A

Accessories

Memory ★: Recommended

DDR3 Memory

HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM	E5K48A ★
HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM	E5K49A ★
HP 2GB 144-Pin DDR3 TAA Version DIMM	2NR09A ★

Accessory Bundles

Printer Accessibility Accessories

HP Accessibility Kit	2TD64A ★
HP Printing Voice Assistant	478C2A

Cables/Cable Kits/Cable Adapters

Printer Cables

HP Foreign Interface Harness	B5L31A ★
Port Cables and Cable Adapters	
HP Internal USB Ports	B5L28A ★

Security and Protection

Smart Cards and SmartCard Readers

HP HIP2 Keystroke Reader	Y7C05A ★
HP USB Universal Card Reader	X3D03A ★
HP Legic Secure USB Reader	4QL32A
HP SmartCard NIPRNet Solution for US Government	CC543B

PC Drives and Storage

EIO Hard Drives

HP High-Performance Secure Hard Disk	B5L29A ★
HP TAA Version Secure Hard Disk Drive	5EL03A

Network Print Servers

External Print Servers

HP Jetdirect 3100w BLE/NFC/Wireless Accessory	3JN69A ★
HP Jetdirect 3000w NFC/Wireless Accessory	J8030A
Internal Print Servers	
HP Jetdirect LAN Accessory	8FP31A ★

Paper Handling

HP MFP Analog Fax Accessory 700

Input Trays

HP LaserJet 1x550 Paper Feeder and Cabinet HP LaserJet 1x550-sheet and 2000-sheet HCI Feeder and Stand HP LaserJet 3x550-sheet Paper Feeder with Cabinet HP LaserJet 550-sheet Feeder Tray BJ8J89A ★ Envelope Feeders HP LaserJet Envelope Feeder J8J90A ★		
HP LaserJet 3x550-sheet Paper Feeder with Cabinet HP LaserJet 550-sheet Feeder Tray J8J89A ★ Envelope Feeders	HP LaserJet 1x550 Paper Feeder and Cabinet	J8J91A ★
HP LaserJet 3x550-sheet Paper Feeder with Cabinet HP LaserJet 550-sheet Feeder Tray J8J89A ★ Envelope Feeders	HP Laser let 1x550-sheet and 2000-sheet HCL Feeder and Stand	J8J92A ★
HP LaserJet 550-sheet Feeder Tray Envelope Feeders	The Education (7,000 Street and Education Country States	
Envelope Feeders	HP LaserJet 3x550-sheet Paper Feeder with Cabinet	J8J93A ★
Envelope Feeders	HP Laser let 550-sheet Feeder Trav	J8J89A ★
HP LaserJet Envelope Feeder J8J90A ★	Envelope Feeders	
HP LaserJet Envelope Feeder J8J90A ★		
Till Edderfet Envelope reeder	HD Lacer let Envelone Feeder	IRI9∩A ↓
	The Education of the Education	30330N A
Fax Upgrades	Fax Upgrades	

2EH31A ★

Solutions

Imaging and Printing Solutions

Printing SW Solution Licenses

HP HID Mobile Access Mifare DES Fire Keystroking Reader	35H11A ★
HP SIM for HID iClass for HIP2 Reader	Y7C07A ★

★: Recommended

HP Document and Workflow Solutions

JetAdvantage Printing Security

Celiveo Enterprise	HP3PCELIVEO
HP Access Control Secure Printing and Job Accounting Solution	HPACSOLUTION
HP Proximity Card Reader	HPPROXIMTYRDR
HP Secure Print and Insights	HPJETADSECUREPRINT
HP Security Manager	HPJETADSECMGR
Kofax SafeCom Security and Job Accounting Solution	HPNSAFECOMSOL
Pharos Blueprint	HP3PHAROSBPRNT

JetAdvantage Printer Workflow

HP Capture and Route	HPCAPTANDROUTE
HP Workpath Apps	HPJA_AP

JetAdvantage Print Management

HP Universal Print Driver	HPUNIVPRNTDRV
HP Web Jetadmin	HPWEBJETADMIN
Kofax ControlSuite	HP_CSUITE
LRS VPSX for Output Management	HP3PLRS

JetAdvantage Mobile Printing

ePRINTit	HP3PEPRINTIT	

Disclaimer — Copyright

© Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the

ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool - (us-en) - Nov 12, 2022 1:34 AM UTC+0000