



HP LaserJet Managed Flow MFP E82550z - Speed 50 ppm (X3A71A)



Overview

Premium quality, maximum uptime, and the strongest security[1] from a smart, streamlined MFP.

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.[1]

High quality, low cost

Print premium, professional-quality documents with sharp text and crisp graphics for a low cost.

Minimal interruptions. Maximum uptime.

Avoid interruptions with an HP LaserJet Managed MFP designed to be streamlined for maximum productivity.

The world's most secure printing[1]

With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.

Give workgroups the speed they need

Help workgroups capture every page easily and detect potential errors or missed pages—every time.

Features



Low cost, affordable printing



Exceptional quality



Eliminate the wait from your workday

[1] Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://www.hp.com/go/PrintersThatProtect>. For more information: <http://www.hp.com/go/printersecurityclaims>

Specifications

| | |
|--|---|
| Print quality black (best) | Up to 1200 x 1200 dpi reduced speed |
| Print speed black (ISO, A4) | Up to 50 ppm |
| Print speed black (ISO, letter) | Up to 50 ppm |
| Functions | Print, Copy, Scan (fax and wireless optional) |
| Duplex printing | Automatic (standard) |
| Duty cycle (monthly, A4) | Up to 300,000 pages |
| Duty cycle (monthly, letter) | Up to 300,000 pages |
| Printer smart software features | <p>NBusinesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers professional quality, maximum uptime, and the strongest security.[1] Quality printing for a great value is a smart choice for any business. Produce premium, professional-quality documents at a competitive low cost with an HP LaserJet MFP built to make your work—and your business—look its best. Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP LaserJet MFP designed for maximum uptime, so you can count on reliable, results day in and day out. Only HP Enterprise printers repair themselves from attacks in real time, delivering built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP. Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs fast—up to 180 ipm[10]—and avoid extra steps with a Flow MFP designed for maximum productivity.</p> |
| Copier smart software features | Better remote diagnosis and repair; Higher first time fix rates; Full toner, LLC utilization; Capture un-billed pages from reconnected network devices, personal printers; On-site access to service training; A3 LaserJets are designed for fewer LLC replacements and faster repairs. |
| Scanner advanced features | Scan-to-E-mail; Scan-to-network folder (stand alone solution); Scan to Cloud; Scan to USB; Scan-to-SharePoint |
| Replacement cartridges | HP Black Managed LJ Toner Cartridge (ISO Yield 69,000) W9014MC ^[6] |
| Connectivity, standard | 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket |
| Connectivity, optional | HP Jetdirect 3000w NFC/Wireless Accessory J8030A; HP Jetdirect 2900nw Print Server J8031A |
| Modem | fax modem max speed 33.6 kbps |
| Network capabilities | Standard (built-in Gigabit 10/100/1000T Ethernet) |
| Wireless capability | No wireless capabilities standard. There are optional accessories (common to all current Jedi products) that support wireless. These are listed in the connectivity section, above. |
| Mobile printing capability | Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in |

| | |
|---|--|
| Network protocols, supported | IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; Other: NetWare NDS, Bindery, NDPS, ePrint; Google Cloud Print 2.0 |
| Software included | No software solutions are included in the Box, only on hp.com |
| Compatible Operating Systems | Android, Linux Boss (5.0), Linux Debian (7.0-8.6), Linux Fedora (22-24), Linux Mint (17-17.3) 18, Linux Red Hat Enterprise (6 & 7), Linux SUSE (13.2 & 42.1), Linux Ubuntu (12.04 & 14.04 & 15.1 & 16.04 & 16.10), MacOS 10.12 Sierra, MacOS 10.13 High Sierra, MacOS 10.14 Mojave, Microsoft Windows 7 SP1- Starter- Home Premium- Professional- Enterprise- and Ultimate- 32-bit and 64-bit, UNIX, Windows 10 Pro & Enterprise 32- & 64-bit editions (excluding RT OS for Tablets), Windows 8/8.1 Pro & Enterprise 32- & 64-bit editions (excluding RT OS for Tablets) <i>(Solution software available on 123.hp.com)</i> |
| Sustainable impact specifications | mercury-free |
| Energy star certified | Yes |
| Ecolabels | ENERGY STAR® qualified; EPEAT® Gold; CECP |
| Blue Angel compliant | Yes, Blue Angel DE-UZ 205—only ensured when using Original HP supplies |
| Copy speed (black, normal quality, A4) | Up to 50 cpm |
| Copy speed black (normal, letter) | Up to 50 cpm |
| Copy speed black duplex (A4) | Up to 50 cpm |
| Copy speed black duplex (Letter) | Up to 50 cpm |
| Digital sending standard features | Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to sFTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Crop To Page; OCR |
| Fax Resolution Black (best) | Up to 300 x 300 dpi (400 x 400 dpi for received faxes only) |
| Scan speed (normal, A4) | Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color) |
| Scan speed (normal, letter) | Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color) |
| Scan file format | Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht) |
| Scan input modes | Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; Open Extensibility Platform (OXF) applications |
| Scan technology | Platen Scanner CCD Digital-CIS |
| Scanner type | Flatbed, ADF |
| Display | 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD) |
| Minimum dimensions (W x D x H) | 585 x 785 x 932.2 mm |

| | |
|---------------------------------------|---|
| Minimum dimensions (W x D x H) | 23 x 30.3 x 36.7 in |
| Weight | 95.6 kg |
| Weight | 210.8 lb (218.9 lb) |
| Power consumption | 998 watts (printing), 65 watts (ready), 11 watts (sleep), 0.5 watts (auto-off), 0.1 watts (off) |
| Power supply type | Internal (Built-in) power supply |
| What's in the box | Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware install and setup documentation; Support flyers. DOES NOT INCLUDE TONER ^[10] |
| Manufacturer Warranty | 90 day parts only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region. |

Additional specifications

| | |
|---|--|
| Accessories | HP MFP Analog Fax Accessory 700 2EH31A, HP Accessibility Assistant 2MU47A, HP Removable Hard Drive Enclosure 2NR12A, HP Accessibility Kit 2TD64A, HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, HP Internal USB Ports B5L28A, HP High-Performance Secure Hard Disk B5L29A, HP Foreign Interface Harness B5L31A, HP LaserJet MFP Analog Fax Accessory 500 CC487A, HP SmartCard NIPRNet Solution for US Government CC543B, HP SmartCard SIPRNet Solution for US Government F8B30A, HP Jetdirect 3000w NFC/Wireless Accessory J8030A, HP Jetdirect 2900nw Print Server J8031A, HP LaserJet Dual Cassette Department Feeder Y1F98A, HP LaserJet Inner Finisher Y1G00A, HP LaserJet Department Job Separator Y1G01A, HP LaserJet Inner Finisher Hole 2/3 Punch Y1G02A, HP LaserJet Booklet Finisher Y1G07A, HP Punch 2/3 Hole Unit Y1G10A, HP LaserJet Inner/Booklet Staples Y1G13A, HP LaserJet Stapler/Stacker Finisher Staples Y1G14A, HP LaserJet Printer Cabinet Y1G16A, HP LaserJet Stapler/Stacker Finisher Y1G18A, HP LaserJet 3000 Sheet HCI Dept Tray Y1G20A, HP LaserJet 2000-sheet HCI Input Tray Y1G21A, HP LaserJet Paper Tray Heaters Accessory Y1G22A |
| Acoustic power emissions (active copy) | 7.0 B(A) ADF copy mono simplex and print mono simplex using A4 paper |
| Acoustic power emissions (active scan) | 7.2 B(A) ADF scan color simplex using A4 paper at 122 ipm |
| Acoustic power emissions (active, printing) | 6.6 B(A) printing mono simplex using A4 paper at 40 ppm |
| Acoustic power emissions (ready) | Inaudible |
| Acoustic power note | Acoustic values are subject to change. For current information see http://www.hp.com/support |
| Acoustic pressure emissions bystander (active copy) | 55 dB(A) ADF copy mono simplex and print mono simplex using A4 paper |
| Acoustic pressure emissions bystander (active scan) | 57 dB(A) ADF scan color simplex using A4 paper at 122 ipm |
| Acoustic pressure emissions bystander (active, printing) | 50 dB(A) printing mono simplex using A4 paper at 40 ppm |
| Acoustic pressure emissions bystander (ready) | Inaudible |
| Additional information about HP | http://www.hp.com |
| Additional information about HP in the countries | hp.com |
| Auto fax reduction supported | Yes |
| Automatic document feeder capacity | Standard, 250 sheets |
| Automatic paper sensor | Yes |
| Best technical electricity consumption (TEC) | 2.912kWh/week ^[9] |
| Bit depth | 24-bit |

| | |
|--|---|
| Blue Angel (sleep mode) | 1.07 watts |
| Bottom margin (A4) | 4.23 mm |
| Business filter | cMPS |
| Cable included | No, please purchase USB cable separately. Service Technician must install units |
| Cartons per layer | 1 |
| Color scanning | Yes |
| Compatible Network Operating Systems | Citrix Microsoft Windows Server 2012, Citrix Microsoft Windows Server 2012 R2, Citrix Microsoft Windows Server 2016, Citrix XenApp 6.0, Citrix XenApp 6.5, Citrix XenApp and XenDesktop 7.x (7.5 supports Windows Server 2008 R2 SP1 operating system.), Citrix XenServer 6.x+, Microsoft Windows Server 2012 R2 on Hyper-V, Microsoft Windows Server 2008 R2 SP1 on Hyper-V, Microsoft Windows Server 2008 R2 SP1 Datacenter Enterprise and Standard Edition, Microsoft Windows Server 2008 R2 SP1 Edition, Microsoft Windows Server 2012 R2 Datacenter Enterprise and Standard Edition, Microsoft Windows Server 2012 Datacenter Enterprise and Standard Edition, Microsoft Windows Server 2016 Foundation Essentials Standard Datacenter, NetWare 6.5 SP8, Novell iPrint appliance Server Platforms supported, Novell iPrint Appliance v1.1, Novell iPrint Clients supported (recommend iPrint v5.94 or newer for all Windows Platforms), Novell Open Enterprise Server 11 / SP1, Services Terminal Server Cluster Server, VMware ESX 4.x+ Workstation 9.x+, Windows 7 SPI (32-bit / 64-bit) recommend iPrint Client v5.99+, Windows 8 (32-bit / 64-bit) recommend iPrint Client v5.99+, Windows 8.1 (32-bit / 64-bit) recommend iPrint Client v5.99+, XEN on SUSE Linux Enterprise Server (SLES) 11 / SP3 |
| Component type | Licenses |
| Control panel | 9.0-in (22.8 cm) functional touchscreen with 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Pull-out Keyboard |
| Copier scaling (ADF) | 25 to 200% |
| Copier settings | Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); optimized text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collation; booklet; ID Scan; job build; job Storage; watermark; stamps; book mode scans; erase edges; automatically detect color/mono; image Preview |
| Copies, maximum | Up to 9999 copies |
| Copy reduce / enlarge settings | 25 to 400% |
| Copy resolution (black graphics) | Up to 1200 x 1200 dpi reduced speed |
| Copy resolution (black text) | Up to 1200 x 1200 dpi reduced speed |
| Copy resolution (color text and graphics) | Up to 1200 x 1200 dpi reduced speed |
| Copy speed note | First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printerclaims . Exact speed varies depending on the system configuration and document. |

| | |
|---|---|
| Count of layers in pallet | 1 |
| Country of origin | Made in China; Made in Mexico (201/202) |
| Datasheet photo 1 | Publication photos/X3A71A.jpg |
| Datasheet photo 4 | Publication photos/Walkaround_Diamond.jpg |
| Datasheet publication number | c05415055 |
| Distinctive ring detection supported | No |
| Downloadable software | HP JetAdvantage Security Manager, HP Mac Print Drivers, HP PCL6 Discrete Print Driver, HP Universal Print Drivers PCL6 & PS for Windows, HP Web Jetadmin, Linux/Unix Print Drivers, Printer Administrator Resource Kit, Product Documentation and Support, HP Easy Start for Windows OS and Mac, HP ePrint Software, SAP Print Drivers, HP Scan |
| Duplex ADF scanning | Yes |
| Duty cycle note | Up to 300,000 |
| Electromagnetic compatibility | CISPR 22:2008 (International) - Class A, CISPR 32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2: 2014, EN 61000-3-3: 2013, EN 55024: 2010, EMC Directive 2014/30/EU, FCC 47 CFR Part 15 Class A / ICES-003, Issue 6 Class A, Other EMC approvals as required by individual countries |
| Engine life | 3600000 |
| Enhanced scanning resolution | Up to 600 x 600 dpi |
| Envelope Feeder | No |
| Fax Auto Redial | Yes |
| Fax Broadcast Locations | 210 |
| Fax PC Interface Supported | Yes |
| Fax Polling | Yes (poll to receive only) |
| Fax Remote Retrieval | No |
| Fax Speed Dials, Maximum Number | Up to 1000 numbers (each with 210 destinations) |
| Fax Transmission Speed | 33.6 kbps |
| Fax delayed sending | No |
| Fax forwarding | Yes |
| Fax memory | Up to 500 pages |
| Fax memory | Up to 500 pages |
| Fax phone TAM interface supported | No |
| Fax resolution black | 203 x 196 dpi |
| Fax telephone mode supported | No |
| Fax transmission speed (letter) | 3 sec per page ^[1] |
| File Format Supported | CSV; HTML; JPEG; MTIFF; PDF; PDF/A; RTF; TIFF; Text; Unicode Text; XML; XPS |

| | |
|---|--|
| Finished output handling | Stapling; booklet making; hole punching (with optional output device) |
| First copy out black (A4) | As fast as 5.9 sec |
| First copy out black (A4, sleep) | As fast as 20.5 sec |
| First copy out black (letter) | As fast as 6.0 sec |
| First copy out black (letter, sleep) | As fast as 20.5 sec |
| First page out black (A4, ready) | As fast as 6.8 sec |
| First page out black (A4, sleep) | As fast as 20 sec |
| First page out black (letter, ready) | As fast as 6.9 sec |
| First page out black (letter, sleep) | As fast as 20 sec |
| Fonts and typefaces | 84 scalable TrueType fonts |
| Input capacity | Up to 520 sheets |
| Internal Storage | Two 500 GB Standard, embedded HP High-Performance Secure Hard Disk, Total 1000 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk). Note: U.S. government SKU uses 500 GB FIPS 140-2 validated hard disk instead. |
| Junk fax barrier | Yes |
| Left margin (A4) | 4.23 mm |
| Levels of grayscale | 256 |
| Mac compatible | Yes |
| Maximum Memory | 8 GB |
| Maximum dimensions (W x D x H) | 64.8 x 30.9 x 46.8 in |
| Maximum dimensions (W x D x H) | 1645 x 785 x 1190 mm |
| Maximum input capacity (sheets) | Up to 6,140 sheets |
| Maximum output capacity (sheets) | Up to 3250 sheets |
| Maximum print area | 311.5 x 448.7 mm |
| Media size (ADF) | Legal; Oficio; Executive; Statement; Ledger; A3; A4; A4R; A5; A6; B4; B5; B6; 16K; Dpostcard (JIS) |
| Media size, tray 1 | Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Dpostcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelope DL |
| Media size, tray 2 | Tray 2: A4, A4R, A5, A5R, A6, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Envelope B5, Envelope C5, Envelope C6, Envelope DL |
| Media size, tray 3 | Tray 3: A3, A4, A4R, A5, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k |
| Media sizes supported | Tray 1: A3, A4, A4R, A5, A5R, A6, SRa3, SRA3, Ra4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Postcard, Dpostcard (JIS), Envelope B5, Envelop C5, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, A5R, A6, Ra4, B4 (JIS), B5 (JIS), B6(JIS), Oficio, 8K, 16k, Envelope B5, Envelop C5, Envelope C6, Envelope DL; Tray 3: A3, A4, A4R, A5,A5R, A6, Ra3, Ra4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k |

| | |
|--|---|
| Media sizes supported | Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2: Letter, Letter R, Legal, Executive, Statement, Oficio, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 3: Letter, Letter R, Legal, Executive, Statement, Oficio, 11 x 17, 12 x 18, 8k, 16k |
| Media sizes, custom | Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 457.2 mm |
| Media sizes, custom | Tray 1: 3.86 x 5.5 to 12.59 x 18 in; Tray 2: 3.86 x 5.5 to 11.69 x 15.35 in; Tray 3: 5.5 x 7.17 to 12.59 x 18 in |
| Media type and capacity, ADF | Sheets: 250 |
| Media type and capacity, tray 1 | Sheets: 100; envelopes: 10 |
| Media type and capacity, tray 2 | Sheets: 520; envelopes: 40 |
| Media type and capacity, tray 3 | Sheets: 520 |
| Media types | Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Prepunched, Colored |
| Media weight (tray 1) | 60 to 300 g/m ² |
| Media weight (tray 2) | 60 to 300 g/m ² |
| Media weight (tray 3) | 60 to 300 g/m ² |
| Media weight, supported | Tray 1, 2, 3: 60 to 300 g/m ² |
| Media weight, supported | Tray 1, 2, 3: 16 to 78 lb bond (166 lb Index) |
| Media weights, supported ADF | Simplex: 42 to 220 g/m ² ; Duplex: 60 to 220 g/m ² |
| Media weights, supported ADF | Simplex: 12 to 58 lb; Duplex: 16 to 58 lb |
| Memory | 8 GB |
| Minimum System Requirements | 2 GB available hard disk space, OS hardware requirements see microsoft.com |
| Minimum System Requirements for Macintosh | 2 GB available hard disk space, OS hardware requirements see apple.com |
| Multitasking supported | Yes |
| Network ready | Standard (built-in Gigabit 10/100/1000T Ethernet) |
| Non-Operating Humidity Range | 10 to 80% RH |
| Number of print cartridges | 1 (1 black cartridge) |
| Operating humidity range | 20 to 80% RH |
| Operating temperature range | 15 to 30°C |
| Operating temperature range | 59 to 86°F |

Orderable supplies

HP W9014MC Black Managed LaserJet Toner, HP W9015MC Black Managed LaserJet Imaging Drum, HP W9016MC Managed LaserJet Toner Collection Unit, HP Black Managed LJ Toner Cartridge W9014MC, HP Black Managed LJ Imaging Drum W9015MC, HP Managed LJ Waste Container W9016MC, HP LaserJet 110V Fuser Z7Y75A, HP LaserJet 220V Fuser Z7Y76A, HP LaserJet Black Developer Unit Z8W52A, HP LaserJet Image Transfer Belt Assembly Z7Y85A, HP LaserJet MP Roller Z7Y88A, HP LaserJet Flow ADF Pick Roller Z8W50A, HP LaserJet Flow ADF Separation Roller Kit Z8W51A, HP LaserJet Trays 2-x Rollers Z9M01A, HP LaserJet Inner/Booklet Staples Y1G13A, HP LaserJet Stapler/Stacker Finisher Staples Y1G14A

| | |
|---|---|
| Output capacity | Up to 500 sheets |
| Package dimensions (W x D x H) | 831 x 685 x 1053 mm |
| Package dimensions (W x D x H) | 32.7 x 27 x 41.5 in |
| Package weight | 114.5 kg |
| Package weight | 252.5 lb |
| Pallet weight | 252.5 lb |
| Pallet weight | 131.6 kg |
| Paper handling input, optional | Optional 2150 sheet tray; Optional 3000 sheet tray |
| Paper handling input, standard | 100-sheet multi-purpose tray, 2 x 520-sheet input tray, 250 sheet ADF |
| Paper handling output, optional | Job Separator, Inner Finisher stapler-stacker, booklet maker, 2/3 hole punch, 2/4 hole punch, Swedish hole punch |
| Paper handling output, standard | 500 sheet face-down output bin |
| Paper trays, maximum | 6 |
| Paper trays, standard | 3 |
| Ports | 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax modem port |
| Post warranty repair & maintenance | 90 parts only warranty in most countries |
| Power | Input voltage: 110 to 127Vac (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%). Not dual voltage, power supply varies by part number with # Option code identifier. |
| Print Technology | Laser |
| Print colors | No |
| Print languages | HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible |
| Print quality black (normal) | Up to 600 x 600 dpi |
| Print speed black (normal, A3) | Up to 25 ppm |
| Print speed black (normal, tabloid) | Up to 25 ppm |
| Print speed duplex (A3) | Up to 25 ipm |
| Print speed duplex (A4) | Up to 50 ipm |
| Print speed duplex (letter) | Up to 50 ipm |

| | |
|---|--|
| Print speed duplex (tabloid) | Up to 25 ipm |
| Print speed footnote (A3/Tabloid) | [5] |
| Print technology | Laser |
| Printer Management | HP JetAdvantage Security Manager, HP SNMP Proxy Agent, HP Web Jetadmin Software, HP WS Pro Proxy Agent, Printer Administrator Resource Kit for HP Universal Print Driver |
| Printer black pages (MPV black) | 10000 |
| Processor speed | 1.2 GHz |
| Product long name specifications | HP LaserJet Managed Flow MFP E82550z |
| Product short name specifications | HP LaserJet Managed Flow MFP E82550z - Speed 50 ppm, Print, Copy, Scan (fax and wireless optional) |
| Quantity per pallet | 1 |
| RMN number | BOISB-1604-00 |
| Recommended media weight (duplex) | 16 to 58 lb |
| Recommended media weight (duplex) | 60 to 256 g/m ² |
| Recommended monthly page volume | Up to 100,000 |
| Recommended monthly page volume note | Up to 100,000 |
| Recommended operating humidity range | 20 to 80% RH |
| Recommended operating temperature range | 59 to 86°F |
| Recommended operating temperature range | 15 to 30°C |
| Replacement product number | New Product |
| Resolution | 600 dpi |
| Resolution (black and white, standard mode) | 203 x 98 dpi |
| Resolution (black and white, superfine mode) | 203 x 392 dpi or 300 x 300 |
| Resolution (black photo grayscale) | 300 x 300 dpi (400 x 400 dpi for received faxes only) |
| Right margin (A4) | 4.23 mm |

| | |
|--|---|
| Safety | IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; EN 62471:2008 /IEC 62471:2006; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2014-10; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007 Other safety approvals as required by individual countries |
| Scan resolution, hardware | Up to 600 x 600 dpi |
| Scan resolution, optical | Up to 600 x 600 dpi |
| Scan size (ADF), maximum | 11.7 x 17 in |
| Scan size (ADF), maximum | 297 x 432 mm |
| Scan size (ADF), minimum | 105 x 148 mm |
| Scan size (ADF), minimum | 4.3 x 5.5 in |
| Scan size, maximum | 297 x 432 mm |
| Scan size, maximum | 11 x 17 in |
| Scan size, minimum | 1 in |
| Scan size, minimum | 25 mm |
| Scan speed duplex (normal, A4) | Up to 240 ipm (b&w), up to 240 ipm (color) |
| Scan speed duplex (normal, letter) | Up to 240 ipm (b&w), up to 240 ipm (color) |
| Security management | Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in |
| Services | Customers can retain their hard disk drive and keep control of sensitive data. |
| Services description headline 01 | Next Business Day Onsite with Defective Media Retention: |
| Standard media sizes (duplex) | Tray 1: A3; A4; A4R; A5;A5R; A6; SRa3; SRA3;Ra4; B4 (JIS); B5 (JIS); B6 (JIS); Oficio; 8K; 16k; Dpostcard (JIS) |
| Standard media sizes (duplex, imperial) | Letter; Letter R; Legal; Executive; Statement; Oficio; 11 x 17; 12 x 18; 8k; 16k |
| Standard output capacity (envelopes) | Up to 40 envelopes |
| Storage temperature range | 14 to 104°F |
| Storage temperature range | -10 to 40°C |
| Sub-brand name | LaserJet |
| SureSupply supported | Yes |
| Tariff numbers | AM-Base-HTS - 8443310000; EU-Base-HTS - 8443318000; AP-Base-HTS - 84433120 |
| Technical note image URL | http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c03905404.png |
| Technology logo, print 1 | Publication logos/AMS_EnergyStar.jpg |

| | |
|---|---|
| Technology logo, print 2 | Publication logos/AMS_windows_10.jpg |
| Technology logo, print 3 | Publication logos/AMS_mac_hires.jpg |
| Technology logo, print 4 | Publication logos/AMS_hp_eprint.jpg |
| Technology logo, print 5 | Publication logos/AMS_AirPrint.jpg |
| Technology logo, print 6 | Publication logos/AMS_USB_hi speed.jpg |
| Telephone handset supported | No |
| Top margin (A4) | 4.23 mm |
| Twain version | Version 2.1 |
| Typical electricity consumption (TEC) number | 3.176 kWh/Week (Blue Angel); 0.81 kWh/Week (Energy Star 3.0) ^[8] |
| UNSPSC code | 81112203 |
| UPC number | 190780788394 |
| Waste electrical and electronic weight | 97.3 kg |
| Web address for additional information | http://www8.hp.com/us/en/printers/a3-multifunction.html |
| What is in the box footnote | No, please purchase USB cable separately. Service Technician must install units |

[1] Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17

[6] Average color composite black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>

[8] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

[9] Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.

[10] No, please purchase USB cable separately (EMEA, Americas; AP). Service Technician must install units

Services

HP Care Pack Services

★ : Recommended

Imaging and Printing Hardware Support Onsite Svc

| | |
|--|----------|
| HP 3 year Next Business Day w/DMR Service for LaserJet E82550 MFP Managed | UA7N7E ★ |
| HP 3 year 4 hour 9x5 w/Defective Media Retention Service for LaserJet E82550 MFP Managed | UA7P0E ★ |
| HP 1 year Next Business Day w/DMR Service for LaserJet E82550 MFP Managed | UA7N6E |
| HP 1 year Post Warranty 4 hour 9x5 w/Defective Media Retention for LaserJet E82550 MFP Managed | UA7P9PE |
| HP 1 year Post Warranty Next Business Day w/DMR Service for LaserJet E82550 MFP Managed | UA7P7PE |
| HP 2 year Post Warranty 4 hour 9x5 w/Defective Media Retention for LaserJet E82550 MFP Managed | UA7Q0PE |
| HP 2 year Post Warranty Next Business Day w/DMR Service for LaserJet E82550 MFP Managed | UA7P8PE |
| HP 4 year 4 hour 9x5 w/Defective Media Retention Service for LaserJet E82550 MFP Managed | UA7P1E |
| HP 4 year Next Business Day w/Defective Media Retention for LaserJet E82550 MFP Managed | UA7N8E |
| HP 5 year 4 hour 9x5 w/Defective Media Retention Service for LaserJet E82550 MFP Managed | UA7P2E |
| HP 5 year Next Business Day w/Defective Media Retention for LaserJet E82550 MFP Managed | UA7N9E |

Imaging and Printing Commercial Care Pack Services

| | |
|---|---------|
| HP 1 year Parts Exchange Service for LaserJet E82550 MFP Managed | UA7P3E |
| HP 1 year Post Wty Parts Exchange SVC for LaserJet E82550 MFP Managed | UA7Q1PE |
| HP 2 year Post Wty Parts Exchange SVC for LaserJet E82550 MFP Managed | UA7Q2PE |
| HP 3 year Parts Exchange Service for LaserJet E82550 MFP Managed | UA7P4E |
| HP 4 year Parts Exchange Service for LaserJet E82550 MFP Managed | UA7P5E |
| HP 5 year Parts Exchange Service for LaserJet E82550 MFP Managed | UA7P6E |
| HP Maintenance Kit Replacement Service for LaserJet E825xx MFP ADF Tray1 Rlr | U9PG1E |
| HP Maintenance Kit Replacement Service for LaserJet E825xx MFP Black Dev Unit | U9PF9E |
| HP Maintenance Kit Replacement Service for LaserJet E825xx MFP Black Img Drum | U9PG0E |
| HP Maintenance Kit Replacement Service for LaserJet E825xx MFP Fuser 110 plus Tray2 | U9PF6E |

| | |
|---|--------|
| HP Maintenance Kit Replacement Service for LaserJet E825xx MFP Fuser 220 plus Tray2 | U9PF7E |
|---|--------|

| | |
|---|--------|
| HP Maintenance Kit Replacement Service for LaserJet E825xx MFP PaperTransBelt | U9PF8E |
|---|--------|

| | |
|---|--------|
| HP Maintenance Kit Replacement Service for LaserJet E825xx Multi Function Printer Kit 1 - AMS | UA5E9E |
|---|--------|

| | |
|---|--------|
| HP Print Carbon Neutral Certification Service | U34Y1E |
|---|--------|

Accessories

Accessory Bundles

★ : Recommended

Printer Accessibility Accessories

| | |
|-----------------------------|--------|
| HP Accessibility Kit | 2TD64A |
| HP Printing Voice Assistant | 478C2A |

Data Security Accessories

| | |
|-----------------------------------|--------|
| HP Removable Hard Drive Enclosure | 2NR12A |
|-----------------------------------|--------|

Cables/Cable Kits/Cable Adapters

Printer Cables

| | |
|------------------------------|--------|
| HP Foreign Interface Harness | B5L31A |
|------------------------------|--------|

Port Cables and Cable Adapters

| | |
|-----------------------|--------|
| HP Internal USB Ports | B5L28A |
|-----------------------|--------|

PC Drives and Storage

EIO Hard Drives

| | |
|--------------------------------------|--------|
| HP High-Performance Secure Hard Disk | B5L29A |
|--------------------------------------|--------|

Network Print Servers

External Print Servers

| | |
|---|--------|
| HP Jetdirect 3000w NFC/Wireless Accessory | J8030A |
| HP Jetdirect 3100w BLE/NFC/Wireless Accessory | 3JN69A |

Paper Handling

Output Trays and Stackers

| | |
|--|--------|
| HP LaserJet Booklet Finisher | Y1G07A |
| HP LaserJet Inner/Booklet Staples | Y1G13A |
| HP LaserJet Stapler/Stacker Finisher Staples | Y1G14A |

Fax Upgrades

Security and Protection

Smart Cards and SmartCard Readers

HP SmartCard NIPRNet Solution for US Government

CC543B

HP SmartCard SIPRNet Solution for US Government

F8B30A

Ink/Toner/Paper/Printer Supplies

HP Business Papers

★ : Recommended

HP Business Papers for laser

| | |
|--|--------|
| HP Enhanced Business Paper, Glossy, 150 g/m ² , A4 (210 x 297 mm), 150 sheets | CG965A |
| HP Everyday Business Paper, Glossy, 32 lb, 11 x 17 in. (279 x 432 mm), 150 sheets | 4WN07A |
| HP Everyday Business Paper, Glossy, 32 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets | 4WN08A |
| HP Professional Business Paper, Glossy, 52 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets | 4WN10A |
| HP Professional Business Paper, Matte, 52 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets | 4WN05A |

Solutions

Print Security Solutions

★ : Recommended

Print Security

Print Security

HPPRINTSECURE

Disclaimer — Copyright

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Nov 12, 2022 1:39 AM UTC+0000