RICOH

Color Digital Imaging System Essential Productivity for the Efficient Office



compact



Achieve a faster, smoother, smarter document workflow. Exceptional productivity now fits perfectly in any workspace. The RICOH® Aficio® MP C300/MP C300SR/MP C400/MP C400SR Color Digital Imaging System offers true multifunctional versatility, advanced workflow capabilities and astonishing speed—all in an amazingly compact system. The smart, sleek design includes tools and capabilities that maximize efficiency and ensure low total cost of ownership. Multiple security features provide strong lines of defense for documents and data. It's the ideal solution for smaller workgroups.



SpeedFlexibilityEconomyPower

Exceptional Workgroup Productivity

The Ricoh Aficio MP C300/MP C300SR/MP C400/MP C400SR offers sophisticated tools that are powerful, but easy to use—so you can locate, print and share the documents you need quickly and spend more time driving your business.

- Produce attractive documents quickly with resolution up to 1200dpi and reliable 32 or 42 page-per-minute output speed. Automatic duplexing, 50-second warm-up time, intuitive controls and internal finishing complete the productivity picture.
- Simplify multi-page jobs—such as proposals, financial reports and marketing plans—with a highly efficient, 250-sheet internal finisher. In addition to great speed and versatility, the internal design saves valuable floor space.
- Streamline document production with a flexible paper supply and a total capacity up to 2,300 sheets of 8.5" x 11" and 8.5" x 14" paper. This extensive amount minimizes replenishment and strengthens overall productivity.
- Store up to 3,000 documents on a standard Document Server that allows you to easily find, retrieve and share the files you need.



Ricoh designed this system with busy end-users in mind. Intuitive controls and well-engineered features make interacting with the system fast and easy—even for infrequent users.

- Load paper and get back to work quickly with simple, ergonomically designed reverse-grip paper trays that easily return to their original position.
- Replace toner cartridges with one hand in a matter of seconds.
- Drive office efficiency with a logical touch screen display that clearly leads users step-by-step through each process. The tiltable display panel even accommodates color-challenged users with special settings.

Streamlined Document Distribution

The Ricoh Aficio MP C300/MP C300SR/MP C400/ MP C400SR offers a variety of Scan-To features that simplify the distribution of critical documents.

- Distribute hardcopy documents faster and be more productive than ever with Scan-to-Email. Without adding any additional software or hardware, you can scan, preview and send documents to a personal address for forwarding—or directly to other email addresses.
- Reduce network traffic while uploading a variety of business documents such as proposals, catalogs, brochures or financial reports—to a shared server with Scan-to-FTP. It's a fast and convenient way to make documents universally available to authorized users.
- Convert documents to your choice of electronic formats including PDF, TIFF and JPEG and store them on a USB Clip Drive or SD Card.
- Convert hardcopy documents into High Compression PDFs using the JPEG 2000 image compression standard to create small, portable files with uncompromised image quality.
- Expand system performance with optional Ricoh GlobalScan NX software for advanced scanning capabilities.



Produce presentation-quality proposals, financial reports and other professional business documents with a space-saving internal finisher.



Conserve space and simplify complex jobs with a highly intuitive control panel that tilts and swings for easy viewing.



Retrieve stored documents on a USB Clip Drive or an SD Card and print them with uncompromised image quality directly to the system.

Critical Capabilities for Business Communications

Standard 50-Sheet Automatic Reversing Document Feeder Efficiently handle one-

Efficiently handle oneand two-sided originals up to 8.5" x 14" in size.



Internal Finisher (standard on MP C300SR and MP C400SR)

Produce superb quality finished documents and save space with an innovative internal finisher design.

Inner One-Bin Tray (optional for MP C300 and MP C400)

Separate output and make it easy for users to retrieve their documents.



Standard 550-Sheet Paper Tray

Stay productive and minimize trips to replenish paper with an ample supply of 8.5" x 11" paper, up to 120 lb. Index.

550-Sheet Paper Tray (optional)

Accommodate sizes up to 8.5" x 14" and increase paper capacity to 1,200 sheets.

550-Sheet x 2 Paper Trays (optional)

Add two additional 550-Sheet Paper Banks and offer users a choice of multiple paper sources on demand. Add one of each of the optional paper trays and increase paper capacity to 2,300 sheets.





Side Tray (optional)

Keep output well-organized and easily accessible for end-users.

Full-Color, Tiltable Control Panel

Simplify every task with a convenient and easy-to-maneuver 8.5" control panel, which can swing into a comfortable position for all users.



Standard Scan-to-Media

Make high-quality prints from PDF, TIFF or JPEG files—or transport scanned documents on a USB Clip Drive or SD Card.

Standard 100-Sheet Bypass Tray

Take advantage of a wide range of paper sizes and types (up to 140 lb. Index).



Safeguard data by overwriting the hard drive after every job—and add a layer of protection against hackers by encoding documents stored on the hard drive.





Toner Cartridges

Conveniently located behind the front panel and easily replaced.

Protect Documents and Data

A variety of physical and logical security features allow you to safeguard documents and data.

- Reduce the threat of unauthorized users retrieving and printing documents with the standard DataOverwriteSecurity System (DOSS) feature. DOSS instantly overwrites the hard drive after every job. Standard Hard Disk Drive (HDD) Encryption further protects documents and data, even if the hard drive is stolen.
- Control access to the system or specific features with various levels of authentication. These proven security measures reduce the chance of unauthorized users accessing documents, data and passwords.
- Enhance security and make both log-in and IPP passwords harder to compromise with Scan-to-Webmail (SMTP over SSL).
- Safeguard against unauthorized viewing of confidential documents with encrypted PDF transmission. PDF data is automatically encrypted prior to transmission via Scan-to-Email and Scan-to-Folder.



Manage your workflow—and enterprise-wide document distribution—from your desktop with a variety of easy-to-use utilities.

- Track costs and reinforce economical supply usage with the innovative User Account Limit feature. It allows you to assign amounts of output or color usage—for groups or individuals. This helps keep supply costs low and highly predictable.
- Manage critical functions—such as system settings, print job status and supply levels—remotely with Web Image Monitor. Virtually every function performed at the system can be handled remotely with this robust, web-based tool.
- Eliminate the cost and hassle of manual meter data submissions with the automated simplicity of @Remote Intelligent Management.
- Build custom applications or integrate off-the-shelf software products with an easy-to-use Software Development Kit (SDK). Ricoh Embedded Software Architecture (ESA) gives you the freedom to automate processes, optimize workflow or add accountability to your network.

Create A Powerful Network

Enjoy full compatibility and integration with a wide range of stand-alone and networked environments. Count on fast, non-disruptive installation, minimal IT investment and maximum uptime.

- Support a full range of print streams with standard PCL5c/6, genuine Adobe® PostScript® 3™ and support for XPS.
- Empower end-users with varying network requirements by providing them with an efficient multifunction solution. The device offers easy integration for Windows, Macintosh or UNIX environments with standard 10Base-T/100Base-TX Ethernet and USB 2.0 interfaces, as well as optional Gigabit Ethernet and IEEE 802.11a/g interfaces.
- Create brilliant, full-color documents from PDFs without the need to open each file with PDF Direct Print. This minimizes wait times and alleviates network congestion.
- Shorten the time it takes users to set up and complete print jobs. A one-click, graphical icon-based user interface with the PCL6 or standard PostScript3 driver requires limited mouse clicks to set up print jobs.
- Print directly from a laptop, handheld device or smart phone securely across the Internet without device-specific drivers, special software or a LAN connection using the Ricoh HotSpot MFP option.



Control system and supply usage and reduce the level of unnecessary output—on an individual or workgroup basis—with the User Account Limit feature.



Elevate end-user productivity and maintain a continuous workflow with a maximum paper capacity of 2,300 sheets.



Ricoh was recently named one of the "Global 100 Most Sustainable Corporations in the World" for the sixth consecutive year.

OptimizeEnhanceAccelerateCommunicate

Optional Fax Capabilities

Enhance the multi-functional power of the Ricoh Aficio MP C300/MP C300SR/MP C400/MP C400SR with optional fax capabilities. Advanced technologies remove time and cost from the fax process.

- Increase the speed of your fax communications and greatly reduce phone line costs with a Super G3 fax modem that transmits an average page in two seconds or less.
- Transfer incoming fax messages to selected e-mail addresses, so users can receive and review documents from any PC even if they are away from their offices.
- Send or receive faxes electronically with Internet (T.37) faxing or PC-based LAN faxing. Users can also select IP (T.38) and Super G3 faxing for quick delivery to conventional fax numbers.

Ricoh Managed Document Services

Ricoh's Managed Document Services (MDS) is a powerful way to streamline your document management environment. MDS enables control of output-related costs and assets and optimizes the fleet. Through on-site and off-site services, MDS improves workflow, productivity and end-user experiences.

- Control expenses with the Ricoh Aficio MP C300/MP C300SR/ MP C400/MP C400SR, which provide a powerful combination of high productivity, long-lasting reliability and low total cost of ownership (TCO).
- Consolidate copying, printing, scanning and document management into a single device, with a smaller footprint and one set of consumables.
- Place the appropriate device for the right applications with these systems and others—all part of our extensive line of Ricoh products.



The Total Green Office Solution





Ricoh continues its long-standing commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising productivity.

System Specifications

General Specifications

Configuration **Printing Process** Desktop

Dry Electrostatic Transfer with Dual Component Magnetic Brush Development; 4-Drum Method Full Color One Dimensional Solid

Less than 10 sec (B/W);

Less than 15 sec (Color)

Automatic Reversing Document

(128 x 139.7mm to 216 x 355.6mm)

Up to 49.6" (1260mm) Simplex only

Standard: 1 x 550 sheets + 100-Sheet

14 to 34 lb Bond (52-128 g/m²)

17 to 28 lb Bond (60-105 g/m²)

8.5" x 11" (210 x 297mm)

Bypass Tray Maximum: 2,300 sheets

500 sheets (MP C300/C400);

8.5" x 11" (216 x 297mm) 2.76" x 5.0" to 8.5" x 49.6"

5.5" x 8.5" to 8.5" x 14"

14-58 lb Bond/120 lb Index

14-68 lb Bond/140 lb Index

16-43 lb Bond/90 lb Index

(52-220 g/m²)

(52-256 g/m²)

(60-163 g/m²)

250 sheets (MP C300SR/C400SR)

(70 x 127mm to 216 x 1260mm)

(139.7 x 216mm to 216 x 355.6mm)

Plain Paper, Special Paper, Thick Paper,

Laser Printer Qualified Transparencies

Coated, High-gloss Coated, Water-

resistant Paper, Labels, Envelopes,

25% to 400% in 1% increments

155%, 129%, 93%, 78%, 65%

21.7" x 22.4" x 28" (including ARDF

<187.3 lbs (85kg) MP C300SR/C400SR

<176.3 lbs (80kg) MP C300/C400;

(Platen); 25% to 200% in 1%

increments (ARDF)

and Operation Panel)

5.04" x 5.5" to 8.5" x 14"

600 x 600dpi

Feeder (ARDF)

50 sheets

for Banners

1-999

Scanning Element Scanning via CCD 32 ppm/42 ppm

Output Speed (Copy/Print) Warm-up Time 50 seconds

First Copy Time

Copy Resolution Document Feeder (standard) **Original Capacity**

Paper Size Custom

Paper Weight (simplex) Paper Weight (duplex)

Exposure Glass Quantity Indicator Input Capacity

Output Capacity (Letter) Paper Sizes

Standard Paper Tray **Bypass Tray Optional Paper**

Feed Units Paper Weights Standard Tray/

Optional Paper Feed Units **Bypass Tray**

Duplex Unit

Paper Types

Auto Duplex

Preset Reduction and

Enlargement Ratios Dimensions (WxDxH)

Weight

Power Requirements 120-127V/60Hz/15 Amps Power Consumption Less than 1.6KW (Full System)

Copier Features Auto Color Selection (ACS), Auto/Manual Density Control,

Modes, Combine Mode, Copy Mode - Photo Type Selection (Printed, Glossy & Copied Photo), Cover/Slip/Chapter Sheets, Image Adjustment, Image Rotation, Job Preset (8), Job Program (10), Sample Copy, Shift/Erase Margin, Stamps/Numbering,

Batch Mode & SADF Mode, Color Adjustment, Color Creation

User Codes (500)

Printer Controller Specifications (standard) Intel Celeron M (1GHz) CPU

1.5GB RAM + 160GB Hard Disk Drive Memory

(standard/maximum) Max. Print Speed

Print Drivers (standard)

32/42ppm PCL5c, PCL6, PS3, XPS Max. Print Resolution 600 x 600dpi; 1200 x 1200dpi (excluding PCL5c)

USB2.0 (Type A & B), 10/100Base-TX Standard Interfaces Ethernet (RJ45), Front USB 2.0/SD

Card Slot

Optional Interfaces 1000Base-T Gigabit Ethernet, IEEE 802.11a/g Wireless

Network Protocols Fonts for PCL Fonts for PostScript3 Network Operating

Systems

TCP/IP (IPv4, IPv6), Bonjour 45 Intellifonts, 13 International Fonts 136 Roman Window2000/XP/Vista/7/Server 2003/ Server2008/R2, Mac OSX10.1 or

later, Citrix MetaFrame/Presentation Server/XenApp 5.0, Novell NetWare 3.12, 3.2, 4.1, 4.11, 5.0, 5.1, 6.0, 6.5, UNIX Filter for Sun Solaris, HP-UX, SCO OpenServer, RedHat Linux, IBM

AIX, SAP R/3

Utilities SmartDeviceMonitor for Admin and Client, Web SmartDeviceMonitor, Web

Image Monitor, @Remote

Other Printer Features

Black Over Print, Bonjour Support, Classification Code, CLP Simulation, PDF Direct Print, PictBridge Support, Sample/Hold/ Stored and Locked Print, WSD Printer

Scanner Specifications (standard)

100/200/300/400/600 dpi Scanner Resolution (200 dpi default) Scanning Speed >30 ipm (B&W and F/C @200dpi via ARDF)

Main Scan Sub Scan Compression Method

Scan Mode

Scan-to-Modes Supported

Compression PDF, Single Page JPEG BW Text/Line Art, Text, Text/Photo, Photo, Grayscale; Color Text/Photo, Gloss Photo Scan-to-Email (with LDAP support);

Single/Multi Page TIFF, PDF and High

8.5" x 49.6" (216 x 1260mm) 11.6" x 49.6" (297 x 1260mm)

Scan-to-Folder (SMB/FTP/NCP); Scan-to-URL; Network TWAIN Scanning;

Scan-to-Media (USB/SD); WSD Scanner

Document Server Specifications (standard) 160GB (shared with other functions) Capacity 3.000 documents Max. Stored

Documents Max. Pages

Scan Speed

Additional Modes

2,000 pages (per document) 15,000 pages (all stored documents)

Facsimile Specifications (optional)

ITU-T (CCIT) G3 Type Circuit PSTN, PBX

Resolution 200 x 100 dpi, 200 x 200 dpi, 400 x 400 dpi (with optional SAF memory) Modem Speed 33.6K - 2,400bps with Automatic Shift Down

MH, MR, MMR, JBIG Compression Method

G3: Approx. 2 seconds/page (w/JBIG Transmission Speed

compression)

G3: Approx. 3 seconds/page (w/MMR

compression) 0.8 seconds (B&W, Letter @ 200 x

100 dpi)

2 000 Quick Dials 100 Group Dials Auto Dialing

(500 locations each)

4MB (approx. 320 pages); **SAF Memory Capacity**

Maximum 28MB (approx. 2,240 pages) Internet Fax (T.37), IP Fax (T.38), LAN Fax, Fax Forward to E-mail/Folder,

LDAP Support

Other Facsimile Features

Detection of Misplaced Documents, Double Check Destination,

Security Specifications

DataOverwriteSecurity Unit (DOSS) (standard) - Security feature that overwrites latent data on the system's hard drive after copy, scan, fax and print jobs.

DataOverwriteSecurity Unit (DOSS) Type H - For customers requiring ISO 15408 Common Criteria Certification. HDD Encryption (standard) - This function encrypts the system's hard drive using 256 bits (AES) to protect against data theft.

Other Security Features

Classification Codes, 802.1.x Wired Authentication, Encryption (Address Book, Authentication Password, Locked Print Password, PDF, SSL Communication, S/MIME, IPsec Communication), IP Filtering, Locked Print, Network Protocol On/Off, SNMP v3 Support, User Authentication (Windows/LDAP with Kerberos-External; Basic and User Codes – Internal), User Code Account Limits, WPA/WPA2 (Wi-Fi Protect Access Support)

Optional Hardware Accessories

One Tray Paper Feed Unit (PB1000)

550 sheets x 1 tray 5.04" x 5.5" to 8.5" x 14" Paper Capacity Paper Sizes 14 - 58 lb Bond/120 lb Index Paper Weights

(52-220 g/m²) 20.4" x 22.1" x 4.7" Dimensions (WxDxH) (520 x 563 x 121mm)

Two Tray Paper Feed Unit (PB1010)

1,100 sheets (550 sheets x 2 trays) 5.04" x 5.5" to 8.5" x 14" 14 – 58 lb Bond/120 lb Index Paper Capacity Paper Sizes Paper Weights

(52-220 a/m²) 20.4" x 22.1" x 10.6"

Dimensions (WxDxH) (520 x 563 x 271mm)

Internal 50-Sheet Finisher Type C400 (standard on MP C300SR/MP C400SR only)

Paper Sizes 5.04" x 5.5" to 8.5" x 14" Paper Weights 13 - 68 lb Bond/140 lb Index

(52-256 g/m²) 250 sheets Stack Canacity 50 sheets/set (Letter); Staple Capacity

30 sheets/set (Legal) Staple Paper Sizes Letter and Legal Staple Positions 1 Position; Side Parallel Dimensions (WxDxH) 19.6" x 16.5" x 6.9" (500 x 420 x 176mm)

One-Bin Tray Type BN1000

(available with MP C300/MP C400 only)

5.04" x 5.5" to 8.5" x 14" Paper Sizes Paper Capacity 100 sheets Paper Weights 14 - 58 lb Bond/120 lb Index (52-220 g/m²) 15.7" x 12.5" x 3.1"

Dimensions (WxDxH) (400 x 320 x 80mm)

Side Tray Type C400

Paper Sizes 5.04" x 5.5" to 8.5" x 14"

Paper Capacity 50 sheets

16 - 43 lb Bond/90 lb Index Paper Weights (60-163 a/m²)

3.3" x 16.4" x 11.6" **Dimensions When** Open (WxDxH) (85 x 417 x 295mm)

Additional Accessories

Counter Interface Unit Type A, FAC49, FAC50 and FAC51 Cabinets, Fax Option Type C400, File Format Converter Type E, Gigabit Ethernet Type B, Handset Type 1018, HotSpot MFP, IEEE802.11 a/g Interface Unit Type J, Memory Unit Type B 32MB

Consumables

Black Toner Cartridge* 8.300 Pages Cyan, Magenta & Yellow** 10,000 Pages

*Toner yield based on 6% coverage.

**Toner yields based on 5% coverage.

For maximum performance and yield, we recommend using genuine Ricoh parts and supplies.













