Ricoh Aficio SP C821DN Color Laser Printer A Smart Solution for High-End Color





Ricoh Aficio SP C821DN Series Color Laser Printer

Unleash Your In-house Capabilities

The fast and flexible RICOH® Aficio® SP C821DN Series Color Laser Printer delivers exactly what marketing departments, advertising agencies and other graphics-intensive environments need to produce more full-color documents in-house. This versatile system prints anything and everything: pre-proofs, comps, presentations, booklets, brochures, expense reports, forms, and more. Its superior speed lets you pick up the pace, while its outstanding color quality ensures attention-grabbing output. Bottom line: the Ricoh Aficio SP C821DN Series puts the power back in your hands, enabling you to maintain complete control over image quality, turnaround time, operating costs and productivity.



SpeedProductivityColorControl

Astonishing Full-Color Results

Expect amazing results from the Ricoh Aficio SP C821DN Series. Its multi-bit printer engine uses true laser technology to easily outperform competitive systems.

- Achieve maximum clarity and sharpness for photographic-quality prints and smoother gradations. This printer offers true 1200 x1200 dpi resolution which many other printers in this class simply can't match.
- Choose the right resolution for any color document. With 4-bit color and interpolated resolution up to 9600 x 600 dpi, it is easy to optimize color quality for shadow detail and skin tones.
- Print sharp, crisp photographic-quality documents quickly and easily with Glossy Mode.
- Emulate the look of output from other devices, including offset printers and popular laser printers. Plus, support for PANTONE®, ColorSync, ICM and custom ICC profiles provides even more control over your prints.
- Sharpen images with new PxP™ toner. Its wider color gamut and smaller particles enable the Ricoh Aficio SP C821DN Series to capture subtle changes in color and tone.



The Ricoh Aficio SP C821DN Series uses a powerful combination of print speed, faster processing and enhanced memory to set a new standard for full-color productivity.

- Create reports, plans, presentations, brochures, and more with 50 pagesper-minute speed for full-color, black & white or mixed output.
- Handle larger file sizes, complex applications, specialized fonts and other graphics-intensive demands with a high-performance 1 GHz Intel Celeron® Controller.
- Enable instant reprints and other convenient print-on-demand capabilities while increasing font storage space with a standard 80 GB Hard Disk Drive (HDD).
- Minimize waiting with a first color print time of eight seconds, or seven seconds for black & white. Warm-up time is less than a minute.
- Let everyone share a single device without constantly reloading paper. This printer holds up to 3,200 sheets for demanding workloads.
- Reduce the risk of misplaced output. The 4-Bin Mailbox provides shared access to the printer while keeping documents separate.

More Media Choices

Outstanding media flexibility enables you to keep a wider variety of jobs in-house and express your creativity without limits.

- Print postcards, direct mail and other documents on heavy stock. All paper trays accept weights up to 140 lb. Index in simplex mode and 90 lb. Index in duplex mode.
- Print packaging comps and proof sheets up to 11" x 17". For full-bleed
 11" x 17" proofs, use the Bypass Tray, which prints sizes up to 12" x 18".
- Energize event promotions with full-color banners. The Ricoh Aficio SP C821DN Series can print banners 12" wide and up to 49.6" long.
- Reduce the risk of errors and reprints with a convenient driver that lets users select the correct paper weight for any job.



Print everything you see here and much more. Media flexibility lets you keep a much wider range of jobs in-house.



Take full advantage of available print settings with an intuitive graphical user interface for the PostScript® driver.



The Ricoh Aficio SP C821DN Series delivers true 1200 x 1200 dpi resolution for exceptional sharpness, clarity and color quality.

VersatilityEfficiencyQualityFinishing

Powerful In-Line Finishing

Professional-grade finishing options exponentially increase the number of documents you can print in-house for much less than the cost of outsourcing.

- Produce high-impact, full-color training, education and marketing materials with folding and saddle-stitching using the 1,000-Sheet Booklet Finisher.
- Staple reports, plans and proposals with the 3,000-Sheet Finisher. Add the Hole Punch Unit so output can be inserted directly into three-ring binders.
- Align finished documents for easy pick-up with the optional Output Jogger Unit, which can be added to the 3,000-Sheet Finisher.

Improve Security and Management

Sophisticated security features provide a multi-layered defense for sensitive documents, while device management tools streamline administrative tasks.

- Ensure accountability for every color page you print. Precise job tracking supports accurate chargeback and billing.
- Protect confidential documents even if the hard drive is stolen with the optional DataOverwriteSecurity System (DOSS). It overwrites latent data on the hard drive after every job.
- Strengthen information security with an HDD encryption option that makes it virtually impossible for hackers to gain access to stored files.
- Make printer management much more convenient with instant e-mail alerts for administrators when the printer runs low on supplies or an error occurs.
- Produce detailed activity reports and submit meter reads automatically with @Remote Intelligent Remote Management System.

Durable, Dependable, Reliable

Engineered to handle demanding workloads in graphics-intensive offices, the Ricoh Aficio SP C821DN Series offers long-lasting reliability and low total cost of ownership (TCO).

- Get unbeatable value from this printer's combination of competitive pricing and low operating costs.
- Ensure smooth connectivity with a long list of standard and optional interfaces.
- Expect reliable, repeatable quality, day after day. This printer's monthly duty cycle outlasts competitive devices.
- Reduce interruptions with a shorter, soft curve paper path that can handle heavy stocks with ease and makes it simple for users to remove misfeeds.
- Minimize interruptions with long-lasting, high-yield consumables.



The Total Green Office Solution





Ricoh continues its long-standing commitment to developing office solutions with environmentally friendly and superior energy-and supply-saving features, without compromising productivity.

PowerChoiceValueConvenience

4-Bin Mailbox (Optional)

Keep documents from multiple users separate with the 4-Bin Mailbox.

Output Jogger Unit (Optional)

Available with the 3,000-Sheet Finisher, the Output Jogger Unit offsets finished documents for fast and easy retrieval.

1,000-Sheet Booklet Finisher (Optional)

Produce full-color booklets cost-effectively with the in-line Booklet Finisher.

3,000-Sheet Finisher (Optional)

Take advantage of highvolume, professional-quality, multi-position stapling with the 3,000-Sheet Finisher. Add the optional Hole Punch Unit for even more flexibility.

Paper Feed Units (Optional)

Add up to 1,100 sheets with one or two optional 550-Sheet Paper Feed Units.

Automatic Duplexing (Standard)

Save paper and filing space with standard automatic duplexing that runs at virtually the same speed as one-sided output.

Heavy Media Support

The Ricoh Aficio SP C821DN Series accepts heavy media (up to 68 lb. Bond/140 lb. Index) to give you many more options for in-house production.

Easy Maintenance

Maximize productivity with supplies that are easy for any user to replace.

Paper Trays (Standard)

Load up to 1,200 sheets with two standard 550-Sheet Paper Trays and a 100-Sheet Bypass Tray.


Large Capacity Tray (Optional)

Maximize total paper capacity with the 2,000-Sheet Large Capacity Tray.

Broad Compatibility

Quickly integrate the Ricoh Aficio SP C821DN Series with built-in compatibility for PC and Macintosh network environments.

Ricoh Aficio SP C821DN Series Configurations



Ricoh Aficio SP C821DN Series

Specifications

Mainframe EDP Codes

Aficio SP C821DN Aficio SP C821DNT1 406553 406554 Aficio SP C821DNX Aficio SP C821DNLC 406556

Engine Specifications

Configuration Technology

Desktop

Laser-beam scanning & electrophotographic printing with dual component toner development, 4-drum

tandem method

Printing Speed Warm-Up Time

50-ppm black & white and full-color 50 seconds Black & white: 7 seconds or less First Print Speed Full-color: 8 seconds or less Near 100% productivity for all paper **Duplex Print Speed**

Print Resolution

sizes 600 x 600-dpi (1-bit) (000 x 600-dpi (2-bit) (Default) 600 x 600-dpi (4-bit)

Standard Input Capacity

1200 x 1200 dpi (1-bit) SP C821DN (Base): 2 x 550 sheets + 100-Sheet Bypass Tray* SP C821DNT1**: 3 x 550 sheets + 100-Sheet Bypass Tray SP C821DNX: 4 x 550 sheets +

100-Sheet Bypass Tray SP C821DNLC: 2 x 550 sheets + 2,000 sheet LCT + 100-Sheet Bypass Tray (Maximum 3,200 Sheets)

*Can be configured with 550 x 1 Paper Feed Unit; 550 x 2 Paper Feed Unit, Large Capacity Tray or FAC33 Large Cabinet Stand.

**Can be configured with 550 x 2 Paper Feed Unit or FAC35 Stand.

Output Capacity

Standard: 500 sheets face down Optional: 3,000-Sheet Finisher, 1.000-Sheet Booklet Finisher or

4-Bin Mailbox Maximum: 4,000-sheet stack capacity

(with 3,000-Sheet Finisher and 4-Bin Mailbox)

First Paper Tray: 8.5" x 11"
Second Paper Tray: 7.17" x 5.83" – Paper Sizes

Second Paper III.al., 7.17 x 5.85 – 11" x 17" Bypass Tray: Width: 3.5" – 12", Length: 5.8" x 47.6" Optional Large Capacity Tray: 8.5" x 11" Optional Paper Feed Units: 7.17" x 5.83" – 11" x 17"

Standard & Optional Paper Feed Units Paper Weights

Standard & Optional Paper Feed Units, Large Capacity Tray: 16 – 68 lb. Bond/140 lb. Index (60 – 256 g/m²)
Bypass Tray: 16 – 68 lb. Bond/140 lb. Index (60 – 256 g/m²)
Suprass Tray: 16 – 68 lb. Bond/140 lb. Index (60 – 256 g/m²) (Source for Labels, OHP, and Envelopes)
Duplex Unit: 16 – 45 lb. Bond/90 lb. Index (60 – 169 g/m²)
Bond, Plain, Recycled, Preprinted, Special, Color Letthebed Card Stake, Clear.

Paper Types Color, Letterhead, Card Stock, Glossy, Coated, Labels, OHPs and Envelopes

Auto Duplex Dimensions (WxDxH) Standard

26.4" x 26.4" x 25.2" (670 x 670 x 640 mm) (Standard Configuration) Less than 213 lb. (97 kg) (Base Model) Weight (Base Model) 120V 60Hz

Power Requirements Operating Power Consumption Maximum Power Consumption **Energy Saver**

1440W

Printer Controller Specifications (Standard) Intel Celeron M @ 1GHz CPU

Memory

Inter Celefon in @ TGHZ SP C821DN, SP C821DNT1: Standard 512 MB RAM/Maximum 1 GB RAM SP C821DNLC: Standard 768 MB RAM/ Maximum 1 GB RAM

SP C821DNX: Standard/Maximum 1 GB RAM

80 GB HDD Standard on all models PCL 5c, PCL 6, RPCS, Adobe® PostScript® 3™, PDF Direct Print Standard: 45 PCL fonts, Hard Disk Drive Printer Languages

Fonts 13 International fonts, 136 PostScript

Optional: OCR and Barcode fonts

10/100Base-TX Ethernet (RJ-45). Standard Interfaces USB 2.0, USB Host I/F

IEEE 1284 Interface Board Type A -Optional Interfaces*

Part # 411699 IEEE 802.11a/bg Wireless LAN Type J –

Part #414008
Bluetooth Wireless Interface Type 3245 Part # 412866

Gigabit Ethernet Board Type B –

*Only one additional interface can be installed.

Network Protocols Standard: TCP/IP (IPv4, IPv6), SMB,

AppleTalk

Optional: IPX/SPX

Operating Systems

Windows 2000/XP/Server 2003/Server 2008*/Vista; Novell NetWare 3.12, 3.2,4.1, 4.11, 5.0, 5.1, 6, 6.5; UNIX (using Ricoh UNIX filter Phase 11): UNIX (USING RICOT O'NIX TIME PTABLE 11) SUN SOLARIS, HP-UX, SCO OPENSERVER, REdHAT LINUX, AND IBM AIX; CITRIX METAFRAMB, MAC OS 8.6 – 9.2x, OS X10.1 or later; SAP R/3 3.x or later RPCS, PCL5c, PCL6: Windows 2000/XP/Server 2003/Vista/Server 2008

XPS: Windows Vista/Server 2008 PostScript: Windows 2000/XP/Server 2003/Vista/Server 2008, Macintosh 8.6 or later, OS X (v. 10.1, 10.2, 10.3) SmartDeviceMonitor for Admin and

Client; Web SmartDeviceMonitor (Optional); Web Image Monitor; DeskTopBinder V2 Lite; Print Utility for Mac; Agfa Font Manager 2000

Controller Options

Drivers

Utilities

Camera Direct Print Card Type F - Part # 403108: Enables direct printing from a PictBridge™ enabled digital camera,

offect printing from a Pictisrioge enabled cigital camera, without a PC.

VM Card Type K for ESA" – Part # 406535

BB-HPL10A-R HD-PLC Ethernet Adaptor – Part # 100123FNG

Netware Card Type A – Part # 403114

Memory Options

Memory Lipit Type J 256 MB RAM – Part # 004166MILL

Memory Unit Type J 256 MB RAM – Part # 004166MIU Memory Unit Type J 512 MB RAM – Part # 004165MIU

Security Features

DataOverwriteSecurity System Type M (Optional) – Part # 406495: Security feature that overwrites latent data on the system's hard drive after scan and print jobs

HDD Encryption Unit Type D (Optional) – Part # 403113:

Encrypts data on HDD, so data is secure even if HDD is stolen Other Security Features
Network Protocols ON/OFF, Administrator Authentication, Job Log/lob Access, IP Address Filtering, User Account Registration, User Authentication, Wi-Fi Protect Access (WPA), Kerberos, 802.1X Wired Authentication, 128-bit Secure Socket Layer, SNMP v3 Encryption, IPsec Communication, Locked Print Password Encryption, Unauthorized Copy Control and Mask Type for Copying

Hardware Accessories

Two-Tray Paper Feed Unit (PB3040) – Part # 415002 Paper Capacity 1.100 sheets (550 x 2) Paper Sizes 7.17" x 5.83" – 11" x 17" Paper Weights 16 – 68 lb. Bond/140 lb. Index Paper Weights (60 - 256 g/m²)

 One-Tray Paper Feed
 Unit (P83080)
 Part # 414720

 Paper Capacity
 550 sheets (550 x 1)

 Paper Sizes
 7.17" x 5.83" - 11" x 17"

 Paper Weights
 16 - 68 lb. Bond/140 lb. Index

Large Capacity Tray (LCT) (PB3050) – Part # 415003
Paper Capacity 2,000 sheets (1,000 x 2)
Paper Sizes 8.5° x 11" LEF 16 – 68 lb. Bond/140 lb. Index (60 – 256 g/m²) Paper Weights

FAC33 Cabinet Stand (Large) - Part # 413762

Note: The Cabinet Stand or a paper supply option must be selected for Base Model installation when the printer is to be configured with a Finisher. FAC35 Stand (Small) – Part # 402849

Note: The Stand must be selected for the SP C821DNT1 installation when the printer is to be configured with a Finisher.

the printer is to be configured with a Finisher
3,000-Sheet Finisher (SR3030)* - Part # 413325
Paper Sizes 5.5" x 8.5" - 11" x 17", 12" x 18"
Paper Weights Proof Tray: 14 - 43 lb. Bond/
90 lb. Index (52 - 163 g/m²);
Shift Tray: 14 - 68 lb. Bond/
140 lb. Index (52 - 256 g/m²)

Stack Capacity Proof Tray:
250 sheets (8.5" x 11" or smaller),
50 sheets (8.5" x 14" or larger);
Shift Tray: 3,000 sheets (8.5" x 11"
LEF), 1,500 sheets (8.5" x 11" SEF,
8.5" x 14", 11" x 17", 12" x 18"),
100 sheets (5.5" x 8.5")
50 sheets (8.5" x 11" SEF), 30 sheets
(8.5" x 14" or larger, 8.5" x 11" LEF)
8.5" x 11" - 11" x 17"
17 - 24 lb. Bond (64 - 90 g/m²)
1 staple/3 positions; 2 staples/
1 position

Staple Paper Sizes Staple Paper Weights Staple Positions

SR3030 Finisher Options Jogger Unit Type 3260 – Part # 412209 Jogger Unit Type 3260 – Part # 412212 *Requires Bridge Unit BU3030 – Part # 414175

Staple Capacity

(Saddle Stitch) 17 – 24 lb. Bond (64 – 90 g/m²) Staple Paper Weights

1 staple/2 positions; 2 staples/ 1 position

SR3000 Finisher Options 2/3-Hole Punch Unit Type PU3000 – Part # 412855 *Requires Bridge Unit BU3030 – Part # 414175

4-Bin Mailbox Type C820* – Part # 406409 Number of Bins 4

Staple Positions

Number of Bins 4
Capacity Per Bin 125 sheets
Paper Size 5.5" x 8.5" to 11" x 17"
Paper Weight 16 - 34 lb. Bond (60 - 128 g/m²)
*Can be installed simultaneously with both the 1,000-Sheet Booklet Finisher and 3,000-Sheet Finisher.

Must be installed with either the PB3040 (SP C821DNX) or the PB3050 LCT

(SP C821DNLC)

Supplies

Cuppilos		
Consumables	Part #	Yield
Black Toner ¹	821026	20,000 pages @ 5%
Yellow Toner ¹	821027	15,000 pages @ 5%
Magenta Toner ¹	821028	15,000 pages @ 5%
Cyan Toner ¹	821029	15,000 pages @ 5%
Photoconductor Unit	403115	40,000 pages
Black		
Photoconductor Unit ²	403116	40,000 pages
Color		
Waste Toner Bottle	402716	40,000 pages
Intermediate Transfer	403117	200,000 pages
Llmi+3		. •

Fusing Unit³ 403118 160,000 pages ¹Based on A4 letter 5% test chart; 3 pages/job; Cyan, Magenta and Yellow (color printing only).
²Based on A4 letter 5% test chart; 3 pages/job; Color Drum Unit (color

printing only).

Based on A4 letter 5% test chart; 3 pages/job.

SP C821DN, SP C821DNT1, SP C821DNX, and SP C821DNLC

ship with starter toner cartridges that yield 10,000 pages for Black and 8,000 pages for each Color @ 5% coverage.

For maximum performance and yield, we recommend using genuine Ricoh parts and supplies.

Specifications subject to change without notice.

PANTONE® Support

PANTONE Profiles and Look-up Tables will be available in

Warranty

The Ricoh Aficio SP C821DN Series is under warranty against defects for a period of one year from the date of purchase. Consumables are under warranty for a period of 90 days from the date of purchase or until depleted, which ever comes first. Please refer to warranty document shipped with the product











